

### EW1352

## 2-Port USB Car Charger 5A including 1 Quick Charge 3.0 port

Charge quickly your mobile devices on the road

- Charge 2 smartphones/tablets at the same time with only one car charger
- Quick Charge 3.0 support: charge up to 4x faster, 0-80% in only 35 minutes (for devices with Quick Charge 3.0 support)
- Qualcomm® Quick Charge 3.0 certified, backwards compatible with Quick Charge 1.0 and Quick Charge 2.0
- Even smartphones/tablets without Quick Charge 3.0 will be charged
- Input 12V 24V: Suitable for both cars and trucks
- · With over temperature protection, over voltage protection, over current protection and short circuit protection
- · Also suitable for charging your tablet, power bank, action camera, car navigation and other USB powered devices

#### **DESCRIPTION**

Charge up to two smartphones/tablets at the same time with the EW1352 2-Port USB Car Charger 5A. Does your smartphone support Quick Charge 3.0? The Quick Charge 3.0 function charges Quick Charge 3.0 enabled devices 4 times faster. The battery of your smartphone is charged from 0-80% in only 35 minutes! The EW1352 is also compatible with smartphones and tablets with Quick Charge 1.0 and Quick Charge 2.0 support. Even smartphones without Quick Charge support will be charged. This USB charger can be used in both cars and trucks (12V-24V) and needs to be plugged into the cigarette lighter socket. The EW1352 has over temperature protection, over voltage protection, over current protection and short circuit protection.

#### **TECHNICAL**

Input Voltage: 12/24VOutput current: 5A (max)

Quick charge: 3.6-6.5V/3A, 6.5-9V/2A, 9-12V/1.5A

Power usage stand-by: 0.2WPower usage max.: 25W

• Dimensions in mm. (WxHxD): 25x60x25

· Weight in grams: 21g

#### LOGISTIC

• Product Weigth: 21.00 g

• Retail packaging Dimension (mm): 105 x 157 x 60

• Retail packaging Weigth: 52 g

• Master carton Qty: 72

• Master carton Dimension (cm): 42 x 33 x 39

• Master carton Weigth: 5.00 kg

26/11/2024 Page 1/2











# ewent











26/11/2024 Page 2/2









