


e'went

GENERAL CATALOGUE 2026



Join in the website www.ewent-online.com

A new modern graphic design for easy access
to Ewent products!




Simplified product search

Navigation is facilitated and product search is immediate, thanks to both the menu that divides the articles into various product, and to a complex system of filters that allows you to view products by main types and characteristics.

Download

Section with images, product documents, drivers and PDF technical data sheet.



Product Detail

The product page is intuitive and the product information is easily accessible by the user.



Dedicated support

Can't find the driver or manual?
Visit our dedicated page.

Still need help? Contact us by clicking on support.ewent-online.com and send us your request.
We will reply within 24 hours.

Follow us on

We are waiting for you on www.ewent-online.com



/EWENTEMINENT



@EWENTEMINENT



@EWENT_EU



/EWENT

INDEX

Charging Cart & Storage	4
Audio-Visual Mounting - Stands	6
Audio & Video	25
Power	30
Input	52
Connectivity	66
Cleaning	81
Laptop and PC Accessories	85
Network	90
Cables	
Network Cable	92
USB	98
Video & Audio	109
Power	117

Mobile charging trolley




EW1702



The USB-C Power Delivery charging system enables the simultaneous charging of all devices from a single outlet while safeguarding circuits against overload.

The device is fully assembled and pre-wired with USB-C cables, ensuring rapid deployment. The USB-C cable management system ensures that cables are organized and readily accessible.



Cable management in the front device section and separate rear power section easily organizes power supplies and routes cables to each device.

The dedicated compartment for managing power supplies and cables is designed to ensure organization, safety, and ease of maintenance within the system.



EW1701

An optional device enabling app-based scheduled charging can be installed upon request (sold separately) > **EW1701-T**



The charging cart is a flexible and versatile solution, designed to adapt to a wide range of professional and educational environments. Thanks to its sturdy construction, integrated power management system, and easy mobility, it can be effectively used in various operational scenarios:

- Schools and Educational Institutions
- Multimedia Rooms
- Offices and Co-working Spaces
- Industrial Settings
- Logistics and Warehousing

EW1702

Mobile charging USB-C PD Pre-wired trolley for 30 notebooks/tablet


- Modular, pre-wired, rapid deployment
- Numbered shelves, efficient storage
- Simultaneous charging, overload protection



EW1701

Mobile charging and storage trolley for 36 notebooks/tablet

- Flexible dividers, easy device storage
- Intelligent charging, alternating power, LED indicator
- Organized cable management, front and rear sections



An optional device enabling app-based scheduled charging can be installed upon request (sold separately) > **EW1701-T**



EW1700

Mobile charging and storage trolley for 30 notebooks/tablet

- Flexible dividers, easy device storage
- Intelligent charging, alternating power, LED indicator
- Organized cable management, front and rear sections



An optional device enabling app-based scheduled charging can be installed upon request (sold separately) > **EW1700-T**

EW1703

Mobile charging and storage trolley for 16 notebooks/tablet

- Flexible dividers, easy device storage
- Intelligent charging, alternating power, LED indicator
- Organized cable management, front and rear sections



EW1730

20-bay Locking Laptop/Tablet Charging Desk Cabinet AC, Laptop up to 15.6"

- Effortless setup, secure power management
- Instant charging, no hassle



EW1714

Charging Cabinet for 14 Notebooks, Tablets and Smartphones

- Stores and charges 14 devices
- Perforated doors for ventilation
- Key lock for greater security. Cable passage holes



An optional device enabling app-based scheduled charging can be installed upon request (sold separately) > **EW1714-T**

EW1720

19" Shelf for 18 Laptops, Tablets and Smartphone

- Shelf equipped with 18 slots
- Rack-mountable 19"
- Equipped ABS dividers.



EW1721

19" Shelf for 12 Notebook up to 17.3" Tablets, Smartphone

- Shelf equipped with 12 slots
- Rack-mountable 19"
- Equipped ABS dividers with cable management.





EW1552

Manual Height-Adjustable for 60-100" Displays



Smooth and Effortless Height Adjustment: Easily adjust the height with just a touch, thanks to finger-touch positioning.



Extra Storage with Elastic Straps perfect for PDU power strips.



Incorporating an innovative weight-balancing design and heavy-duty construction, the EW1553 allows users to raise and lower displays effortlessly with just a touch.

The innovative keyhole pattern is specifically designed to simplify the installation process, allowing the fixture to be mounted quickly and securely with minimal effort.



EW1553



The display support is a flexible and versatile solution, designed to adapt to a wide range of professional and educational environments. Thanks to its sturdy construction and the weight balance design and multiple VESA size options it can be effectively used in various operational scenarios:

- Schools and Educational Institutions
- Multimedia Rooms
- Offices and Co-working Spaces

EW1592

Aluminium Heavy Duty Floor stand for TVs from 60" up to 100" and 100Kg Min VESA 200x200 Max VESA 1000x600

- Slim, sleek aluminum construction
- Toolless Tilt: Allows effortless positioning
- Adjustable shelf for clear video



EW1583

Aluminium Floor stand for TVs from 37" up to 70" and 50Kg Min VESA 200x200 Max VESA 1000x600

- Elegant, slim aluminum design
- Switch between view modes easily
- Shelf adjusts for extra space



EW1552

Manual Height-Adjustable TV Cart for 60-100" Displays. Effortless Manual Height Adjustment

- Finger-touch height adjustment
- Steel build supports large screens
- Roll or stop with locking wheels



EW1553

Manual Height-Adjustable TV Wall Support for 60-100" Displays. Effortless Manual Height Adjustment


- Adjust height with zero effort
- Supports varied screen weights
- Heavy-duty build, ultra-stable



EW1539

Floor stand for TVs from 37" up to 70" with camera shelf

- Optimal view with height adjust
- VESA mount: 100x100 to 600x400
- Added shelf for extra storage



EW1581

Floor stand for TVs from 37" up to 70" and 45Kg with camera shelf. Min VESA 100x100 Max VESA 600x400

- Adjust TV height for best view
- Liftable shelf for accessories
- Heavy casters roll and lock firm



EW1540

Mobile floor stand for TVs from 37" up to 70"

- Mobile stand fits 37-70" screens
- Portrait/landscape + tilt adjust
- Mounts: 200x200 to 600x400 VESA



EW1591

Heavy Duty Floor stand with crank handle for TVs from 60" up to 100" and 120Kg Min VESA 200x200 Max VESA 1000x600

- Steel build: strong, built to last
- Easy tilt for perfect positioning
- Ripiano extra per attrezzi e utensili



EW1550**Heavy-Duty Mobile TV Floor Stand For TVs up to 86" and weight Up to 50 kg**

- Height-Adjustable TV Mount
- Versatile: portrait or landscape
- Clean look with cable control

**EW1582****Heavy Duty Floor stand for TVs from 37" up to 86" and 80Kg Min VESA 200x200 Max VESA 600x400**

- Adjust height for perfect view
- Steel frame holds heavy TVs steady
- Secure TV mount with twin hooks

**EW1584****Heavy Duty Floor stand for TVs from 55" up to 100" and 120Kg Min VESA 200x200 Max VESA 1000x600**

- Supports 120 kg with ease
- Adjust height for any setup need
- Strong shelf for media devices

**EW1542****Heavy-Duty Stand for TVs 50 up to 86"**

- Fits 50-86" TVs, up to 120 kg
- Media shelf for games or movies
- 360° casters with secure brakes

**EW1544****Heavy-Duty Stand for TVs 37 up to 100"**

- Fits 37-100" TVs, up to 150 kg
- VESA: 200x200 to 800x600mm
- Height adjusts to user's needs

**EW1541****Premium Heavy-Duty TV Stand: Accommodates 55-120" TVs with Unrivaled Strength and Stability**

- Secure steel cart, 55-100in fit
- Adjust height for ideal viewing
- Extra shelf for gear and tools

**EW1549****Heavy-Duty Floor-Wall Stand for TVs 55 up to 100"**

- Fits 55-100" screens, 120 kg max
- Built for classrooms, safe & strong
- VESA fits: 200x200 to 800x600mm

**EW1543****Flatscreen Desk Clamp 37 up to 55", black**

- Clamp fits 37-55" TVs, 35 kg max
- Detachable VESA plate for height adjust
- Desk clamp fits 10-85 mm thick



PRODUCT COMPARISON CHART

SKU	EW1592	EW1583	EW1552	EW1553	EW1539	EW1581
						
Screens	1	1	1	1	1	1
Screen Size	60-100"	37-86"	60-100"	60-100"	37-70"	37-70"
Mounting	Floor stand	Floor stand	Floor stand	Wall mount	Floor stand	Floor stand
Maximum weight	100 Kg	50 Kg	95 Kg	100 Kg	50 kg	50 Kg
Pivot points	N/A	90°	N/A	N/A	N/A	N/A
Distance to wall	–	–	–	–	–	–
Tilt	20°	20°	–	N/A	17°	20°
Swivel	–	–	–	–	–	–
VESA min./max.	200x200 – 1000x600	200x200 – 600x400	200x200 – 800x600	200x200 – 800x600	100x100 – 600x400	100x100 – 600x400
Cable management system	Yes	Yes	Yes	Yes	Yes	Yes

SKU	EW1540	EW1591	EW1550	EW1582	EW1584	EW1542
						
Screens	1	1	1	1	1	1
Screen Size	37-70"	60-100"	37-86"	37-86"	55-100"	37-70"
Mounting	Floor stand	Floor stand	Floor stand	Floor stand	Floor stand	Floor stand
Maximum weight	50 kg	120 Kg	50 Kg	80Kg	120Kg	120 kg
Pivot points	90°	N/A	90°	–	–	90°
Distance to wall	–	–	–	–	–	–
Tilt	20 °	15°	15°	–	–	20°
Swivel	–	–	–	–	–	–
VESA min./max.	200x200 – 600x400	200x200 – 1000x600	200x200 – 600x400	200x200 – 600x400	200x200 – 1000x600	200x200 – 600x400
Cable management system	Yes	Yes	Yes	Yes	Yes	Yes

SKU	EW1544	EW1541	EW1549	EW1543
				
Screens	1	1	1	1
Screen Size	37-100"	55-120"	55-100"	37-55"
Mounting	Floor stand	Floor stand	Floor stand	Desk mount
Maximum weight	150Kg	150 kg	120Kg	37 kg
Pivot points	N/A	N/A	–	–
Distance to wall	–	–	–	–
Tilt	N/A	N/A	–	–
Swivel	–	–	–	–
VESA min./max.	200x200 – 800x600	200x200 – 1000x600	200x200 – 800x600	75x75 – 400x400
Cable management system	Yes	Yes	Yes	Yes

Single Monitor Support Arm - Gas Movement



EW1509



Optimized tilting head structure provides smooth adjustments with $+50^{\circ}$ to -20° tilt, 180° swivel, 360° rotation, and 458mm of smooth height adjustment with Gas spring lift. Cable management covers keep cords neatly out of the way during transitions and create a clean, organized appearance.

Mounting your monitor is a simple process with the detachable VESA plate, and we provide all the hardware and instructions for easy assembly.



Dual Monitor Support Arm - Manual Movement



Create an ergonomic and space-saving work environment by using the Ewent EW1512 Dual LCD Desk Mount. Place two screens to your ideal height and viewing angle for a better posture and thus avoid back, neck and shoulder complaints.

With convenient monitor mounting system

The Ewent EW1512 has three pivot points per monitor for setting the ideal viewing distance. The Ewent desk mount is suitable for two screens up to 32" with a maximum weight up to 8kg each.

The EW1512 is fitted with 75x75 mm and 100x100 mm VESA mount.



EW1512

Create an Ergonomic Workspace with Ewent Monitor Arms, Laptop Stands, and Monitor Risers

In today's world, hybrid working has become the standard, and this flexible way of working must meet certain essential conditions. One of the most important aspects - especially in terms of occupational health and safety - is ensuring that any workspace, whether at home, in the office, or on the go, is ergonomically designed.

An ergonomic setup not only helps prevent or reduce physical discomfort and health risks, but also contributes to greater work satisfaction and improved productivity. Since people vary in height, posture, and work habits, it's crucial to adapt the workspace to individual needs. For example, the screen should be positioned at least an arm's length away - ideally between 50 and 60 cm - with the top edge of the screen at eye level.

Keeping the workspace organized is also key to maintaining a productive environment. A tidy setup ensures there is enough room to work comfortably and efficiently.

Ewent offers a range of ergonomic solutions - including monitor arms, laptop stands, and monitor risers - designed to support a healthy working posture and help keep your desk clutter-free.

Ewent Monitor Arms

Ewent monitor arms are built to enhance your working environment with both functionality and style. They allow you to position your screen at the ideal height and angle, reducing strain on your neck and back. At the same time, they free up valuable desk space, helping you maintain a clean, organized workspace.



EW1509

Heavy-Duty Single Monitor Support Arm Desk for Flat/Curved/Ultrawide Monitor up to 49" and 20 Kg Full VESA 75x75 / 100x100, RGB Light, Matte Black & Whitish-Grey

- Supports 49" screen, 20kg max
- Ergo arm lifts large gaming screens
- Smooth tilt & lift with gas spring



EW1527

Heavy-Duty Single Monitor Support Arm Desk for Flat/Curved/Ultrawide Monitor up to 45" and 15 Kg Full VESA 75x75 / 100x100

- Ergo arm for 45" & 15kg monitor
- Heavy-duty arm, easy screen move
- Ergo lift arm with cable covers



EW1528

Heavy-Duty Dual Monitor Support Arm Desk for Flat/Curved/Ultrawide Monitor up to 35" and 15 Kg Full VESA 75x75 / 100x100

- Dual arm fits 35", 15kg monitors
- Gaming-ready arm, spring assist
- Mech spring arm, full motion range



EW1529

Heavy-Duty Single Monitor Support Arm Desk for Flat/Curved/Ultrawide Monitor up to 49 and 20Kg Full VESA 75x75 / 100x100

- Fits 49" monitor, 20kg max load
- Gaming-ready arm, spring assist
- Ergo arm with clean cable path



EW1533

Monitor Desk Mount For 34" Monitors | Mechanical Spring


- Easy adjust via spring mechanism
- Keep cables neat and organized
- Full motion arm with 3 pivots



EW1534

Dual Monitor Desk Mount For 34" Monitors | Mechanical Spring

- Spring arm moves with no tools
- Keep cords neat and organized
- 3 pivot points for full screen move



EW1515

Desk Mount with gas spring for 1 monitor up to 34" with VESA

- Gas spring arm for 34" monitor
- Space-saving desk mount solution
- Built-in USB, mic, speaker ports



EW1516

Desk Mount with gas spring for 2 monitors up to 34" with and VESA

- Dual gas arms for 2x34" monitors
- Space-saving solution to keep your desk tidy and clean
- Built-in USB, mic, speaker ports



EW1532

Wall Mount with gas spring for 1 monitor up to 34" with VESA

- Wall gas arm for 34" monitor
- Clean desk with space-saving arm
- Tool-free height adjust, gas lift



EW1510

Monitor desk mount, 1 screen up to 34", VESA


- Fits 1x34" monitor, 9kg max load
- Easy screen mounting system
- VESA Mounting Compatibility 75x75, 100x100



EW1512

Monitor desk mount, 2 screens up to 32", VESA


- Dual arm fits 2x32", 8kg monitors
- Easy screen mounting system
- With a 75*75 and 100*100 VESA mount



EW1513

Desk Mount for 3 monitors up to 27" with VESA

- Triple monitor desk arm, 27" and 7Kg
- Clean workspace, compact design
- Clamp & grommet mounts included



EW1514

Desk Mount for 4 monitors up to 32" with VESA

- 4-screen VESA mount, 8kg each
- Clean workspace, compact design
- Clamp & grommet mounts included



EW1519

Monitor mount with Notebook holder For 1 Monitor / 1 Notebook

- Dual mount: 34in screen + laptop
- Adjustable in height
- Easy mount, VESA 75 & 100mm



EW1535

Desk Stand for 1 monitor up to 34" with VESA

- Desk stand for 34in, 8kg max
- Ergonomic screen adjust system
- Built-in cable, tool, phone slots



EW1536

Desk Stand for 2 monitors up to 32" with VESA

- Desk stand for 2x 32in monitors
- Ergonomic screen adjust system
- Built-in cable, tool, phone slots



EW1537

Monitor Tabletop Mount with gas spring for 1 monitor up to 34" with VESA

- Gas spring arm, easy height set
- With cable management system
- Ergo mount: tilt, swivel, height



EW1538

Monitor Tabletop Mount with gas spring for 2 Monitors up to 27"

- Gas spring lift, smooth adjust
- With cable management system
- Ergo mount: tilt, swivel, height



EW1517

Thin Client Computer Mount

- Mounts on pole or desk underside
- Mount mini PC (70mm, 5kg) to VESA
- Organize your desk, save space



PRODUCT COMPARISON CHART

SKU	EW1509	EW1527	EW1528	EW1529	EW1533
					
Type of mount	Desk mount	Desk mount	Desk mount	Desk mount	Desk mount
Number of screens	1	1	2	1	1
Screen size min./max.	17 - 49"	17 - 45"	17 - 35"	17 - 49"	17 - 32"
Mounting	Desk clamp and grommet mount	Desk clamp and grommet mount	Desk clamp and grommet mount	Desk clamp and grommet mount	Desk clamp and grommet mount
Max. weight	20 Kg	15 Kg	15 Kg	20 Kg	8 Kg
Pivot points	3	3	3	3	3
Tilt	90°	90°	90°	90°	135°
Rotation	180°	180°	180°	180°	360°
Swivel	360°	360°	360°	360°	180°
Adjustable height cm	0 - 50	0 - 50	0 - 50	0 - 50	0 - 48
Adjustable depth cm	15 - 50	–	–	–	11 - 45
VESA min./max	75x75 – 100x100	75x75 – 100x100	75x75 – 100x100	75x75 – 100x100	75x75 – 100x100
Extra	Adjustable in height by its gas spring system. RGB light effect	Adjustable in height by its mechanical spring system	Adjustable in height by its mechanical spring system	Adjustable in height by its mechanical spring system	Adjustable in height by its mechanical spring system

SKU	EW1534	EW1515	EW1516	EW1532	EW1510
					
Type of mount	Desk mount	Desk mount	Desk mount	–	Desk mount
Number of screens	2	1	2	1	1
Screen size min./max.	17 - 32"	13 - 27"	13 - 27"	17 - 32"	10 - 32"
Mounting	Desk clamp and grommet mount	Desk clamp and grommet mount	Desk clamp and grommet mount	Wall Mount	Desk clamp and grommet mount
Max. weight	8 Kg	6.5 kg	6.5 kg	9 kg	8 kg
Pivot points	3	3	3	2	3
Tilt	135°	135°	135°	135°	180°
Rotation	360°	360°	360°	360°	360°
Swivel	180°	360°	360°	360°	360°
Adjustable height cm	0 - 48	0 - 48	feb-46	–	0 - 45
Adjustable depth cm	11 - 45	11 - 45	11 - 45	–	10 - 44
VESA min./max	75x75 - 100x100	75x75 - 100x100	75x75 - 100x100	75x75 - 100x100	75x75 - 100x100
Extra	Adjustable in height by its mechanical spring system	Adjustable in height by its gas spring system Extension ports for USB 3.1 Gen1, microphone + speaker jack	Adjustable in height by its gas spring system Extension ports for USB 3.1 Gen1, microphone + speaker jack	–	–

SKU	EW1512	EW1513	EW1514	EW1519	EW1535
					
Type of mount	Desk mount	Desk mount	Desk mount	Desk mount	Desk mount
Number of screens	2	3	4	1	2
Screen size min./max.	10 - 32"	10 - 27"	10 - 32"	13 - 34"	13 - 34"
Mounting	Desk clamp and grommet mount	Desk clamp and grommet mount	Desk clamp and grommet mount	Desk clamp and grommet mount	Desk stand
Max. weight	8 kg	7 kg	8 kg	Flat Monitor up to 9Kg Curved Monitor up to 7 Kg	Flat Monitor up to 8Kg Curved Monitor up to 7 Kg
Pivot points	3	3	3	3	3
Tilt	180°	180°	180°	180°	90°
Rotation	360°	360°	360°	360°	360°
Swivel	360°	360°	360°	360°	360°
Adjustable height cm	0 - 45	0 - 45	0 - 88	0 - 45	–
Adjustable depth cm	10 - 44	15 - 66	10 - 40	10 - 44	–
VESA min./max	75x75 – 100x100	75x75 – 100x100	75x75 – 100x100	75x75 – 100x100	75x75 – 100x100
Extra	–	–	–	Adjustable clamp with safety ledge: fits a variety of laptop sizes and keeps the Notebook safely in place	Base with support for Phone and tablet

SKU	EW1536	EW1537	EW1538	EW1517
				
Type of mount	Desk mount	Desk mount	Desk mount	PC mount
Number of screens	2	1	2	–
Screen size min./max.	13 - 32"	13 - 32"	13 - 32"	–
Mounting	Desk stand	Pole, VESA and desktop	Pole, VESA and desktop	Pole, VESA and desktop
Max. weight	8 kg	6.5 kg	6,5 kg	15 kg total
Pivot points	3	3	3	–
Tilt	90°	135°	135°	–
Rotation	360°	360°	360°	–
Swivel	360°	360°	360°	–
Adjustable height cm	–	0 - 48	2 - 46	–
Adjustable depth cm	–	–	–	3 - 8 cm
VESA min./max	75x75 – 100x100	75x75 – 100x100	75x75 – 100x100	50x50 – 100x100
Extra	–	–	–	–

TV Wall Mounts for 23" to 100" Screens - Fixed, Tilting & Full-Motion Designs

Optimize your viewing experience with our complete selection of **TV wall mounts**, designed to fit screens from **23" up to 100"**. Whether you need a **fixed mount for a clean, low-profile installation**, a **tilting bracket for glare reduction**, or a **full-motion arm for maximum flexibility**, we offer durable, easy-to-install solutions for any room and setup.

Key Features:

- **Wide Screen Size Compatibility**
Supports TVs from 23" to 100", with VESA standards ranging from 75x75 to 900x600, and weight capacities up to 75kg (depending on model).
- **Mounting Options:**
 - **Fixed Mounts:** Ultra-slim design to keep your TV close to the wall - ideal for modern, minimal interiors.
 - **Tilting Mounts:** Adjustable vertical angle to reduce glare from windows or lights - perfect for bedroom or living room setups.
 - **Full-Motion Mounts:** Extend, swivel, tilt, and rotate for complete control over your viewing angle - ideal for corner installations, open spaces, or dynamic use cases.

▪ Easy Installation

Includes universal mounting hardware, step-by-step guides, and built-in leveling systems or bubble levels (on selected models).

▪ Heavy-Duty Construction

Made with reinforced steel and tested for safety and durability - ensuring stable support for large screens.

▪ Cable Management Options

Integrated systems or clips (available on select models) help keep power and HDMI cables neat and organized.

Ideal For:

- Living rooms, home theaters, and conference rooms
- Commercial displays and digital signage
- Bedrooms, kitchens, or small spaces requiring flexible mounting

EW1501

TV Wall Mount, 23" up to 43", Fixed

- Suitable for TVs from 23" up to 43"
- VESA: 50x50, 75x75, up to 200x200
- Space-saving design: only 20mm from the wall



EW1502

TV Wall Mount, 32" up to 70", Fixed

- Suitable for TVs from 32" up to 70"
- VESA: 50x50, 75x75, up to 400x400
- Space-saving design: only 20mm from the wall



EW1503

TV Wall Mount, 37" up to 80", Fixed

- Suitable for TVs from 37" up to 80"
- VESA: 200x200, up to 600x400
- Space-saving design: only 20mm from the wall



EW1504

Heavy-Duty Fixed TV Wall Mount XXL 60-100"

- Suitable for TVs from 60" up to 100"
- VESA: 200x200, up to 900x600
- Space-saving design: only 30.5 mm from the wall



EW1506**Easy Tilt TV Wall Mount M**

- Suitable for TVs from 23" up to 42"
- VESA: 75x75, up to 200x200
- Tilt angle: 0°/-8°

**EW1507****Easy Tilt TV Wall Mount XL**

- Suitable for TVs from 32" up to 70"
- VESA: 75x75, up to 400x400
- Tilt angle: 0°/-8°

**EW1526****Full Motion TV Wall Mounting Bracket 37" - 80"**

- Full Motion Mount for 37-80" TVs
- VESA: 100x100, up to 600x400
- 3-point arm, 464mm reach

**EW1525****Full Motion TV Wall Mount Bracket, up to 55"**

- Full Motion Mount for 23-55" TVs
- VESA: 100x100, up to 400x400
- 3-point arm, 380mm reach

**EW1520****Easy Turn TV Wall Mount M with 1 pivot point**

- Full Motion Mount for 23-43" TVs
- VESA: 75x75, up to 200x200
- Built-in cable organizer

**EW1521****Full Motion TV Wall Mount Bracket, up to 43"**

- Full Motion Mount for 23-43" TVs
- VESA: 100x100, up to 200x200
- 2-point arm, 20 cm reach

**EW1522****Full Motion TV Wall Mount Bracket, up to 43"**

- Full Motion Mount for 23-43" TVs
- VESA: 100x100, up to 200x200
- Tilt +3°/-10°, Swivel ±90°, 378mm



PRODUCT COMPARISON CHART

SKU	EW1501	EW1502	EW1503	EW1504	EW1506	EW1507
						
Screens	1	1	1	1	1	1
Screen Size	23-43"	32-70"	37-80"	60-100"	23-43"	32-70"
Mounting	Wall mount	Wall mount	Wall mount	Wall mount	Wall mount	Wall mount
Maximum weight	45 kg	45 kg	45 kg	75 kg	45 kg	45 kg
Pivot points	–	–	–	–	–	–
Distance to wall	2 cm	2 cm	2 cm	3 cm	2 cm	2 cm
Tilt	–	–	–	–	–	–
Swivel	–	–	–	–	–	–
VESA min./max.	50x50 - 200x200	200x200 - 400x400	200x200 - 600x400	200x200 - 900x600	75x75 - 200x200	200x200 - 400x400
Cable management system	No	No	No	No	No	No

SKU	EW1520	EW1521	EW1522	EW1525	EW1526
					
Screens	1	1	1	1	1
Screen Size	13-42"	13-43"	13-43"	23-55"	37-80"
Mounting	Wall mount	Wall mount	Wall mount	Wall mount	Wall mount
Maximum weight	20 kg	20 kg	20 kg	30 kg	40 kg
Pivot points	1	2	3	3	3
Distance to wall	7.5 cm	5-20 cm	5-37 cm	6-38 cm	6-35 cm
Tilt	13°	17°	13°	17°	18°
Swivel	30°	180°	180°	180°	120°
VESA min./max.	75x75 - 200x200	100x100 - 200x200	100x100 - 200x200	100x100 - 400x400	100x100 - 600x400
Cable management system	No	Yes	Yes	Yes	Yes

Workstation Accessories - Comfort, Organization & Productivity

Upgrade your workspace with our curated selection of **workstation accessories**, designed to enhance ergonomics, improve cable organization, and support a cleaner, more efficient environment. Whether you're setting up a home office, a corporate desk, or a shared workspace, our solutions combine **functionality, flexibility, and modern design**.

▪ Sit-Stand Desks & Desk Converters

Easily switch between sitting and standing positions to reduce fatigue and support a healthy posture throughout the day. Available in electric, manual, and riser formats.

▪ Monitor Risers & Stands

Elevate your screen to eye level to reduce neck and shoulder strain. Options include adjustable height platforms, wood or metal finishes, and integrated storage space.

▪ Cable Management Solutions

Keep cables under control with trays, clips, under-desk channels, and adhesive organizers - ideal for clean, tangle-free setups.

▪ CPU Holders (Under-Desk Mounts)

Secure your desktop tower off the floor with adjustable CPU brackets. Swivel and sliding models provide easy access while saving floor space.

▪ Cable Sleeves & Wraps

Bundle and protect cords with flexible sleeves and wraps for a neat, professional look - great for desks, media centers, and shared spaces.

Ideal For:

- Home offices and remote work setups
- Corporate workstations and open-plan offices
- Creative studios and technical environments
- Anyone seeking ergonomic and organized desk solutions

EW1545

Sit Stand Desk Workstation with adjustable height with keyboard tray

- Quick transitions via gas spring
- Large workbase to position monitors and laptop
- Keyboard tray provide comfort to your wrist



EW1546

Clamp-On Desk Monitor Riser

- Add extra space to your desk
- Clamp-On Monitor Riser 650x260mm
- Ergonomic: screen at eye level



EW1547

Versatile Desktop Riser, Side Clamp, Top Clamp or Freestanding

- The stable board holds up to 20kg
- Sleek design fits modern setups
- Side, Top Clamp or Freestanding



EW1569

Cable Management Storage Box

- Protects cables from dust & water
- Organized cables, cleaner desk
- Better airflow, less heat build-up



EW1548**Clamp-On Under Desk Cable Tray**

- Clamp tray to desk easy install
- Under-desk tray clears cable mess
- Solid metal tray, 5Kg capacity

**EW1268****Foldable RGB Monitor Raise with drawer, smartphone holder and 4-port USB 3.0 HUB**

- Supports 27" monitor, 20Kg max
- Designed to fold with 3 different widths
- Drawer & phone slot in RGB stand

**EW1280****Monitor Riser with useful drawer**

- Raise your monitor to a comfortable level
- Supports monitors up to 27 kg
- Drawer for storing A4 size papers and stationery

**EW1290****Adjustable CPU Stand on Wheels**

- Mobile stand for office/gaming PC
- Protects PC case from dust & dirt
- Place CPU under desk to save space

**EW1292****Adjustable X-Stand with Wheels for CPU**

- Adjusts to fit-up to 25cm wide
- 5 wheels w/ brakes-move & lock
- Holds up to 25Kg-ABS built tough

**EW1291****Universal mobile CPU stand**

- Mobile stand for PC under desk
- Protects PC case from dust & dirt
- Suitable for home use and office use

**EW1293****Adjustable CPU Desk/Wall Mount**

- Hanging under-desk adjustable CPU holder
- Save desk space and protect your computer
- Adjustable Under-Desk/Wall CPU Mount

**EW1557****Flexible Cable Wrap Sleeve with Hook and Loop fastener, 1000x85mm**

- Organize and protect all your cables
- Keeps cables neat and organized
- Custom cable strip, 1m wide



EW1558**Flexible Cable Wrap Sleeve with Hook and Loop fastener, 2000x100mm**

- Organize and protect all your cables
- Keeps cables neat and organized
- 2m cable strip, drill as needed

**EW1559****Polyester sleeve for cable management and self-closes - 3000x13mm**

- Clean, clutter-free cable setup
- 3m cable sleeve, trim to fit

**EW1561****Polyester sleeve for cable management and self-closes - 8000x13mm**

- Clean, clutter-free cable setup
- 8m cable sleeve, trim to fit

**EW1562****Neoprene Cable Sleeve with Buckle & Zipper 1000x100mm**

- Clean space, cables organized
- Modular cable sleeve system

**EW1563****Hook & Loop Cable Straps reusable 15mm x 10 meter length**

- Secure wires, tools, and more
- Trim to length, no loose wires
- Velcro® type fastening

**EW1564****Black Nylon Cable Ties, 200mm x 2.5mm**

- Strong ties, indoor to outdoor
- Built for work, made to last
- Tough ties, chemical-proof too



PRODUCT COMPARISON CHART

SKU	EW1280	EW1546	EW1547	EW1268
				
Type	Monitor riser	Monitor riser	Desktop Riser	Foldable RGB Monitor Raise
Monitor up to	up to 27 kg	up to 20 kg	up to 20 kg	up to 20 kg
Fan	No	No	No	No
Power	-	-	-	via USB
Extra	Drawer for storing A4 size papers and stationery Cable management system Non-skid rubber feet for stability * optional EW1282	Clamp-On Particle Board Monitor Riser (650x260x130mm) Heavy-Duty Clamp Base: suits most desks with adjustable height	Three Installation Ways: Side Clamp, Top Clamp and Freestanding Space Saving Design: Free up and gain additional work space on your desk	Storage Drawer + Mobile Phone Holder. Built-in storage drawer and mobile phone holder are hidden in the RGB monitor stand

SKU	EW1290	EW1291	EW1292
			
Type	Computer stand	Computer stand	Computer stand
Monitor up to	-	-	-
Fan	No	No	No
Power	-	-	-
Extra	Adjustable base from 15.5 up to 25.5 cm, Equipped with four castors (2 lockable)	Adjustable base from 10.9 up to 20.9 cm, Equipped with four castors (2 lockable)	Adjustable base up to 25 cm, Equipped with four castors (4 lockable)

SKU	EW1548	EW1293	EW1569
			
Type	Under Desk Cable Tray	Computer stand	Cable Management Storage Box
Monitor up to	up to 5 kg	-	-
Fan	No	No	No
Power	-	-	-
Extra	Easy to install, you can simply fix the cable tray to the desk and tighten the clamps	Adjustable width and height adjustable 360° Swivel: easy access to ports and cables on the backside	Easily protect cable & power strip from water and dust.

EW1269

**Aluminum Laptop Stand 360° Rotation
Adjustable Height & Tilt 7-in-1 Docking**

- Ergonomic height & angle adjust
- 7-in-1 Dock: 4K HDMI, USB, PD100W
- Aluminum stand with firm support



EW1267

**Portable aluminum notebook
stand with 360° rotation**

- Height & Angle Adjustable, 360°
- Stable, non-slip aluminum base
- Keeps your laptop cool & safe



EW1260

**RGB Notebook Cooling Stand Multiangled
with 6 speed adjustable fans**

- 6-Speed Cooling for up to 17" Laptops
- Premium Look & Ergonomic Feel
- LCD Display + Dual USB Ports



EW1259

**Multi-angled Notebook Cooling Stand
with 6 adjustable speed fans**

- Suitable for Laptops up to 17"
- Silent Cooling: 125mm + 4x70mm
- 3 Cooling settings and 6 fan speed levels



EW1258

Multi-angled Notebook Cooling Stand

- Suitable for Laptops up to 17"
- 5 Adjustable viewing angles and silent fan
- USB powered and 2 Additional USB ports



EW1256

Notebook Cooling Pad with 2 Fans

- Suitable for Laptops up to 17"
- 2 Silent 125mm fans
- USB powered via pass-through USB plug



EW1250

Silent Basic Laptop Cooling Stand

- Suitable for Laptops up to 16.1"
- Built-in Cable & USB Port
- Non-slip thanks to its rubber feet.



EW1266

Aluminum folding Laptop star

- Foldable, 7-level aluminum stand
- Ergonomic use, no back strain
- For laptops from 10 up to 17"



PRODUCT COMPARISON CHART

SKU	EW1250	EW1256	EW1258	EW1259
				
Type	Laptop stand	Laptop stand	Laptop stand	Laptop stand
Scherm/ monitor up to	15.6"	17"	17"	17"
Fan	Yes 1x 125mm Ø	Yes, 2x 125mm Ø	Yes 1x 125mm Ø	Yes 1x 125mm Ø + 4x 70mm Ø
USB-ports	–	–	2x USB 2.0	2x USB 2.0
Adjustable viewing angle	Yes	Yes	Yes	Yes
Power	via USB	via USB	via USB	via USB
Extra	–	–	ON/OFF button to enable and disable the fan Non-slip rubber feet	ON/OFF button to enable and disable the fan Non-slip rubber feet, 3 Adjustable fan speed

SKU	EW1260	EW1266	EW1267	EW1269
				
Type	Gaming Laptop Stand	Foldable Laptop Stand	Aluminum notebook Stand	Aluminum Laptop Stand with dock 7in1
Scherm/ monitor up to	17"	15.6"	17.3"	17.3"
Fan	Yes 2x 100mm Ø + 4x 70mm Ø	No	No	No
USB-ports	–	–	No	HDMI, 2xUSB-A 3.0, 1x USB-C 3.0 data, PD 100W, SD/TF
Adjustable viewing angle	Yes	Yes	Yes	Yes
Power	via USB	–	–	via USB-C
Extra	ON/OFF button to enable and disable the fan Non-slip rubber feet, 3 Adjustable fan speed, smartphone support	Lightweight and foldable Comes with a travel bag	Ergonomic adjustment in height and viewing angle to reduce neck and shoulder pain. 360° rotation to better view and share information	High-performance Docking Station 7 in 1: HDMI 4K 60Hz, 2 USB-A 3.0, Type-C 3.0 data, PD 100W, SD/TF 3.0.

EW1570

4 in 1 Universal Remote Control programmable via PC with micro USB cable

- 4-Device Universal Remote
- Programmable via USB & PC
- All Original Functions Included



EW1575

Remote Control for LG and Samsung Smart TVs

- Remote control for all LG and Samsung TVs and Smart TVs
- Smart & 3D Features Included
- Ready to use: no programming needed



EW1576

Remote Control for LG, Samsung, Sony, Panasonic and Philips Smart TVs

- Remote control for all LG, Samsung, Sony, Panasonic or Philips TVs and (Smart) TVs
- Smart & 3D Features Included
- Ready to use: no programming needed



PRODUCT COMPARISON CHART

SKU	EW1570	EW1575	EW1576
			
Compatible with	TV, decoder, VCR, etc	LG & Samsung	LG, Samsung, Sony, Panasonic, Philips
Power supply	2x AAA batteries (not included)	2x AAA batteries (not included)	2x AAA batteries (not included)
Included	USB cable	–	–
Extra	–	–	Dedicated button for Netflix and Prime video

EW3720

4K HDMI Splitter 1x2

- 1x2 HDMI Splitter, 4K & 3D
- 4K/30Hz & 3D/1080p Support
- HDMI 1.4 High Speed Compatible



EW3730

4K HDMI Switch 3 ports

- 4K HDMI 3x1 Switch w/ Remote
- Auto-Sensing Input Detection
- Compatible with HDMI High Speed



EW3715

HDMI extender set via UTP Cable, max. 60m

- HDMI Extender 50m via UTP
- Extend HDMI Up to 60 Meters
- Full HD 3D: 1080p @ 60Hz



EW1555

Multimedia and Network wall junction box
VGA + 2xHDMI + Audio + 2xUSB + 2xRJ45,
White

- Perfect for AV Installations
- Wall-Fix Metal Case + Cable Slot
- Female-Female Keystone (ex VGA)



PRODUCT COMPARISON CHART

SKU	EW3730	EW3720	EW3715
Connection (in)	HDMI A (full-size) female (x3)	HDMI A (full-size) female (x1)	HDMI
Connection (out)	HDMI A (full-size) female (x1)	HDMI A (full-size) female (x2)	-
c	Yes	Yes	-
Resolution	-	-	1920 x 1080 pixel
Max. resolution @ 30Hz	3840 x 2160	3840 x 2160	-
Max. resolution @ 60Hz	1080p	1080p	1080p
Video signal	HDMI	HDMI	HDMI
Max Distance	-	-	60 m
Supported features	EDID, HDCP 1.4	EDID, HDCP 1.4	-
HDMI Specification	HDMI High Speed	HDMI High Speed	-
Other signals	HD audio, IR	HD audio	-
Power supply	USB powered	USB powered	Yes
Included	Remote control + battery, IRRX cable, USB power cable	USB power cable	2x Power supply

EW3564

Over-ear stereo headset with microphone and volume control - single and dual jack 3.5mm

- Stereo headset w/ mic & volume
- Chat & music-ready headset
- Foldable headset w/ 40mm driver



PL3321

Over-ear Gaming Headset with microphone and RGB LEDs - single and dual jack 3.5mm

- Over-ear RGB gaming headset
- Bass boost, mute & volume
- Console-ready w/ jack adapter



PL3322

Gaming Headset - single and dual jack 3.5mm

- Soft over-ear pads & headband
- 50mm drivers for rich sound
- Inline mute, volume & mic



PL3320

Comfortable over-ear Gaming Headset - single and dual jack 3.5mm

- Soft ear pads, padded headband
- Powerful bass unit
- Inline volume & mute switch



EW3562

Professional Stereo headset with microphone and volume control - dual jack 3.5mm


- Stereo headphones with microphone and volume control suitable for listening to music, gaming and making phone calls over the Internet
- Tangle-free nylon braided cable with two 3.5 mm connectors
- Extra long cable: 2m



EW3565

USB Headset with microphone

- Ideal for calls, music & gaming
- Soft pads, flex mic, adjustable band
- Inline volume control and mute switch



EW3563

Stereo Headset with Microphone and volume control - dual jack 3.5mm

- Basic headset with microphone
- Communicate handsfree over the Internet!
- High performance microphone



EW3568

USB Headset with microphone

- Ideal for video meetings and listening music
- Flexible mic, comfy headband
- Inline volume control and mute switch



EW3567

Stereo Headset with Microphone and Volume control - single jack 3.5mm

- Hands-free stereo headset
- For chat apps on all devices
- Single plug for mic & audio



EW3552

Multimedia Microphone with noise cancelling

- Noise-cancel mic with 3.5mm jack
- Stable stand w/ mic holder
- Plug & play - no drivers needed



EW3550

Multimedia Microphone

- Multimedia microphone for recording sound
- Communicate handsfree over the Internet!
- Compact and functional design



EW1585

Adjustable Desk Clamp Stand for Headphones

- Light, stylish aluminum stand
- Anti-slip silicone headband hook
- Trendy aluminum headphone stand



EW1586

Headphone Stand- STABLE AND SAFE

- Stable, safe aluminum stand
- Quick setup, stable design
- Keep headphones safe & tidy



EW3528

2.0 Speakers | 12W | Built-in volume and Headphone connection | 3.5mm jack, USB power supply | Black

- 6W RMS stereo speakers (12W max)
- Built-in 3.5mm headphone jack connection
- No mains power required, USB powered



EW3527

2.0 speakers 10w built in volume 35mm jack usb power supply black

- 6W RMS stereo speakers (10W max)
- No mains power required, USB powered
- Easy access volume control on the front



EW3513

Desktop Speaker 2.0

- 5W RMS stereo speakers (10W max)
- Works with PC, phone, tablet, CD
- 3.5mm line-in cable connect to audio source



EW3751

USB Audio Adapter

- USB Audio Adapter for PC/laptop
- Experience virtual 3D 5.1 sound
- Speaker/headset output and microphone input



PRODUCT COMPARISON CHART

SKU	EW3513	EW3528	EW3527
			
	2.0 speakerset	2.0 speakerset	2.0 speakerset
Interface	1x 3.5 mm jack	1x 3.5 mm jack	1x 3.5 mm jack
Speakers	2x 2.5 W	2x 3W	2x 2.5W
Subwoofer	no	no	no
Frequency Response Range	10 - 20 KHz	10 - 20 KHz	10 - 20 KHz
Power supply	USB	USB	USB
Cable length	1	1	1
Control for	Volume	Volume , Power	Volume , Power
Extra	-	-	-

Advanced Power Banks with MagSafe and Multi-Device Charging

Experience next-level portable charging with our high-performance power banks, engineered for modern devices and demanding users. Featuring MagSafe compatibility, simultaneous charging for up to 3 devices, and a high-speed USB-C Power Delivery (PD) output, these power banks deliver fast, reliable, and intelligent power - anytime, anywhere.

Built-in MagSafe Technology

Magnetic alignment for iPhone 12 and newer ensures a secure wireless charging connection without cables. Perfectly aligned, perfectly charged.

Charge up to 3 Devices at Once

Equipped with a USB-C PD port, a USB-A Quick Charge port, and a wireless charging pad. Power your smartphone, tablet,

earbuds, or other accessories simultaneously.

USB-C Power Delivery up to 20W/65W

Fast charge your devices with PD output - up to 50% battery in just 30 minutes on supported smartphones.

High Capacity, Compact Design

Available in 10,000 mAh to 20,000 mAh options, with a slim, travel-friendly form factor and premium finishes in aluminum or durable polycarbonate.

Ideal For:

- Professionals on the go
- Apple users seeking full MagSafe integration
- Anyone needing reliable, high-speed multi-device charging

EW1160

PowerBank ULTRASLIM Magsafe® 5000mAh PD 20W, 1x USB-C (in/out), 1x USB-A port (out) with stand and status led.

- PD 22.5W & MagSafe® Fast Charge
- Compact & Slim - 8.5mm Thick
- Charge 2 Devices Simultaneously



EW1161

Power bank SLIM, 10.000mAh, PD 22.5W, 1x USB-C 1x microUSB (in), 1x Type-C 2x USB-A port (out).


- 22.5W PD + QC Fast Charging
- 3-Device Charging Simultaneous
- Extra Micro-USB Input Added



EW1162

Power bank Wireless Magsafe®, 10.000mAh, PD 22.5W, Wireless 15W, 1x USB-C (in/out), 1x USB-A port (out), with stand and status led.

- 15W MagSafe® Wireless Charging
- 22.5W Wired Fast Charge
- Simultaneous 3-Device Charging



EW1163

Powerbank 20.000mAh, PD 22.5W, 1x USB-C 1x microUSB (in); 1x Type-C 2x USB-A port (out), with status led.

- PD 22.5W Fast Charging Support
- Triple device charging ports
- Micro-USB input for options



EW1164

Powerbank 20.000mAh, PD 65W, 2x Type-C (in); 1x Type-C 2x USB-A port (out), with status led, ABS, with stand and status led.

- 65W Ultra-Fast Power Bank
- USB-C port: in & out support
- Triple output for 3 devices



High-Efficiency USB Wall Chargers with PD & QC - 20W to 65W Output

Engineered for speed, safety, and versatility, our latest **USB wall chargers** deliver **next-generation charging performance** in a compact form. Equipped with **USB-C Power Delivery (PD)** and **USB-A Quick Charge (QC)** ports, they provide **fast, intelligent power** for a wide range of devices - from smartphones and tablets to laptops and accessories.

- **Dual-Port Fast Charging:** One USB-C port with Power Delivery (PD) and one USB-A port with Quick Charge (QC) allow simultaneous charging of two devices at optimized speeds.
- **PD Output Options: 20W, 30W, 45W, and 65W:** Choose the power level that fits your needs - from compact travel chargers for smartphones to high-wattage models capable of powering USB-C laptops, MacBooks, iPads, and more.
- **Quick Charge 3.0 Support (USB-A Port):** Delivers high-speed charging for compatible Android devices and accessories, with dynamic voltage adjustment for safety and efficiency.
- **Smart Power Distribution:** Intelligent power management ensures optimal allocation between connected devices, maintaining speed

without overheating or overloading.

- **Universal Compatibility:** Supports a wide range of protocols including PD 3.0, QC 3.0, PPS, AFC, and SCP, making it ideal for Apple, Samsung, Huawei, Google, and other major brands.
- **Compact & Travel-Ready Design:** Lightweight housing with foldable prongs (on selected models), ideal for travel or daily use. Built with fire-retardant materials and premium components for long-term durability.
- **Safety Certified:** Multi-layer protection against overcurrent, overvoltage, short-circuit, and thermal risks. Certified to meet international safety standards (CE, FCC, RoHS).

Perfect For:

- Fast-charging smartphones, tablets, and accessories
- USB-C laptops, MacBook Air/Pro, iPad Pro
- Home, office, or travel use

Charge Smarter. Charge Faster.

Explore our full range of USB wall chargers - where **power meets portability**.

EW1335

130W 6-USB Charging Dock for Laptops, Phones & Smartwatch

- Fast PD & QC Charging, USB-C + USB-A
- 6 Ports: 4xUSB-C PD + 2xUSB-A QC
- Fast Charge Apple, Android & Laptops



EW1323

65W 3-port 2xUSB-C and QC3.0 GaN Fast Charger for Smartphones, Tablets and Notebooks

- Fast 65W charge: 75% in 30 min
- 65W via single USB-C port
- GaNFast: Compact, powerful charge



EW1331

65W 3-port 2xUSB-C and QC3.0 GaN Fast Charger for Smartphones, Tablets and Notebooks

- Fast 65W charge: 75% in 30 min
- 65W via single USB-C port
- GaNFast: Compact, powerful charge



EW1330

65W 2-port USB-C and QC3.0 GaN Fast Charger for Smartphones, Tablets and Notebooks

- Fast 65W charge: 75% in 30 min
- Charge all via USB-C & QC 3.0
- Next-gen iPhone & PD support



EW1328

45W 2-port USB-C and QC3.0 GaN Fast Charger for Smartphones, Tablets and Notebooks


- USB-C/A: Power all your devices
- Next-gen iPhone & PD support
- Fast GaN charging in small size



EW1327

45W USB-C and QC3.0 GaN Fast Charger for Smartphone, Tablet and Notebook

- Fast 45W charge: 75% in 30 min
- USB-C & A: Power all devices
- iPhone 17 + Android PD ready



EW1325

30W 2-port USB-C and QC3.0 GaN Fast Charger for Smartphones and Tablets

- Fast 30W charge: 65% in 30 min
- USB-C & A: Power all devices
- iPhone 17 + Android PD ready



EW1319

20W 2-port USB-C and QC3.0 GaN Fast Charger for Smartphones and Tablets

- Fast 20W charge: 50% in 30 min
- USB-C & A: Power all devices
- iPhone 17 + Android PD ready



EW1318

20W 2-port USB-C and QC3.0 GaN Fast Charger for Smartphones and Tablets

- USB-C & A: Charge phones/tablets
- Next-gen iPhone fast charging
- Supports PD fast charging



EW1321

20W 2-port USB-C and QC3.0 GaN Fast Charger for Smartphones and Tablets

- USB-C & A: Charge phones/tablets
- Next-gen iPhone fast charging
- Supports PD fast charging



EW1310

20W 1-port USB-C GaN Fast Charger for Smartphones and Tablets – Slim Design

- 20W USB-C fast charger: 50%/30min
- Supports USB-C Power Delivery fast charging
- Next-gen iPhone & PD Android



EW1320

20W 1-port USB-C GaN Fast Charger for Smartphones and Tablets

- 20W USB-C fast charger: 50%/30min
- Supports USB-C Power Delivery fast charging
- Next-gen iPhone & PD Android



EW1211

2-Port USB Charger 3.4A with power socket

- Wall power for 2 USB devices
- Works with all USB devices
- Keep outlet free with passthru



PRODUCT COMPARISON CHART

SKU	EW1335	EW1323	EW1331
			
GaN Fast	–	Yes *	Yes
Number of ports	4x USB-C 2x USB-A	2x USB-C 1x USB-A	2x USB-C PD and 1x USB-A QC
Input voltage	100V-240V AC	100V-240V AC	110 - 240 V AC 1,2A Max
Output current	USB-C1/ USB-C2 PD3.0: 5V=3A, 9V=3A, 12V=3A, 15V=3A, 20V=3.25A (65W Max) - USB-C3/ USB-C4 PD3.0: 5V=3A, 9V=3A, 12V=3A, 15V=3A, 20V=2.25A (45W Max) - USB-A1/ USB-A2 QC 3.0: 5V=2.4A (12W Max) - USB-C1 + USB-C2: 30W + 30W, (60W Max) - USB-C1: 5V=3A, 9V=3A, 12V=2.5A 15V=2A, 20V=1.5A (30W Max) - USB-C2: 5V=3A, 9V=3A, 12V=2.5A 15V=2A, 20V=1.5A (30W Max) - USB-C3 + USB-C4: 20W+ 20W (40W Max) - USB-C3: 5V=3A, 9V=2.22A 12V=1.67A, 15V=1.35A, 20V=1A (20W Max) - USB-C4: 5V=3A, 9V=2.22A 12V=1.67A, 15V=1.35A, 20V=1A (20W Max) - USB-A1 + USB-A2: 10W+ 10W(20W Max)	USB-C 1: 5.0V=3A, 9.0V=3A, 12.0V=3A, 15.0V=3A, 20.0V=3.25A (PD65.0W Max) - USB-C 2: 5.0V=3A, 9.0V=3A, 12.0V=3A, 15.0V=3A, 20.0V=3.25A (PD65.0W Max) - USB-A: 3.6V-6.0V=3.0A, 6.0V-9.0V=2.0A, 9.0V-12.0V=1.5A (18W Max) - USB-C1+USB-C2: PD45W+PD20W - 5.0V=3.0A, 9.0V=3.0A, 12.0V=3.0A, 15.0V=3.0A, 20.0V=2.25A 45.0W, 5.0V=3.0A, 9.0V=2.22A, 12.0V=1.67A, 20.0V - USB-C1+USB-A: PD45W+QC18W - 5.0V=3.0A, 9.0V=3.0A, 12.0V=3.0A, 15.0V=3.0A, 20.0V=2.25A 45.0W - 3.6-6.0V=3.0A, 6.0-9.0V=2.0A, 9.0-12.0V=1.5A 18.0W - USB-C2+USB-A: 5.0V=3.0A, 15W - USB-C1+USB-C2+USB-A Output: PD45W+15W, 5.0V=3.0A, 9.0V=3.0A, 12.0V=3.0A, 15.0V=3.0A, 20.0V=2.25A 45.0W, 5.0V=3.0A, 15.0V	USB-C1: 5.0V=3.0A 15.0W Max, 9.0V=3.0A 27.0W Max, 12.0V=3.0A 36.0W Max, 15.0V=3.0A 45.0W Max, 20.0V=3.25A 65.0W Max PPS: 5-11V=3.0A 33W - Output USB-C2: 5.0V=3.0A 15.0W Max, 9.0V=2.0A 18.0W Max, 12.0V=1.5A 18.0W Max, PPS: 3-5V=3.0A 15W, 3-11V=1A 11W - USB-A: 5.0V=3.0A 15W Max, 9.0V=2.0A 18W Max, 12.0V=1.5A 18W Max - USB-C1+USB-C2: PD45W+PD18W 5.0V/3.0A, 9.0V/3.0A, 12.0V/3.0A, 15.0V/3.0A, 20.0V/2.25A 45.0W 5.0V/3.0A, 9.0V/2.0A, 12.0V/1.5A 18.0W - USB-C1+USB-A: PD45W+5V3A 5.0V/3.0A, 9.0V/3.0A, 12.0V/3.0A, 15.0V/3.0A, 20.0V/2.25A 45.0W 5.0V/3.0A 15.0W - USB-C2+USB-A: 5.0V/3.0A 15W - USB-C1+USB-C2+USB-A: PD45W+15W 5.0V/3.0A, 9.0V/3.0A, 12.0V/3.0A, 15.0V/3.0A, 20.0V/2.25A 45.0W 5.0V/3.0A, 15.0W
Watt	130W	65W	65W
Smart IC	Yes	Yes	-
Quick Charge 3.0	Yes	Yes	-
Power Delivery	5USB-C1/ USB-C2 PD: 3.0 V=3A, 9V/3A, 12V=3A, 15V=3A, 20V=3.25A 65W Max - USB-C3/ USB-C4 PD3.0: 5V=3A, 9V=3A, 12V=3A, 15V=3A, 20V=2.25A (45W Max) - USB-A1 + USB-A2: 10W+ 10W(20W Max)	USB-C 1: 5.0V=3A, 9.0V=3A, 12.0V=3A, 15.0V=3A, 20.0V=3.25A (PD65.0W Max) - USB-C 2: 5.0V=3A, 9.0V=3A, 12.0V=3A, 15.0V=3A, 20.0V=3.25A (PD65.0W Max) - USB-A: 3.6V-6.0V=3.0A, 6.0V-9.0V=2.0A, 9.0V-12.0V=1.5A (18W Max)	USB-C supports: PD3.0, PPS, QC2.0/3.0/4+, AFC, FCP, SCP, Apple 2.4A, BC1.2 USB-A Port: 1x USB-A supports: QC3.0
Fast Charging Protocol	AFC FCP **	AFC FCP **	AFC FCP **
PD (Power Delivery) Protocol	3.0 PPS ***	3.0	3.0
Protection	OPP (Over Power Protection), OCP (Over Current Protection), OVP (Over Voltage Protection), OTP (Over Temperature Protection)	OPP (Over Power Protection), OCP (Over Current Protection), OVP (Over Voltage Protection), OTP (Over Temperature Protection)	Over Current Protection; Over Voltage Protection; Over Temperature Protection; Over Load Protection
Colour	Black	White	Black

SKU	EW1330	EW1328	EW1327
			
GaN Fast	Yes *	Yes *	Yes *
Number of ports	1x USB-C 1x USB-A QC 3.0	1x USB-C - 1x USB-A	1x USB-C 1x USB-A QC 3.0
Input voltage	100V-240V AC	100V-240V AC	100V-240V AC
Output current	USB-C1: 5.0V=3.0A, 9.0V=3.0A, 12.0V=3.0A, 15.0V=3.0A, 20.0V=3.25A PD 65.0W Max USB-A: 5.0V=3.0A, 9.0V=3.0A, 12.0V=1.5A 18W Max - USB-C+USB-A: PD45W+QC18W, 5.0V=3.0A, 9.0V=3.0A, 12.0V=3.0A, 15.0V=3.0A, 20.0V=2.25A 45.0W, 3.6-6.0V=3.0A, 6.0-9.0V=2.0A, 9.0-12.0V=1.5A 18.0W	USB-C: 5.0V=3.0A 15.0W Max, 9.0V=3.0A 27.0W Max, 12.0V=3.0A 36.0W Max, 15.0V=3.0A 45.0W Max, 20.0V=2.25A 45.0W Max - Output USB-A: 5.0V=2.4A 12.0W Max - USB-C + USB A output: USB C output: 5.0V=3.0A 15.0W Max, 9.0V=3.0A 27.0W Max, 12.0V=2.5A 30.0W Max, 15.0V=2.0A 30.0W Max, 20.0V=1.5A 30.0W Max - USB A output: 5.0V=2.4A 12.0W Max	USB-C: 5.0V=3.0A 15.0W Max, 9.0V=3.0A 27.0W Max, 12.0V=3.0A 36.0W Max, 15.0V=3.0A 45.0W Max, 20.0V=2.25A 45.0W Max - USB-A: 5.0V=2.4A 18.0W Max, 9.0V=2.0A 18.0W Max, 12.0V=1.5A 18.0W Max - USB-A + USB-C: USB C output: 5.0V=3.0A 15.0W Max, 9.0V=3.0A 27.0W Max, 12.0V=2.5A 30.0W Max, 15.0V=2.0A 30.0W Max, 20.0V=1.5A 30.0W Max - USB A output: 5.0V=2.4A 12.0W Max
Watt	65W	45W	45W
Smart IC	Yes	Yes	Yes
Quick Charge 3.0	Yes	No	Yes
Power Delivery	USB-C1: 5.0V=3.0A, 9.0V=3.0A, 12.0V=3.0A, 15.0V=3.0A, 20.0V=3.25A PD 65.0W Max USB-A: 5.0V=3.0A, 9.0V=3.0A, 12.0V=1.5A 18W Max	USB-C: 5.0V=3.0A 15.0W Max, 9.0V=3.0A 27.0W Max, 12.0V=3.0A 36.0W Max, 15.0V=3.0A 45.0W Max, 20.0V=2.25A 45.0W Max	USB-C: 5.0V=3.0A 15.0W Max, 9.0V=3.0A 27.0W Max, 12.0V=3.0A 36.0W Max, 15.0V=3.0A 45.0W Max, 20.0V=2.25A 45.0W Max
Fast Charging Protocol	AFC FCP **	AFC FCP **	AFC FCP **
PD (Power Delivery) Protocol	3.0 PPS ***	3.0	3.0 PPS ***
Protection	OPP (Over Power Protection), OCP (Over Current Protection), OVP (Over Voltage Protection), OTP (Over Temperature Protection)	OPP (Over Power Protection), OCP (Over Current Protection), OVP (Over Voltage Protection), OTP (Over Temperature Protection)	OPP (Over Power Protection), OCP (Over Current Protection), OVP (Over Voltage Protection), OTP (Over Temperature Protection)
Colour	Black	White	Black

* GaN Fast: Gallium Nitride which is a type of material used to make power electronics (increase the efficiency of the charger and reduce the size and weight of the charger)

** FCP: Fast Charge Protocol belongs to Huawei

** AFC: Adaptive Fast Charging belongs to Samsung.

*** PPS (Programmable Power supply): that is a standard that refers to the advanced charging technology for USB-C devices (capability to lower conversion loss during charging: less heat is generated, which lengthens the device battery's lifespan)

SKU	EW1325	EW1319	EW1318
			
GaN Fast	–	–	Yes *
Number of ports	1x USB-C 1x USB-A	1x USB-C 1x USB-A QC 3.0	1x USB-C and 1x USB-A QC 3.0
Input voltage	100V-240V AC	100V-240V AC	100 - 240 V AC 0,5A Max
Output current	USB-C: 5.0V~3.0A 15.0W Max, 9.0V~3.0A 27.0W Max, 12.0V~2.5A 30.0W Max, 15.0V~2.0A 30.0W Max, 20.0V~1.5A 30.0W Max - PPS1: 3.3-11.0V~3.0A 30.0W Max or PPS2: 3.3-16.0V~2.0A 30.0W Max - Output USB-A QC3.0: 5.0V~3.0A 15.0W Max, 9.0V~3.0A 27.0W Max, 12.0V~2.5A 30.0W Max, 20.0V~1.5A 30.0W Max - USB-A + USB-C: 5.0V~3.0A 15.0W Max	USB-C: 5.0V~3.0A 15.0W Max, 9.0V~2.22A 20.0W Max, 12.0V~1.67A 20.0W Max. PPS1: 3.3-5.9V~3.0A 17.7W Max or PPS2: 3.3-11.0V~1.8A 19.8W Max - USB-A QC3.0: 5.0V~3.0A 15.0W Max, 9.0V~2.0A 18.0W Max, 12.0V~1.5A 18.0W Max - USB-A + USB-C: 5.0V~3.6A 18.0W Max	USB-C: 5.0V~3.0A 15.0W Max, 9.0V~2.22A 20.0W Max, 12.0V~1.67A 20.0W Max. PPS1: 3-5V~3.0A 15W, 3-11V~1A 11W, APPLE 5V~2.4A, SAMSUNG AFC 9V 12V, FCP 5.0V 9.0V, SCP 5.5-10.0V~2.0 20W - Output USB-A QC3.0: 5.0V~3.0A 15.0W Max, 9.0V~2.0A 18.0W Max, 12.0V~1.5A 18.0W Max - USB-A + USB-C: 5.0V~3.0A 15.0W Max
Watt	30W	20W	20W
Smart IC	Yes	Yes	Yes
Quick Charge 3.0	Yes	Yes	Yes
Power Delivery	USB-C: 5.0V~3.0A 15.0W Max, 9.0V~3.0A 27.0W Max, 12.0V~2.5A 30.0W Max, 15.0V~2.0A 30.0W Max, 20.0V~1.5A 30.0W Max - PPS1: 3.3-11.0V~3.0A 30.0W Max or PPS2: 3.3-16.0V~2.0A 30.0W Max	USB-C: 5.0V~3.0A 15.0W Max, 9.0V~2.22A 20.0W Max, 12.0V~1.67A 20.0W Max. PPS1: 3.3-5.9V~3.0A 17.7W Max or PPS2: 3.3-11.0V~1.8A 19.8W Max	USB-C support: PD3.0, PPS, QC2.0/3.0/4+, AFC, FCP, SCP, Apple 2.4A, BC1.2
Fast Charging Protocol	AFC FCP **	AFC FCP **	AFC FCP **
PD (Power Delivery) Protocol	3.0 PPS ***	3.0 PPS ***	3.0 PPS ***
Protection	OPP (Over Power Protection), OCP (Over Current Protection), OVP (Over Voltage Protection), OTP (Over Temperature Protection)	OPP (Over Power Protection), OCP (Over Current Protection), OVP (Over Voltage Protection), OTP (Over Temperature Protection)	Over Current Protection; Over Voltage Protection; Over Temperature Protection; Over Load Protection
Colour	White	Black	White

SKU	EW1321	EW1310	EW1320
			
GaN Fast	–	Yes *	–
Number of ports	1x USB-C 1x USB-A	1x USB-C	1x USB-C
Input voltage	100V-240V AC	100 - 240 V AC 0,6A Max	100V-240V AC
Output current	USB-C: 5.0V~3A 15.0W Max, 9.0V~2.22A 20.0W Max, 12.0V~1.67A 20.0W Max - USB-A QC 3.0: 5.0V~3A 15.0W Max, 9.0V~2A 18.0W Max, 12.0V~1.5A 18.0W Max	5.0V up to 3.0A 15W Max, 9.0V up to 2.22A 20W Max 12.0V up to 1.67A 20 Max - PPS1: 3-5V~3.0A 15W, 3-11V~2A 22W, APPLE 5V~2.4A - SAMSUNG DCP; QC2.0 5V/9V, QC3.0 12.46V, QC4; SAMSUNG AFC 9V; FCP 5.0V 9.0V	5V~3A, 9V~2.22A, 12V~1.67A
Watt	20W	20W	20W
Smart IC	Yes	No	No
Quick Charge 3.0	Yes	No	No
Power Delivery	USB-C: 5.0V~3A 15.0W Max, 9.0V~2.22A 20.0W Max, 12.0V~1.67A 20.0W Max - PPS1: 3.3V-5.9V~3.0A 17.7W Max - PPS2: 3.3V-11.0V~1.8A 19.8W Max	USB-C: PD3.0, PPS, QC2.0/3.0/4+, AFC, FCP, Apple 2.4A, BC1.2	5V~3A 15W Max, 9V~2.22A 20W Max, 12V~1.67A 20W Max - PPS1: 3.3V-5.9V~3.0A 17.7W Max - PPS2: 3.3V-11.0V~1.8A 19.8W Max
Fast Charging Protocol	AFC FCP **	AFC FCP **	AFC FCP **
PD (Power Delivery) Protocol	3.0 PPS ***	3.0 PPS ***	3.0 PPS ***
Protection	OPP (Over Power Protection), OCP (Over Current Protection), OVP (Over Voltage Protection), OTP (Over Temperature Protection)	Over Current Protection; Over Voltage Protection; Over Temperature Protection; Over Load Protection	OPP (Over Power Protection), OCP (Over Current Protection), OVP (Over Voltage Protection), OTP (Over Temperature Protection)
Colour	White	White	White

- * GaN Fast: Gallium Nitride which is a type of material used to make power electronics (increase the efficiency of the charger and reduce the size and weight of the charger)
- ** FCP: Fast Charge Protocol belongs to Huawei
- ** AFC: Adaptive Fast Charging belongs to Samsung.
- *** PPS (Programmable Power supply): that is a standard that refers to the advanced charging technology for USB-C devices (capability to lower conversion loss during charging: less heat is generated, which lengthens the device battery's lifespan)

Compact Travel Adapters with USB-A & USB-C Power Delivery

Stay charged wherever you go with our line of **compact, lightweight travel adapters**, designed to keep your devices powered safely and efficiently across the globe. With **universal plug compatibility**, integrated **USB-A and USB-C ports**, and support for **Power Delivery (PD)** fast charging, these adapters are the perfect travel companion for smartphones, tablets, laptops, and more.

Key Features:

- **Universal Compatibility**
Supports plug standards for US, UK, EU, AU, and more - ideal for international travel.
- **USB-A + USB-C Ports with Power Delivery**
Fast-charging capabilities for all your devices. The USB-C PD port delivers high-speed charging for laptops, phones, and tablets, while the USB-A port ensures legacy device compatibility.
- **Compact & Lightweight Design**
Engineered for portability without sacrificing performance. Slim profile fits easily in carry-ons, backpacks, or laptop bags.

- **Built-In Safety Features**
Overload protection, short-circuit prevention, and heat-resistant materials ensure safe charging in any country.
 - **No Need for Extra Chargers**
Charge multiple devices simultaneously without bulky bricks - ideal for minimal packers and tech-savvy travelers.
- Perfect For:**
- Frequent travelers and digital nomads
 - International business trips and vacations
 - Charging smartphones, tablets, cameras, laptops, and more

EW1475

Universal travel adapter with USA/UK/AUS/CHINA and Schuko (German) plugs.
With 2 USB ports and 1 Type-C

- Fits US, UK, EU, AUS, CN & more
- More than 224 countries compatible
- 4 Sliders to switch different plugs



EW1470

Universal travel adapter with EU/USA/UK/AUS plugs and 2 USB ports and 3 Type-C

- Fits USA, EU, UK, AUS, and more
- More than 224 countries compatible
- 3 Sliders to switch different plugs



EW1472

Universal travel adapter with USA/UK/AUS/CHINA plugs and Schuko socket.
With 1 USB port and 1 Type-C

- Fits USA, UK, AUS, CHINA & more
- German Schuko fits E/F/C plugs
- More than 100 countries compatible



EW1480

Universal travel adapter from World (Europe, UK, USA, Australia) to Europe (Schuko)

- All-in-one adapter for Europe
- Charge devices easily in Europe
- Works in most European nations



Universal Laptop Chargers - Interchangeable Tips & USB-C Models (45W to 90W)

Power your productivity with our line of **universal laptop chargers**, designed for compatibility, reliability, and convenience. Available in both **traditional tip-based** and **USB-C** formats, these chargers support a wide range of notebook brands and models - making them ideal for office, home, school, or travel use.

Key Features:

- **Universal Compatibility with Interchangeable Tips**
Includes multiple DC connectors (tips) compatible with major laptop brands such as HP, Dell, Lenovo, Asus, Acer, Toshiba, and more. One charger for many devices.
- **Power Range from 45W to 90W**
Available in multiple output levels to safely charge ultrabooks, standard laptops, and high-performance notebooks.
- **USB-C PD Models (45W to 90W)**
USB-C versions support Power Delivery protocol for fast, intelligent charging - compatible with USB-C laptops, MacBooks, tablets, and more.

- **Smart Voltage Detection**
Built-in circuitry automatically delivers the correct voltage based on the connected tip or USB-C device, ensuring safe and efficient charging.
- **Compact and Travel-Friendly Design**
Lightweight and portable, with built-in protection against overvoltage, short circuit, and overheating.
- **Ideal Replacement or Backup Charger**
Perfect for use at home, in the office, or on the move - eliminates the need for multiple brand-specific chargers.


Ideal For:

- IT departments and schools managing multiple laptop brands
- Mobile professionals and travelers
- Users upgrading to USB-C devices but still using legacy laptops

EW3982

USB Type-C notebook charger with Power Delivery profiles 90W

- 90W USB-C PD notebook charger
- Smart power for all your devices
- 5 dedicated PD (Power Delivery) profiles



EW3980

USB Type-C notebook charger with Power Delivery profiles 65W

- 65W USB-C PD notebook charger
- Smart power for all your devices
- 8 dedicated PD (Power Delivery) profiles



EW3981

USB-C notebook charger with PD profiles 45W

- 45W USB-C PD laptop charger
- Smart power for all your devices
- 5 dedicated PD (Power Delivery) profiles



EW3978

USB Type C Wall Notebook Charger and 1-Port USB-A with PD 65W

- 65W USB-C wall charger, fast PD
- Charge via USB-C + USB-A ports
- Next-gen iPhone & Android ready



EW3979

USB Type C Wall Notebook Charger and 1-Port USB-A with PD 45W

- 45W USB-C wall charger, fast PD
- Charge via USB-C + USB-A ports
- Next-gen iPhone & Android ready



EW1323

65W 3-port 2xUSB-C and QC3.0 GaN Fast Charger for Smartphones, Tablets and Notebooks

- Fast 65W charge: 75% in 30 min
- 65W via single USB-C port
- GaNFast: Compact, powerful charge



EW3969

Universal Automatic Notebook charger Home 90Watt, 11 tips, w free tip service

- Auto-voltage multi-use charger
- Charges notebooks & more gear
- Comes with 11 tips



EW3968

Universal Automatic Notebook charger Home 65Watt, 10 tips, w free tip service

- Auto-voltage multi-use charger
- Charges notebooks & more gear
- Comes with 10 tips



EW3963

Universal Automatic Notebook charger Home 45Watt, 8 tips, w free tip service

- Auto-voltage multi-use charger
- Charges notebooks & more gear
- Comes with 8 tips



PRODUCT COMPARISON CHART

SKU	EW3982	EW3980	EW3981	EW3978
				
Max. power	90 W	65 W	45 W	65W
Input	100V-240V AC 1,5A 50/60 Hz	100V-240V AC 1,5A 50/60 Hz	100V-240V AC 1,5A 50/60 Hz	100V-240V AC 1,5A 50/60 Hz
Output	Supported PD (Power Delivery) profiles: 5V up to 3A; Max 15W; 9V up to 3A; Max 27W; 12V up to 3A; Max 36W; 15V up to 3A; Max 45W; 20V up to 4.5A; Max 90W	PD (Power Delivery) profiles: 5V up to 3A; 5.20V up to 2.4A; 9V up to 3A; 12V up to 3A; 14,5V up to 2A; 15V up to 3A; 20V up to 3.25A; 20.3V up to 3A	PD (Power Delivery) profiles: 5V up to 3A; 5.20V up to 2.4A; 9V up to 3A; 12V up to 3A; 14,5V up to 2A; 15V up to 3A; 20V up to 3.25A; 20.3V up to 3A	PD (Power Delivery) profiles: 5V up to 3A; 9V up to 3A; 12V up to 3A; 15V up to 3A; 20V up to 3.25A;
Number of included tips	–	–	–	–
USB-C compatible	Yes	Yes	Yes	Yes
Protection*	OPP, SCP, OCP, OVP, OTP	OPP, SCP, OCP, OVP, OTP	OPP, SCP, OCP, OVP, OTP	OPP, SCP, OCP, OVP, OTP
Cable length input	1.5 m	1,2 m	1,2 m	–
Cable length output	1,7 m	1.5 m	1,8 m	1.5 m
Dimensions (BxHxD mm)	127x50x30 mm	95x55x25 mm	91x51X24 mm	67x30x67 mm
Extra	Smartphone/tablet without PD support are charged @ 5V 3A	Smartphone/tablet without PD support are charged @ 5V 3A	Smartphone/tablet without PD support are charged @ 5V 3A	–

SKU	EW3979	EW3969	EW3968	EW3963
				
Max. power	45W	90W	65W	45W
Input	100V-240V AC 1,5A 50/60 Hz	100V-240V AC 1.0A 50/60 Hz	100V-240V AC 1.5A 50/60 Hz	100V-240V AC 1.5A 50/60 Hz
Output	PD (Power Delivery) profiles: 5V up to 3A; 9V up to 3A; 12V up to 3A; 15V up to 3A; 20V up to 2.25A	15 - 20V	15 - 20V	15 - 20V
Number of included tips	–	11	10	8
USB-C compatible	Yes	No	No	No
Protection*	OPP, SCP, OCP, OVP, OTP	OPP, SCP, OCP, OVP, OTP	OPP, SCP, OCP, OVP, OTP	OPP, SCP, OCP, OVP, OTP
Cable length input	–	1.5 m	1.5 m	1.5 m
Cable length output	1.5 m	1.5 m	1.5 m	1.5 m
Dimensions (BxHxD mm)	60x28x60 mm	132x57x28 mm	106x48x30 mm	93x40x29 mm
Extra	–	Free tip service	Free tip service	Free tip service

* OPP (Over Power Protection), SCP (Short Circuit Protection), OCP (Over Current Protection), OVP (Over Voltage Protection), OTP (Over Temperature Protection).

EW3864

Power Tower Block 8 outlets with 2 USB-A ports and 2 Type-C ports with 16A Schuko plug

- 8x Schuko 16A outlet + 2x USB-A + 2x USB-C port
- 2x USB-A + 2x USB-C (PD/QC 3.0)
- Master switch: USB + outlets



EW3863

Power Tower Block 3 outlets with 2 USB-A ports and 2 Type-C ports with 16A Schuko plug

- 3x Schuko 16A outlet + 2x USB-A + 2x USB-C port
- 2x USB-A + 2x USB-C (PD/QC 3.0)
- Master switch: USB + outlets



EW3992

65W GaN USB Charging Station with 2 outlets extender

- Compact charger w/ USB & Schuko
- 65W Surge-Protected Power Strip
- 2x USB-A + 2x USB-C Ports Included



EW3939

Cubical Power Socket 3x including 3 USB ports, 1,5m

- 3x Schuko 16A outlet + 3x USB-A port
- Master switch: USB + outlets
- Cubical design, ports reachable



EW3871

Desktop design Power strip 2-way with 2 USB chargers and 1 USB-C charger, with 16A Schuko plug

- 2x Schuko, 2x USB-A, 1x USB-C (QC 3.0)
- Master Switch for USB & Outlets
- Slim Design, Easy Port Access



EW3870

Desktop design Power strip 2-way with 2 USB chargers and 1 USB-C charger, with 16A Schuko plug

- 2x Schuko, 2x USB-A, 1x USB-C (QC 3.0)
- Master Switch for USB & Outlets
- Slim Design, Easy Port Access



EW3935

Desktop Multi power socket with 2 USB ports and Smartphone support

- 5x Schuko 10/16A power ports
- 2x USB-A ports max. 2.1A
- Comes with Smartphone support



EW3851

6-Way Power Strip, with overload protection and power switch on each port

- 6x Schuko 10/16A outlet
- On/off switch on each port
- Overload, surge & child safety



EW3932**Power Strip 6-way with surge protection and individual switches**

- 6x Schuko 10/16A outlet
- On/off switch on each port
- Overload, surge & child safety

**EW3932-3M****Power Strip 6-way with surge protection and individual switches, 3mt cable**

- 6x Schuko 10/16A outlet
- On/off switch on each port
- Overload, surge & child safety

**EW3932-5M****Power Strip 6-way with surge protection and individual switches, 5mt cable**

- 6x Schuko 10/16A outlet
- On/off switch on each port
- Overload, surge & child safety

**EW3955****Power Strip 5x outlets with space saving Flat Plug**

- 5x Schuko 16A outlet
- Outlets with 45° angle
- Child Protection

**EW3916****Power Strip 5-way with ON/OFF switch**

- 5x Schuko 16A outlet
- Outlets with 45° angle
- Child Protection

**EW3924****Power Strip 6-way with Surge Protection**

- 6x Schuko 16A outlet
- Outlets with 45° angle
- Surge protection and child Protection

**EW3958****Power Strip 3x outlets white**

- 3x Schuko 16A outlet
- Outlets with 45° angle
- Child Protection

**EW3959****Power Strip 3x outlets black**

- 3x Schuko 16A outlet
- Outlets with 45° angle
- Child Protection



PRODUCT COMPARISON CHART

SKU	EW3955	EW3916	EW3958 EW3959
			
Input connector	CEE 7/7 male (Schuko)	CEE 7/7 male (Schuko)	CEE 7/7 male (Schuko)
Number of socket	5x	5x	3x
Type Socket	5x Type F female (Schuko)	5x Type F female (Schuko)	3x Type F female (Schuko)
Cable type	H05VV-F3G 1.5	H05VV-F3G 1.5	H05VV-F3G 1.5
Max. load	230V AC / 16 A	230V AC / 16 A	230V AC / 16 A
Number and type USB charging port	–	–	–
USB output	–	–	–
Cable length (m)	1.8	1.8	1.8
Switching	Illuminated switch	Illuminated switch	No
Protetcion	–	–	–
Child protection	Yes	Yes	Yes
Extra	Space saving Flat plug / Outlets with 45 degree angle	Outlets with 45 degree angle	Outlets with 45 degree angle

SKU	EW3924	EW3863	EW3864
			
Input connector	CEE 7/7 male (Schuko)	CEE 7/7 male (Schuko)	CEE 7/7 male (Schuko)
Number of socket	6x	3x	8x
Type Socket	6x Type F female + Type L 10/16A (Schuko/Italian)	3x Type F female (Schuko)	8x Type F female (Schuko)
Cable type	H05VV-F3G 1.0	H05VV-F3G 1.5	H05VV-F3G 1.5
Max. load	230V AC / 16 A	230V AC / 16 A	230V AC / 16 A
Number and type USB charging port	–	2x USB-A 2x USB-C	2x USB-A 2x USB-C
USB output	–	3.4 - 20W PD	3.4 - 20W PD
Cable length (m)	1.8	1.5	2.0
Switching	Illuminated switch	Illuminated switch	Illuminated switch
Protetcion	Overvoltage / Surge	Overvoltage / Over Temperature / Short Circuit on USB ports	Overcurrent / Surge + Overvoltage / Over Temperature / Short Circuit on USB ports
Child protection	Yes	Yes	Yes
Extra	Outlets with 45 degree angle	2-port USB-C (20W max) PD/ 2-port USB-A (20W max) / Outlets with 45 degree angle	2-port USB-C (20W max) PD/ 2-port USB-A (20W max) / Outlets with 45 degree angle

SKU	EW3992	EW3939	EW3932 EW3932-3M EW3932-5M
			
Input connector	CEE 7/7 male (Schuko)	CEE 7/7 male (Schuko)	CEE 7/7 male (Schuko)
Number of socket	2x	3x	6x
Type Socket	2x Type F female (Schuko)	3x Type F female (Schuko)	6x Type F female + Type L 10/16A (Schuko/Italian)
Cable type	H05VV-F3G 1.0	H05VV-F3G 1.5	H05VV-F3G 1.0
Max. load	230V AC / 16 A	230V AC / 16 A	230V AC / 16 A
Number and type USB charging port	2x USB-A 2x USB-C	3x USB-A	–
USB output	16A - 65W	2.4 A - 12W	–
Cable length (m)	1.8	1.8	EW3932 1.8 m EW3932-3M 3 m EW3932-5M 5 m
Switching	No	Illuminated switch	Illuminated switch
Protetcion	Overcurrent / Surge	Overvoltage / Short circuit on USB ports	Over Current
Child protection	Yes	Yes	Yes
Extra	2-port USB-C (65W max) / 2-port USB-A (20W max)	Including mounting pad	On/off switch on each port, Main switch, Outlets with 45 degree angle

SKU	EW3851	EW3935	EW3870 EW3871
			
Input connector	CEE 7/7 male (Schuko)	CEE 7/7 male (Schuko)	CEE 7/7 male (Schuko)
Number of socket	6x	5x	2x
Type Socket	6x Type F female + Type L 10/16A (Schuko/Italian)	5x Type F female (Schuko)	2x Type F female (Schuko)
Cable type	H05VV-F3G 1.0	H05VV-F3G 1.5	H05VV-F3G 1.5
Max. load	230V AC / 16 A	230V AC / 16 A	230V AC / 16 A
Number and type USB charging port	–	2x USB-A	2x USB-A 1x USB-C
USB output	–	2.1 A - 12W	2,4A - 20W
Cable length (m)	1.8	1.8	1.5
Switching	Illuminated switch	Illuminated switch	Illuminated switch
Protetcion	Over Current	Over Current	
Child protection	Yes	Yes	Yes
Extra	On/off switch on each port, Main switch, Outlets with 45 degree angle	Stand for Smartphone / Outlets with 45 degree angle	2 port USB-A + 1port USB-C (20W Max) PD / Outlets with 45 degree angle

EW3960

Power strip 9-way with space-saving Italian plug 10A

- 3x Schuko/Italian 10/16A ports
- 6x Italian 10/16A power ports
- Overload, surge & child safety



EW3918

Power strip 3-way with space-saving Italian plug 10A

- 1x Schuko/Italian 10/16A outlet
- 2 outlets Italian 10/16A version
- Overload, surge & child safety



EW3919

Power strip 3-way with space-saving Italian plug 10A

- 1x Schuko/Italian 10/16A outlet
- 2 outlets Italian 10/16A version
- Overload, surge & child safety



EW3915

Power strip 5-way with space-saving Italian plug 10A

- 5x 45° outlets (Schuko + 10/16A)
- Overload, surge & child safety
- Space-saving 10A plug, 1.5m cord



EW3922

Power strip , 6 outlets Italian version white 10A with on/off switch, overload protection

- 6x 45° outlets (Schuko + 10/16A)
- Overload, surge & child safety
- Space-saving 10A plug, 1.5m cord



EW3922-3M

Power strip , 6 outlets Italian version white 10A with on/off switch, overload protection, cable 3.0 m

- 6x 45° outlets (Schuko + 10/16A)
- Overload, surge & child safety
- Space-saving 10A plug, 3m cord



EW3922-5M

Power strip , 6 outlets Italian version white 10A with on/off switch, overload protection, cable 5.0 m

- 6x 45° outlets (Schuko + 10/16A)
- Overload, surge & child safety
- Space-saving 10A plug, 5m cord



EW3923

Power strip , 6 outlets Italian version black 10A with on/of switch, overload protection

- 6x 45° outlets (Schuko + 10/16A)
- Overload, surge & child safety
- Space-saving 10A plug, 1.5m cord



EW3912**Power strip 3-way with space-saving Italian plug 10A**

- 3x 45° outlets (Schuko + 10/16A)
- Overload, surge & child safety
- Space-saving 10A plug, 1.5m cord

**EW3913****Power strip 3-way with space-saving Italian plug 10A**

- 3x 45° outlets (Schuko + 10/16A)
- Overload, surge & child safety
- Space-saving 10A plug, 1.5m cord

**EW3868****Desktop design Power strip 3-way with 2 USB chargers and 1 USB-C charger, with 10A Italian plug**

- 2x Italian 10/16A power ports
- 1x Schuko/Italian 10/16A outlet
- 2x USB-A + 1x USB-C QC 3.0

**EW3869****Desktop design Power strip 3-way with 2 USB chargers and 1 USB-C charger, with 10A Italian plug**

- 2x Italian 10/16A power ports
- 1x Schuko/Italian 10/16A outlet
- 2x USB-A + 1x USB-C QC 3.0

**EW3875****Power strip 3-way with 1 USB charger and 1 USB-C charger, with spacesaving 10A Italian plug**

- 2x Italian 10/16A power ports
- 1x Schuko/Italian 10/16A outlet
- 1x USB-A 15W + 1x USB-C PD/QC3.0 20W



EW3930

Power strip , 6 outlets Italian version white 16A with on/off switch on each port, surge protector

- 6x Schuko/Italian 10/16A outlet
- On/off switch on each port
- Overload, surge & child safety



EW3850

Power strip , 6 outlets Italian version white 16A with on/off switch on each port, surge protector, black color

- 6x Schuko/Italian 10/16A outlet
- On/off switch on each port
- Overload, surge & child safety



EW3929

Power strip , 12 outlets Italian version white 16A with on/off switch

- 4x Schuko/Italian 10/16A outlet
- 8x Italian 10/16A power ports
- Overload, surge & child safety



EW3929-3M

Power strip , 12 outlets Italian version white 16A with on/off switch, cable 3.0m

- 4x Schuko/Italian 10/16A outlet
- 8x Italian 10/16A power ports
- Overload, surge & child safety



EW3929-5M

Power strip , 12 outlets Italian version white 16A with on/off switch, cable 5.0m

- 4x Schuko/Italian 10/16A outlet
- 8x Italian 10/16A power ports
- Overload, surge & child safety



EW3855

Power strip , 12 outlets Italian version white 16A with on/off switch, black color

- 4x Schuko/Italian 10/16A outlet
- 8x Italian 10/16A power ports
- Overload, surge & child safety



EW3928

Power strip , 9 outlets Italian version white 16A with on/off switch

- 3x Schuko/Italian 10/16A outlet
- 6x Italian 10/16A power ports
- Overload, surge & child safety



EW3970-3M

6-way power strip with 16A Italian plug and 3m cable

- 2x Schuko/Italian 10/16A ports
- 4x Italian 10/16A power ports
- Overload, surge & child safety



EW3970-5M**6-way power strip with 16A Italian plug and 5m cable**

- 2x Schuko/Italian 10/16A ports
- 4x Italian 10/16A power ports
- Overload, surge & child safety

**EW3920-A****Power strip , 6 outlets Italian version white 16A, cable 2m**

- 2x Schuko/Italian 10/16A ports
- 4x Italian 10/16A power ports
- Overload, surge & child safety

**EW3927****Power strip , 7 outlets Italian version white 16A with on/off switch**

- 7x 45° outlets (Schuko + 10/16A)
- Overload, surge & child safety
- Space-saving 16A plug, 1.5m cord

**EW3926****Power strip , 5 outlets Italian version white 16A with on/off switch, overload protection**

- 5x 45° outlets (Schuko + 10/16A)
- Overload, surge & child safety
- Space-saving 16A plug, 1.5m cord

**EW3860****Cube-shaped design Power strip 3-way with 2 Usb chargers and 1 Usb-C charger, with Italian plug 16A**

- 3-way Ital./Schuko power outlet
- 2x USB-A + 1x USB-C (PD/QC 3.0)
- ON/OFF switch for all power ports

**EW3859****Cube-shaped design Power strip 3-way with 2 Usb chargers and 1 Usb-C charger, with Italian plug 16A**

- 3-way Ital./Schuko power outlet
- 2x USB-A + 1x USB-C (PD/QC 3.0)
- ON/OFF switch for all power ports

**EW3934****Power strip, 5 outlets Italian version white 16A, desktop, 4 IT + 1 Shuko socket with 2 Usb ports**

- 4x Italian 10/16A power ports
- 2x Schuko/Italian 10/16A outlet
- 2x USB-A ports max. 2.1A

**EW3925****Power Strip with Surge Protection**

- 6x 45° outlets (Schuko + 10/16A)
- Overload, surge & child safety
- IEC C14 plug, 1.5m cord



PRODUCT COMPARISON CHART

SKU	EW3960	EW3918 EW3919	EW3915	EW3922 EW3922-3M EW3922-5M
Input connector	Type L 10A (italian)	Type L 10A (italian)	Type L 10A (italian)	Type L 10A (italian)
Number of socket	9x	3x	5x	6x
Type Socket	3x Type L female 10/16 A - Type F female (Schuko/Italian) / 6x Type L female 10/16 A (Italian)	1x Type L female 10/16 A - Type F female (Schuko/Italian) / 2x Type L female 10/16 A (Italian)	5x Type F female + Type L 10/16 A (Schuko/Italian)	6x Type F female + Type L 10/16 A (Schuko/Italian)
Cable type	H05VV-F3G 1.0	H05VV-F3G 1.0	H05VV-F3G 1.0	H05VV-F3G 1.0
Max. load	230V AC / 10 A	230V AC / 10 A	230V AC / 10 A	230V AC / 10 A
Number and type USB charging port	-	-	-	-
USB output	-	-	-	-
Cable length (m)	1.8	1.8	1.8	EW3922 1.8 m EW3922-3M 3 m EW3922-5M 5 m
Switching	Illuminated switch	Illuminated switch	Illuminated switch	Illuminated switch
Protetcion	Overvoltage / Overcurrent	Overvoltage / Overcurrent	Overvoltage / Overcurrent	Overvoltage / Overcurrent
Child protection	Yes	Yes	Yes	Yes
Extra	Space Saving Plug	Space Saving Plug	Space Saving Plug / Outlets with 45 degree angle	Space Saving Plug

SKU	EW3923	EW3912 EW3913	EW3868 EW3869	EW3875
Input connector	Type L 10A (italian)	Type L 10A (italian)	Type L 10A (italian)	Type L 10A (italian)
Number of socket	6x	3x	3x	3x
Type Socket	6x Type F female + Type L 10/16 A (Schuko/Italian)	3x Type F female + Type L 10/16 A (Schuko/Italian)	2x Type L female 10/16 A (Italian) / 1x Type F female (Schuko)	1x Type L female 10/16 A - Type F female (Schuko/Italian) / 2x Type L female 10/16 A (Italian)
Cable type	H05VV-F3G 1.0	H05VV-F3G 1.0	H05VV-F3G 1.0	H05VV-F3G 1.0
Max. load	230V AC / 10 A	230V AC / 10 A	230V AC / 10 A	230V AC / 10 A
Number and type USB charging port	-	-	2x USB-A 1x USB-C	1x USB-A 1x USB-C
USB output	-	-	2,4A - 20W	3A - 20W
Cable length (m)	1.8	1.8	2.0	1.8
Switching	Illuminated switch	Illuminated switch	Illuminated switch	Illuminated switch
Protetcion	Overvoltage / Overcurrent	Overvoltage / Overcurrent	Over Current	Overvoltage
Child protection	Yes	Yes	Yes	Yes
Extra	Space Saving Plug	Space Saving Plug / Outlets with 45 degree angle	2-port USB-A / 1-port USB-C (20W Max) PD / Space Saving Plug	Space Saving Plug

SKU	EW3930 EW3850	EW3929 EW3929-3M EW3929-5M	EW3855	EW3928
Input connector	Type L 16A (italian)	Type L 16A (italian)	Type L 16A (italian)	Type L 16A (italian)
Number of socket	6x	12x	12x	9x
Type Socket	6x Type F female + Type L 10/16 A (Schuko/Italian)	4x Type L female 10/16 A - Type F female (Schuko/Italian) / 8x Type L female 10/16 A (Italian)	4x Type L female 10/16 A - Type F female (Schuko/Italian) / 8x Type L female 10/16 A (Italian)	3x Type L female 10/16 A - Type F female (Schuko/Italian) / 6x Type L female 10/16 A (Italian)
Cable type	H05VV-F3G 1.5	H05VV-F3G 1.0	H05VV-F3G 1.0	H05VV-F3G 1.0
Max. load	230V AC / 16 A	230V AC / 16 A	230V AC / 16 A	230V AC / 16 A
Number and type USB charging port	-	-	-	-
USB output	-	-	-	-
Cable length (m)	1.8	EW3929 1.8 m EW3929-3M 3 m EW3929-5M 5 m	1.8	1.8
Switching	Illuminated switch	Illuminated switch	Illuminated switch	Illuminated switch
Protetcion	Over Current	-	-	-
Child protection	Yes	Yes	Yes	Yes
Extra	on/off switch on each port, Main switch, Outlets with 45 degree angle space saving plug	Space Saving Plug	Space Saving Plug	Space Saving Plug

SKU	EW3970-3M EW3970-5M	EW3920-A	EW3927	EW3926
				
Input connector	Type L 16A (italian)	Type L 16A (italian)	Type L 16A (italian)	Type L 16A (italian)
Number of socket	6x	6x	7x	5x
Type Socket	2x Type L female 10/16 A - Type F female (Schuko/Italian) / 4x Type L female 10/16 A (Italian)	2x Type L female 10/16 A - Type F female (Schuko/Italian) / 4x Type L female 10/16 A (Italian)	7x Type F female + Type L 10/16A (Schuko/Italian)	5x Type F female + Type L 10/16A (Schuko/Italian)
Cable type	H05VV-F3G 1.0	H05VV-F3G 1.0	H05VV-F3G 1.0	H05VV-F3G 1.0
Max. load	230V AC / 16 A	230V AC / 16 A	230V AC / 16 A	230V AC / 16 A
Number and type USB charging port	–	–	–	–
USB output	–	–	–	–
Cable length (m)	3m / 5m	1.8	1.8	1.8
Switching	Illuminated switch	–	Illuminated switch	Illuminated switch
Protetcion	–	–	–	–
Child protection	Yes	Yes	Yes	Yes
Extra	Space Saving Plug	Space Saving Plug	Space Saving Plug	Space Saving Plug

SKU	EW3860 EW3859	EW3934	EW3925
			
Input connector	Type L 16A (italian)	Type L 16A (italian)	C14 male (VDE)
Number of socket	3x	6x	6x
Type Socket	3x Type F female + Type L 10/16A (Schuko/Italian)	4x Type L female 10/16 A (Italian) / 2x Type F female (Schuko)	6x Type F female + Type L 10/16A (Schuko/Italian)
Cable type	H05VV-F3G 1.5	H05VV-F3G 1.5	H05VV-F3G 1.0
Max. load	230V AC / 16 A	230V AC / 16 A	230V AC / 16 A
Number and type USB charging port	2x USB-A 1x USB-C	2x USB-A	–
USB output	3A - 20W	2.1 A - 12W	–
Cable length (m)	1.8	1.8	1.8
Switching	Illuminated switch	Illuminated switch	Illuminated switch
Protetcion	Overvoltage on USB ports	Over Current	–
Child protection	Yes	Yes	Yes
Extra	2-port USB-A / 1-port USB-C (20W Max) / Space Saving Plug	Stand for Smartphone	Outlets with 45 degree angle

EW1188

Power adapter 3-ways with Italian plug 10A

- 3x Italian 10A Sockets for 3 Devices
- ON/OFF Switch for All Sockets
- Compact Build, Easy Plug Access



EW1189

Power adapter 3-ways with Schuko Plug 16A

- 3x Schuko 16A Sockets for 3 Devices
- ON/OFF Switch for All Sockets
- Compact Build, Easy Plug Access



EW1194

Power adapter 3-ways with 2 USB-A chargers and Schuko Plug 16A

- 3x Italian 10/16A Power Ports
- 2 USB-A Ports for Fast Charging
- ON/OFF Switch for All Sockets



EW1195

Power adapter 3-ways with spacesaving Rotating Italian plug 16A

- 3x 10/16A Italian/Schuko Power Outlets
- ON/OFF Switch for All Sockets
- Compact Build, Easy Plug Access



EW1196

Power adapter 3-ways with spacesaving Rotating Italian plug 10A

- 3x Italian/Schuko Sockets (10/16A)
- ON/OFF Switch for All Sockets
- Compact Build, Easy Plug Access



EW1197

Power adapter 1-way with Schuko plug 16A

- 16A Adapter FR/DE to IT, White
- EU Travel Plug: DE, ES, PT, GR
- 1x Italian/Schuko Socket (10/16A)



EW1199

Power adapter 1-way with Italian plug 16A

- 16A Italian Plug to Schuko adapter
- 1x IT/Schuko Socket (16A Rated)
- Compact Build, Easy Plug Access



EW1198

Power adapter 1-way with Italian plug 10A

- 10A Italian Plug to IT/Schuko Adapter
- 1x IT/Schuko Socket (10A Rated)
- Compact Build, Easy Plug Access



Line-Interactive UPS with Schuko Outlets - Reliable Power from 600VA to 1300VA

Ensure uninterrupted operation and electrical protection for your critical devices with our **Line-Interactive UPS systems**, designed for home offices, small businesses, and essential IT equipment. Available in **600VA, 700VA, 780VA, and 1300VA** models, these compact and efficient units safeguard your electronics from power outages, voltage fluctuations, and electrical disturbances.

- **Line-Interactive Technology with AVR (Automatic Voltage Regulation)**
Automatically corrects under-voltage and over-voltage conditions without switching to battery power, extending battery life and providing continuous protection.
- **Output with Schuko Sockets**
Equipped with type F (Schuko) outlets, perfect for

connecting PCs, monitors, routers, NAS units, and other electronic devices without adapters.

- **Battery Backup During Power Outages**
In the event of a blackout, the UPS immediately switches to battery mode, providing enough runtime to save work and safely shut down connected devices.
- **Comprehensive Electrical Protection**
Built-in safeguards against overloads, short circuits, power surges, and EMI/RFI interference.

Ideal For:

- Workstations and office equipment
- Home servers, NAS, modems, and routers
- CCTV and home automation systems

EW3997

Line Interactive UPS 1300VA/720W with 3 Schuko sockets 2x7Ah

- LED notification during power outages
- LEDs: Line, Battery, Backup
- Single On/Off button



EW3995

Line Interactive UPS 780VA/390W with 2 Schuko sockets 1x7Ah Battery

- LED notification during power outages
- LEDs: Line, Battery, Backup
- Single On/Off button



EW3945

Line Interactive UPS 700 VA 390W - with earthed socket

- 700VA UPS, 10min backup @120W
- Power fail: sound + LED alert
- 6x EU sockets, 3x w/ battery



EW3946

Line Interactive UPS 600 VA - 360 W with AVR

- 600VA UPS, 10min backup @120W
- Power fail: sound + LED alert
- Input: C14, Out: C13 + EU F



Power Power Supply ATX

EW3909

Power Supply ATX 500W V2.31

- Max power 500W
- 12cm silent fan
- Reduced noise level



PRODUCT COMPARISON CHART

SKU	EW3997	EW3995
		
Input voltage	230V~50/60Hz	230V~50/60Hz
Capacity	1300VA (720W)	780VA (390W)
Mounting	Desktop	Desktop
Back-up time in minutes @ 120W load	10	10
Sound alarm	Yes	Yes
LED indicator	Yes	Yes
LCD display	No	No
Type F female earthed socket	3x	2x
Cable	Detachable	Detachable
AVR-function	Yes	Yes
4-fold protection*	Yes	Yes
Dimensions (LxWxH mm)	345x170x140	290x100x140

SKU	EW3945	EW3946
		
Input voltage	230V~50/60Hz	230V~50/60Hz
Capacity	600VA (360W)	600VA (360W)
Mounting	Desktop / Wall	–
Back-up time in minutes @ 120W load	10	10
Sound alarm	Yes	Yes
LED indicator	Yes	Yes
LCD display	No	No
Type F female earthed socket	6x	1x
IEC C13	–	1x
IEC C14	1x	1x
Cable	Detachable	Detachable
AVR-function	Yes	Yes
4-fold protection*	Yes	Yes
Dimensions (LxWxH mm)	360x240x130	298x101x142

*over temperature protection, over voltage protection, over current protection and short circuit protection

Ergonomical Solutions for a Healthy Lifestyle

Mice and keyboards reduce wrist pain

Improved posture and typing more naturally thanks to the curved and split keyboard design. The angled shape reduces muscle strain on the wrists and forearms.



EW3288/EW3289/EW3290



EW3229



Specifically crafted to prevent common symptoms of mouse-related strain injuries by promoting a natural hand position, reducing wrist and finger strain during extended use.

Prevent and reduce hand-related strain; Comfortable soft foam; Anti-slip rubber base for stabile placement.



EW3181



EW3180



5 years warranty



Service Center



Accessible Helpdesk

Ergonomic Multi-Device Mice with Silent Clicks and High-Speed Sensors

Discover our new generation of **multi-device mice**, designed for productivity, precision, and all-day comfort. Featuring **dual connectivity via Wireless 2.4GHz and Bluetooth**, these mice allow seamless switching between multiple devices - from laptops and tablets to desktops - with a single button.

- **Multi-Device Wireless + Bluetooth Connectivity**
Effortlessly connect and switch between up to 3 devices. Compatible with Windows, macOS, ChromeOS, Android, and more.
- **Ergonomic Design for Long-Term Comfort**
Shaped to fit the natural curve of your hand, with rubberized grips and sculpted contours for reduced fatigue during extended use.
- **Silent Click Buttons**
Ideal for shared or quiet environments — get the responsiveness you need without distracting noise.

- **High-Performance Optical Sensor**
Adjustable DPI settings (e.g. 800 / 1200 / 1600 / 2400 DPI or higher, depending on model) for fast and accurate tracking on a wide variety of surfaces.
- **Smart Controls & Function Buttons**
Includes side buttons and scroll wheel with smooth, responsive feedback. Perfect for multitasking and customizable workflows.
- **Long Battery Life**
Energy-efficient technology provides weeks (or months) of use on a single charge or set of batteries, depending on model.

Ideal For:

- Professionals working across multiple devices
- Quiet office or remote work environments
- Users seeking both performance and ergonomic comfort

EW3229

Wireless Ergonomic mouse, 2.4 Ghz | USB-A | Nano receiver

- Ergo design reduces wrist strain
- Premium rubber grip, sleek look
- Optical sensor + 800-2400 DPI



EW3208

Ultimate Ergonomic Rechargeable Wireless Mouse: Dual Connectivity (2.4GHz and Bluetooth 5.1), 4000dpi Precision

- Multi-device: BT & 2.4GHz
- Ergo design for long use comfort
- USB-C charging, no batteries



EW3154

Ergonomic Wireless Mouse | 2.4Ghz | USB-A | Vertical Grip

- Ergo design for extended comfort
- Ergo vertical mouse, 6 buttons
- Premium rubber for firm grip



EW3158

Wireless Ergonomic Mouse

- Ergo mouse prevents hand strain
- On/Off switch saves battery
- Recharge via included USB cable



EW3245

Dual-Connect Wireless Mouse USB-C | USB-A with Silent Click

- Ergo grip + side buttons
- Switch between two computers
- Eliminates excess noise by its silent clicks



EW3207

Advanced Rechargeable Wireless Mouse with Multi-Device Connectivity and AI Assistant Activation

- Connect via BT 5.0, 3.0 & 2.4G
- Copilot Button for quick access
- Recharge via USB-C, no batteries



EW3243

Multi-connect | Wireless 2,4hz | Bluetooth 1 | Bluetooth 2 | 6D | USB-C receiver | selectable 800-1200-1600-2400-3200 | 2*AAA battery | Silent | 108x70x40mm | Black

- Multi-OS, multi-device support
- Triple-mode: BT 3.0, 5.2 & 2.4G
- USB-A nano receiver, mouse-stored

**EW3242**

Rechargeable Wireless Mouse Dual Connection, Bluetooth | 2.4Ghz, with RGB Lights

- RGB lights for gaming & night use
- Dual-device, multi-OS support
- Dual-mode: BT 5.2 & 2.4GHz

**EW3241**

Dual-Connect Wireless Mouse, Bluetooth | 2.4Ghz with USB-A receiver

- Dual-device, cross-OS support
- Dual connect: BT 5.0 & 2.4GHz
- Nano USB-A fits inside mouse

**EW3206**


Silent Click Wireless Mouse with Combo USB A+C Receiver and Precision 1000dpi Sensor

- Ergonomic design for comfort
- Silent clicks for quiet focus
- DPI up to 1000 for precision

**EW3204**


Wireless 2,4hz | USB-A and USB-C receiver | selectable 800-1200-1600dpi (included) | Silent | 107x52x38mm | Black

- USB-A nano stores inside mouse
- Connect with USB-C or USB-A
- DPI: 800/1200/1600 precision

**EW3218**

Wireless 2,4hz | 4D | USB-A receiver | selectable 800-1200-1600 | 1*AA battery | Silent | 100x60x37mm | Black

- USB-A nano stores inside mouse
- DPI switch: 800/1200/1600
- Smart power-saving extends life

**EW3223**

Wireless 2,4hz | 4D | USB-A receiver | 1000dpi | 1*AA battery | Black

- USB-A nano stores inside mouse
- DPI: 1000
- Smart power-saving extends life



PRODUCT COMPARISON CHART

SKU	EW3229	EW3208	EW3154	EW3158
				
Type	Vertical optical mouse with scroll wheel	Vertical optical mouse with Dual Connectivity	Vertical optical mouse with scroll wheel	Vertical optical mouse with scroll wheel
Interface	Wireless	Wireless & Bluetooth	Wireless	Wireless
DPI selectable	Yes	Yes	Yes	Yes
DPI optical sensor max	2400	4000	3200	1600
Number of buttons	5	5	6	5
Scroll wheel	Yes	Yes	Yes	Yes
Charging Cable length (m)	No	1,5mt	No	1,5mt
Ergonomic, for improved hand, wrist and arm comfort	Yes	Yes	Yes	Yes
Intelligent stand-by power saving function	Yes	Yes	Yes	Yes
For right and left handers	No	No	No	No
Product weight(g)	100gr	111gr	111gr	112gr
Size (mm)	76x75x110mm	107x73x70mm	138x73x75mm	65x80x110mm
Included	1x AA battery	USB-C charging cable to recharge the internal battery	1x AA battery	USB charging cable to recharge the internal battery
colors	Black/Grey anthracite	Black	Black/Grey anthracite	Black
Extra	Rubber surface for a freater comfort and grip	Internal Li-ion battery	Rubber surface for a freater comfort and grip	Internal Li-ion battery

SKU	EW3243	EW3204	EW3241	EW3245
				
Type	Triple Connectivity Wireless Mouse USB-A & USB-C	Silent Click Wireless Mouse USB-A & USB-C	Dual Connectivity Wireless Mouse USB-A	Dual Connect Wireless Mouse USB-A & USB-C
Interface	Wireless & Bluetooth	Wireless	Wireless & Bluetooth	Wireless
DPI selectable	Yes	Yes	No	Yes
DPI optical sensor max	3200	1600	1200	2400
Number of buttons	6	6	4	7
Scroll wheel	Yes	Yes	Yes	Yes
Charging Cable length (m)	No	No	No	No
Ergonomic, for improved hand, wrist and arm comfort	No	No	No	No
Intelligent stand-by power saving function	Yes	Yes	Yes	Yes
For right and left handers	No	Yes	Yes	Yes
Product weight(g)	60gr	60gr	55gr	66gr
Size (mm)	108x70x40mm	107x52x38mm	110x60x33mm	108x61x29mm
Included	2xAAA battery, USB-A, USB-C adapter	1x AA battery, USB-A, USB-C adapter	1x AA battery	1x AA battery, USB-A, USB-C adapter
colors	Black/Grey anthracite	Black/Grey anthracite	Black	Black/Grey anthracite
Extra	Works with three devices. Silent Click, right handers, Type-C adapter	Plug & Play, you do not need any drivers; Silent click; Type-C adapter	Multi-Device and OS Compatibility: Seamlessly switch between two devices with different operating systems Silent Click left and right buttons	Works with two devices. Silent Click, right handers, Type-C adapter

SKU	EW3218	EW3242	EW3207	EW3206	EW3223
					
Type	Silent Click Wireless Mouse	Dual Connectivity Wireless Mouse USB-A and RGB lights	Rechargeable optical mouse with AI Assistant Activation	Silent Click Wireless Mouse	Optical mouse
Interface	Wireless	Wireless & Bluetooth	Wireless	Wireless	Wireless
DPI selectable	Yes	Yes	Yes	Yes	No
DPI optical sensor max	1600	1600	1600	1000	1000
Number of buttons	4	4	6	3	3
Scroll wheel	Yes	Yes	Yes	Yes	Yes
Charging Cable length (m)	No	0,5mt	1mt	No	No
Ergonomic, for improved hand, wrist and arm comfort	No	No	No	No	No
Intelligent stand-by power saving function	Yes	Yes	Yes	Yes	Yes
For right and left handers	Yes	Yes	Yes	Yes	Yes
Product weight(g)	50gr	70gr	70gr	52gr	50gr
Size (mm)	100x60x37mm	113x58x24mm	113x53x27mm	100x58x38mm	104 x 66 x 39
Included	1x AA battery	USB-C charging cable to recharge the internal battery	USB-C charging cable to recharge the internal battery	1xAA battery, USB A+C Combo receiver	1x AA battery
colors	Black	Black/Grey anthracite	Black/Grey anthracite	Black	Black
Extra	Plug & Play, you do not need any drivers; Silent click	Works with two devices. Silent Click, RGB changing lights	AI Assistant Activation: Effortlessly activate your AI assistant with the dedicated Copilot Button	Silent Click left and right buttons, USB-A+C Combo receiver	Plug & Play, you do not need any drivers

Input Wired Mice

EW3157

Vertical Ergonomic Mouse

- Ergo mouse eases hand strain
- Comfort for hand, wrist & arm
- Vertical design for comfort



EW3156

Vertical Ergonomic Mouse

- Ergonomic mouse eases hand strain
- Improves hand, wrist & arm comfort
- Vertical design for comfort



EW3159

Optical Mouse with Silent Click

- Optical mouse with scroll wheel
- Silent clicks for quiet spaces
- Optical navigation (1000dpi)



EW3300

Optical mouse USB 1000dpi

- Works on most flat surfaces
- For right and left handed users
- Optical sensor 1000dpi



EW3174

Mini Optical Mouse USB

- Optical sensor 1000dpi
- 3 buttons and scroll wheel
- For left- and right-hand users



PL3330

Wired USB Gamepad fo PC

- 13 buttons, 2 sticks, 8-way pad
- Suitable for use with a pc/laptop
- Comfortable grip



PRODUCT COMPARISON CHART

SKU	EW3157	EW3156	EW3159	EW3300	EW3174
					
Type	Vertical optical mouse with scroll wheel	Vertical optical mouse with scroll wheel	Optical mouse	Optical mouse with scroll wheel	Mini Optical mouse with scroll wheel
Interface	Wired USB	Wired USB	Wired USB	Wired USB	Wired USB
DPI selectable	Yes	No	No	No	No
DPI optical sensor max	1800	1000	1000	1000	1000
Number of buttons	5	5	3	2	2
Scroll wheel	Yes	Yes	Yes	Yes	Yes
Charging Cable length (m)	1,25	1,25	1.4	1.2	1.5
Ergonomic, for improved hand, wrist and arm comfort	Yes	Yes	No	No	No
Intelligent stand-by power saving function	No	No	No	No	No
For right and left handers	No	No	Yes	Yes	Yes
Product weight(g)	184gr	97gr	80gr	80gr	71gr
Size (mm)	62x80x113mm	65x80x100mm	104x65x37mm	110x65x37mm	95x50x28mm
Included	-	-	-	-	-
colors	Black	Black	Black	-	-

EW3185

Extra-Large Mousepad for Office/Gaming in Felt

- Non-slip felt for smooth tracking
- Water-absorbing, easy-clean felt
- Extra-large pad for any setup



EW3182

Extra-Large Mousepad for Office/Gaming in Polyester (Lycra)

- Lycra surface for precision
- XXL size for work and gaming
- Soft pad boosts mouse & keyboard



EW2761

Mouse Pad (Black Leather look)

- Stylish mouse pad with leather-look
- Smooth leather feel, precise aim
- Durable, rigid for long-term use



EW3183

Mousepad with polyester base

- Polyester top, anti-slip base
- Ideal size for home and office
- Comfort grip for smooth control



EW3181

Gel Mouse Pad with wrist rest

- Ergonomic pad for wrist support
- Comfortable soft gel
- Smooth control, precise tracking



EW3180

Ergonomic wrist pad for keyboard

- Ergo wrist pad reduces strain
- Comfortable soft foam
- Anti-slip base for stability



Multi-Device Wireless Keyboards - Smart, Backlit, and Ergonomic

Explore our range of **wireless keyboards** built for seamless productivity across devices. With **dual connectivity** via **Bluetooth and 2.4GHz wireless**, these keyboards let you switch between your laptop, tablet, and smartphone with a single touch. Available in **backlit** models for low-light environments and **ergonomic designs** for long typing sessions, our keyboards are designed to meet the needs of modern multitaskers.

Key Features:

- **Multi-Device Connectivity**
Pair with up to 3 devices simultaneously and switch between them instantly - ideal for hybrid workflows and multitasking.
- **Dual Wireless Modes: Bluetooth + 2.4GHz USB Receiver**
Flexible connection options ensure compatibility with Windows, macOS, iOS, Android, and more.
- **Backlit Models Available**
Adjustable illumination for typing in low-light conditions without compromising visibility or comfort.

Ergonomic Options

Curved layouts, split keyboards, and wrist support options reduce strain and enhance typing posture.

Long Battery Life

Energy-efficient operation with rechargeable or long-lasting battery models - ideal for extended use.

Quiet and Precise Typing

Low-profile keys with silent switches for a smooth, distraction-free typing experience.

Ideal For:

- Professionals switching between multiple devices
- Home offices and shared workspaces
- Typing in low-light or nighttime conditions
- Users who value comfort and modern design

EW3288 (IT)

EW3289 (SI)

EW3290 (PT)

Wireless Ergonomic Multi-Connection Keyboard for Win, Android

- Ergo wrist rest with fabric
- Silent keys, splash-proof build
- Use up to 3 devices simultaneously



EW3295 (IT)

EW3296 (ES)

EW3297 (PT)

EW3298 (SI)

Multi-connection Wireless Keyboard with Backlight

- Backlight: dim or disable
- Use up to 3 devices simultaneously
- Dual-mode: BT & 2.4GHz



EW3255 (IT)

EW3256 (ES)

EW3258 (PT)

EW3257 (SI)

Wireless bundle keyboard and mouse

- 2.4G wireless up to 10m
- Soft keys by modern concave shape
- Small nano USB receiver (built-in mouse)



EW3280 (IT)

EW3281 (ES)

EW3282 (PT)

Wireless Keyboard and Mouse bundle, QWERTY

- 2.4G wireless up to 10m
- Adjustable tilt, soft keys
- Non-slip rubber base



EW3259 (PT)

EW3263 (IT)

EW3272 (ES)

EW3262 (SI)

EW3275 (IT)

EW3277 (PT)

EW3278 (SI)

Wireless Keyboard and Mouse Set

- Full-size, quiet, 13 media keys
- Mouse w/ thumb & DPI switch
- USB-A/C dongle, easy store



Wireless Multi-connect Keyboard for Windows, Mac OSx, iOS and Android

- Switch between 3 different devices
- Dual wireless: BT + 2.4GHz
- USB-A dongle stores in keyboard



EW3119 (PT)

EW3160 (IT)

EW3161 (ES)

Ultra-slim Bluetooth Keyboard

- iOS/Mac/Android/Win switch
- OS adaptive multimedia shortcuts
- Easy pair & status indicator



EW3120

Ultra-slim Bluetooth Keyboard - PT layout (QWERTY)

- iOS/Mac/Android/Win switch
- OS adaptive multimedia shortcuts
- Easy pair & status indicator



PRODUCT COMPARISON CHART

SKU	EW3288 EW3289 EW3290	EW3295 EW3296 EW3297 EW3298	EW3255 EW3256 EW3258 EW3257
Interface	Wireless (Nano USB Receiver) Bluetooth 3.0 Bluetooth 5.0	Wireless (Nano USB Receiver) Bluetooth 3.0 Bluetooth 5.0	Wireless (USB nano)
Layout	EW3288 QWERTY IT EW3289 QWERTZ SI EW3290 QWERTZ PT	EW3295 QWERTY IT EW3296 QWERTY ES EW3297 QWERTY PT EW3298 QWERTY SI	EW3255 QWERTY IT EW3256 QWERTY ES EW3258 QWERTY PT EW3257 QWERTY SI
Cable length (m)	-	-	-
LED indicators	Mode indicator, Capslock and low power indicator	Numlock, Capslock, Power status	Numlock, Capslock, Power status
Keyboard Dimension (WxHxD mm)	456x230x53.2	432x122x23	447x140x22
Mouse Dimension (WxHxD mm)	-	-	-
Extra	Silent keys that reduce the noise USB-A Connector storeable receiver Rechargeable 300mAh lithium battery Built-in wrist-rest with fabric	Compact full-size keyboard with low-profile silent keys, 12 multimedia keys and backlight illumination Adjust the brightness of the backlight illumination or disable it completely	12 Media keys and wireless optical mouse 1600 dpi. Batteries included, Concaved keys

SKU	EW3280 EW3281 EW3282	EW3259 EW3263 EW3272 EW3262	EW3275 EW3277 EW3278
			
Interface	Wireless (USB nano)	Wireless (USB-C+USB-A receiver)	Wireless (Nano USB Receiver) Bluetooth 3.0 Bluetooth 5.0
Layout	EW3280 QWERTY IT EW3281 QWERTY ES EW3282 QWERTY PT	EW3259 QWERTY PT EW3263 QWERTY IT EW3272 QWERTY ES EW3262 QWERTY SI	EW3275 QWERTY IT EW3277 QWERTY PT EW3278 QWERTY SI
Cable length (m)	–	–	–
LED indicators	Numlock, Capslock, Power status	Numlock, Capslock, Power status	Connecction, Battery Status, Capslock
Keyboard Dimension (WxHxD mm)	436x130x18	447x140x22	480x120x21
Mouse Dimension (WxHxD mm)	120x37x60	–	–
Batteries	–	2xAAA + 1xAA included	1x AAA included
Extra	–	13 Media keys and wireless optical mouse 800-1200-1600 dpi, silent key, Intelligent energy-saving system	It allows you to write on three different devices, 13 multimedia keys, energy saving

SKU	EW3160 EW3161 EW3119	EW3120
		
Interface	Bluetooth V3.0	Bluetooth V3.0
Layout	EW3160 QWERTY IT EW3161 QWERTY ES EW3119 QWERTY PT	QWERTY PT
Cable length (m)	–	–
LED indicators	Battery	Battery
Keyboard Dimension (WxHxD mm)	285x120x15	285x120x15
Mouse Dimension (WxHxD mm)	–	–
Batteries	2x AAA included	–
Extra	18 Media keys Batteries included	18 Media keys Batteries included

Input Wired Keyboards

EW3000 (IT)

EW3001 (ES)

EW3002 (PT)

EW3003 (SI)

Business USB Keyboard with Quiet Typing

- Full-size, quiet & comfy keys
- Silent typing, 50% less noise
- Tilt legs for comfort



EW3108 (IT)

EW3109 (ES)

EW3112 (PT)

USB Keyboard - QWERTY

- Professional Keyboard
- USB keyboard, comfy typing
- Compact design



EW3195

USB Multimedia Keyboard - PT layout QWERTY

- USB keyboard, ergonomic feel
- 9 multimedia hotkeys
- Quiet keys for silent typing



EW3190

Business Keyboard USB (US layout)

- Full-size keyboard for comfortable typing
- Adjustable tilt legs for ergonomic placement
- Easy-to-read characters on the keys



EW3005 (IT)

EW3006 (ES)

EW3007 (PT)

EW3008 (SI)

Keyboard & Mouse Set with Quiet Typing

- USB mouse & keyboard for daily use
- Silent keys & mouse, no noise
- Silent full-size keyboard



EW3268 (IT)

EW3269 (ES)

EW3270 (PT)

Wired Keyboard with backlight illumination (IT layout)

- Low-profile backlit keyboard
- Dim or turn off backlighting
- USB powered, 1.5m cable



EW3265 (US)

EW3271 (SI)

Wired Keyboard with backlight illumination (US layout)

- Low-profile backlit keyboard
- Dim or turn off backlighting
- USB powered, 1.5m cable



EW3251

USB keyboard with Smart Card Reader Qwerty (IT) layout

- USB keyboard with integrated Smart Card Reader
- Read your eID or Smart Card
- With USB Connector



EW3286 (ES)

EW3287 (PT)

USB Keyboard with SmartCard Reader - QWERTY

- USB keyboard with integrated Smart Card Reader
- Read your eID or Smart Card
- With USB Connector



PL3319

Illuminated Gaming Keyboard, PT Layout

- Tri-color backlight w/ effect
- Anti-Ghosting for 19 keys
- 12 Multimedia keys



PL3200

Gaming Keyboard & Mouse Set, IT Layout


- Font light and back light : 3 area-colour illumination with breathing effect
- Key Anti-Ghosting, capable of registering up to 19 simultaneous keystrokes
- 12 Multimedia keys



PL3350

Mechanical Gaming Keyboard with RGB illumination US layout

- Mechanical keyboard for a fast and accurate keystroke response
- RGB backlight illumination: adjustable brightness and speed; 21 backlight RGB presets and 2 customizable RGB presets
- Programmable macro keys and full Anti-Ghosting keys



PL3316

Illuminated Metal Gaming Keyboard DE Layout

- Backlight: 3 area-colour illumination with breathing effect
- Solid metal full-sized keyboard
- Key Anti-Ghosting, capable of registering up to 19 simultaneous keystrokes



EW3102

Numeric Keypad

- No drivers needed
- USB connector
- Compact design, easy to bring everywhere



PRODUCT COMPARISON CHART

SKU	EW3000 EW3001 EW3002 EW3003	EW3108 EW3109 EW3112	EW3195
			
Interface	Wired (USB)	Wired (USB+PS2)	Wired (USB)
Layout	EW3000 QWERTY IT EW3001 QWERTY ES EW3002 QWERTY PT EW3003 QWERTZ SI	EW3108 QWERTY IT EW3109 QWERTY ES EW3112 QWERTY PT	EW3195 QWERTY PT
Cable length	1.4 m	1.4 m	1.4
LED indicators	Numlock, Capslock and Scroll lock	Numlock, Capslock and Scroll lock	Numlock, Capslock and Scroll lock
Keyboard Dimension (WxHxD mm)	440x138x24	446x152x25 mm	450x164x25
Mouse Dimension (WxHxD mm)	–	–	–
Extra	Quiet Typing, Thin profile, Curved Space Bar	–	10 Media keys

SKU	EW3190	EW3005 EW3006 EW3007 EW3008	EW3268 EW3269 EW3270 EW3265 EW3271
			
Interface	Wired (USB)	Wired (USB)	Wired (USB)
Layout	QWERTY US	EW3005 QWERTY IT EW3006 QWERTY ES EW3007 QWERTY PT EW3008 QWERTY SI	EW3268 QWERTY IT EW3269 QWERTY ES EW3270 QWERTY PT EW3265 QWERTY US EW3271 QWERTY SI
Cable length	1,4 m	1.4 m	1.5 m
LED indicators	Numlock, Capslock and Scroll lock	Numlock, Capslock and Scroll lock	Numlock, Capslock and Scroll lock
Keyboard Dimension (WxHxD mm)	446x25x152mm	440x138x24	438x134x18
Mouse Dimension (WxHxD mm)	–	104x65x37	–
Extra	–	Quiet Typing & Click, Thin profile, Curved Space Bar	Backroud illumina Adjustable LED Brightness LED On/Off Button Slim design

SKU	EW3251	EW3286 EW3287	PL3319	PL3200
				
Interface	Wired (USB)	Wired (USB)	Wired (USB)	Wired (USB)
Layout	QWERTY IT	EW3286 QWERTY ES EW3287 QWERTY PT	QWERTY PT	QWERTY IT
Cable length	1.5 m	1.5	1.5 m	1.5 m
LED indicators	Numlock, Capslock and Scroll lock	Numlock, Capslock and Scroll lock	Numlock, Capslock and Scroll lock	Numlock, Capslock and Scroll lock
Keyboard Dimension (WxHxD mm)	445x150x47 mm	454x164x56	432x126x26	432x126x26
Mouse Dimension (WxHxD mm)	–	–	–	123x68x40.5
Extra	Reads Smartcards, CNS, TS	Reads Smartcards	19 Anti-Ghosting Keys Windows lock key	19 Anti-Ghosting Keys Windows lock key

SKU	PL3350	PL3316	EW3102
			
Interface	Wired (USB)	Wired (USB)	Wired (USB)
Layout	QWERTY US	QWERTY DE	–
Cable length	1.5 m	1.5 m	1.4 m
LED indicators	Numlock, Capslock and Scroll lock	Numlock, Capslock and Scroll lock	–
Keyboard Dimension (WxHxD mm)	435x32x134 mm	460x40x165 mm	91x140x18 mm
Mouse Dimension (WxHxD mm)	–	–	–
Extra	RGB backlight illumination: adjustable brightness and speed; 21 backlight RGB presets and 2 customizable RGB presets; Programmable macro keys and full Anti-Ghosting keys	3-area LED lights with breathing effect; Solid metal full-sized keyboard	–

EW1053

NFC Contactless Smart & ID Card Reader

- USB 2.0 connection
- Contactless reading technology (NFC)
- Compatibility with Windows, Mac OS X



EW1052

USB-A 2.0 Smart Card ID reader

- Read your EID or Smart Card anywhere
- Reads EU eID Chip Cards
- Supports ISO 7816, T=0 or T=1 protocols



EW1055

USB-C 2.0 Smartcard ID reader

- Read your EID or Smart Card anywhere
- Reads EU eID Chip Cards
- Supports ISO 7816, T=0 or T=1 protocols



EW1075

Compact USB 3.2 Gen1 (USB 3.0) Card Reader with a Type-C and Type-A connector

- Transfer Files via Card Reader
- Dual USB: Type-C & Type-A
- Supports SD/SDHC/SDXC/microSD



EW1049

USB 2.0 Multi Card Reader

- 4-in-1: MS, SD, T-Flash, M2
- Hi-Speed USB 2.0 (480 Mbps)
- Compact & Travel-Friendly



PRODUCT COMPARISON CHART

SKU	EW1075	EW1049	EW1052	EW1055	EW1053
					
USB compatibility	USB 3.2 Gen1	USB 2.0	USB 2.0	USB 3.2 Gen1	USB 2.0
Connector A	USB-C male / USB-A male	USB-A male	USB-A male	USB-C male	USB-A male / USB-C male
USB-C	Yes	No	No	No	No
Data transfer speed	5Gbps	480Mbps	480Mbps	5Gbps	480Mbps
Power	USB	USB	USB	USB	USB
Extra	Support for the most common used memory cards, alluminium design	Support for the most common used memory cards	Read your Smart Card	Read your Smart Card	Reads the data contained in: ID, Health Card, CNS-CR

USB-C Video Adapters

USB-C video adapters allow you to connect your laptop to external displays via HDMI, DisplayPort, DVI, or VGA. These adapters work with both Windows and macOS systems, provided the laptop supports DisplayPort Alternate Mode (DP Alt Mode).

Single vs. Multiple Monitor Support

SST (Single Stream Transport) - Used with DisplayPort 1.0


Supports one video stream

Modes:

- Mirror Mode: Clones the laptop screen to external monitors
- Extended Mode: Adds one additional display with a separate image
- macOS supports only SST
- MST (Multi Stream Transport) – Available from DisplayPort 1.2
 - Supports multiple independent displays via daisy-chaining
 - Windows supports MST for extended multi-monitor setups


SST MIRROR MODE

Display a clone on each monitor



SST EXTENDED MODE

Extend one desktop image to three monitors



MST – Multi Stream Transport (DisplayPort 1.2 and Higher)

MST (Multi Stream Transport) is a feature introduced with DisplayPort 1.2 that allows multiple independent video signals to be transmitted over a single DisplayPort connection. This enables the use of multiple external monitors from a single DisplayPort output.

Modes Supported by MST:

Mirror Mode:

- Clones the host laptop's screen to two or more external monitors
- All displays show the same content

Extended Mode:

- Expands the desktop across up to three external monitors
- Each monitor displays a different portion of the desktop
- Ideal for multitasking and productivity setups

Operating System Support:

Windows: Fully supports MST, including both mirror and extended modes.

macOS: Does not support MST; only SST (Single Stream Transport) is available, which limits external displays to mirror or single extended screen.




MST MIRROR MODE

Display a clone on each monitor



MST EXTENDED MODE

*Display a different image on each monitor
(MAX 3 Displays)*



Extending a Mac with Multiple Displays

By default, macOS does not support Multi Stream Transport (MST), which limits the ability to extend to multiple external monitors using a single USB-C or DisplayPort connection. However, there are two main workarounds:

1. Using an Adapter with a Dedicated Chipset (e.g., DisplayLink)

DisplayLink adapters or docking stations include their own dedicated video chipset.

They allow you to connect multiple external monitors, each showing a different image.

Compatible with both macOS and Windows.

Requires installation of a DisplayLink driver on your Mac.

2. Thunderbolt™ Daisy Chaining

Connect a Thunderbolt™-enabled monitor directly to your Mac. Then connect a second Thunderbolt™ monitor to the first one using the Thunderbolt™ output port.

This setup allows multiple extended displays without the need for additional adapters.

All devices in the chain must support Thunderbolt™.

Multiport Adapters and Docking Stations

- USB-C Docking Stations
- Must support:
 - DisplayPort Alternate Mode (for video output)
 - Power Delivery (PD) (for charging)
- These docks can provide:
 - Video output
 - Ethernet
 - USB hub functionality
 - Charging via pass-through

USB-A Adapters

- Do not support video output or Power Delivery.
- Only data (USB hub) and Ethernet functions will work.
- Not suitable for connecting external displays.

DisplayLink Docking Stations

- Ideal for users needing multiple displays on macOS.
- Work with both USB-A and USB-C.
- Require DisplayLink driver installation.
- Provide extended desktop support even on systems that don't support MST.

USB-C Docking Stations with HDMI, DisplayPort, PD up to 100W, Gigabit LAN & USB-A Data Ports

Unlock the full potential of your workstation with our high-performance USB-C docking stations - engineered for seamless connectivity, high-speed data transfer, and efficient power delivery. Whether you're working from home, at the office, or on the go, these docks offer everything you need to expand your device's capabilities through a single USB-C connection.

- **Video Output via HDMI and DisplayPort**
Connect external monitors with resolutions up to 4K - ideal for dual-display setups, presentations, and content creation.
- **USB-C Power Delivery (PD) up to 100W**
Charge your laptop, tablet, or smartphone while using the dock - with intelligent power management for safe, efficient charging.
- **Gigabit Ethernet Port (RJ45)**
Stable and high-speed wired internet connection - perfect for uninterrupted video calls, downloads, and secure office networks.

- **Multiple USB-A Data Ports**
Connect peripherals like keyboards, mice, flash drives, or external hard drives with fast data transfer and plug-and-play compatibility.
- **Compact, Sleek Design**
Slim, lightweight, and built with premium materials - easy to integrate into any workspace or carry in your tech bag.
- **Universal Compatibility**
Works with Windows, macOS, iPadOS, ChromeOS, and Android devices supporting USB-C DisplayPort Alt Mode and PD.

Ideal For:

- Professionals using ultrabooks or USB-C laptops
- Home and office desk setups
- Content creators and multitaskers requiring dual displays
- Users who need a single-cable solution for charging, data, and connectivity

EW1150

USB-C to Multiport Dock 12 in 1, 1x USB-C data, 3x USB 3.2 Gen1, 2xHDMI 4K/60Hz, 1x DP 4K/60Hz, SD/TF 2.0, Audio, RJ45 Gb, 1x USB-C PD 100W

- Flexible USB-C Docking
- 100W PD, 4K HDMI/DP, USB 3.0
- Triple Display: 2 HDMI + 1 DP



EW1148

USB-C to Multiport Dock 5 in 1, HDMI 4K | 100W | 1x USB-C PD | 2x USB-A | LAN

- USB-C to 4K@30Hz HDMI Output
- USB-C PD Pass-Through (100W)
- 2x USB 3.2 + 1x Gigabit LAN



EW1146

USB-C to Multiport Dock 8 in 1, HDMI 4K | 87W | 1x USB-C PD | 1x USB-C | 2x USB-A | LAN | Cardreader

- USB-C to 4K@30Hz HDMI Output
- USB-C PD Pass-Through (87W)
- USB-C/A, LAN, SD/microSD Ports



EW1152

USB-C to Flexible Multiport Dock 7 in 1

- All in one solution
- 2x USB 3.2 Gen1, 1xHDMI 4K/60Hz, SD/TF 2.0
- USB C PD Pass Through (100W)



EW1149

USB-C to Multiport Dock 5 in 1, 1x USB-C PD 100W, 1x USB-C Data, 3x USB-A

- USB-C, USB-A & 2x USB 2.0 Ports
- USB-C PD 3.0 Pass-Through (100W)
- Fast 5Gbps USB 3.2 Transfer



EW9700

USB-C to Multiport Dock 4 in 1, HDMI, VGA, USB 3.2 Gen1, USB-C PD 60W

- Input: USB-C
- Output: HDMI and VGA, USB 3.2 Gen1, USB-C PD
- USB-C PD Pass-Through (60W)



EW1140**3-Port USB 3.2 Gen1 (USB 3.0) Hub with Gigabit network port**

- 3x USB + 1x LAN for Ultrabooks
- USB 2.0 Backward Compatible
- Compliant with 10/100Mbps specification

**EW1141****3-Port USB 3.2 Gen1 (USB 3.0) Hub Type C with Gigabit network port**

- 3x USB + 1x LAN for Ultrabooks
- USB 2.0 Backward Compatible
- Compliant with 10/100Mbps specification

**EW1147****7 Port powered USB 3.0 Hub with switches**

- Switches on each port, Power & USB-C Cable
- High-Speed 7-Port USB (5Gbps)
- Included USB-A to USB-C connector

**EW1144****4-Port USB 3.2 Gen1 Slim-Hub Type-A**

- Works with USB 2.0 & 3.0 Devices
- 1x USB 3.2 + 3x USB 2.0 Ports
- Plug and play on every Type-A port

**EW1145****4-Port USB 3.2 Gen1 Slim-Hub Type-C**

- Works with USB 2.0 & 3.0 Devices
- 1x USB 3.2 + 3x USB 2.0 Ports
- Plug and play on every Type-A port

**EW1137****4-Port USB 3.2 Gen1 (USB 3.0) Hub Type-C**

- Works with USB 2.0 & 3.0 Devices
- Plug and play on every Type-C port
- Slim, Light & Easy to Carry

**EW1134****4 Port USB 3.2 Gen1 (USB 3.0) Hub**

- USB 3.0 (5Gbps) & 2.0 (480Mbps)
- USB 3.2 Gen1, Backward Compatible
- 4-port USB Type A Female

**EW1136****4 Port USB 3.2 Gen1 (USB 3.0) Hub**

- USB 3.0 (5Gbps) & 2.0 (480Mbps)
- USB 3.2 Gen1, Backward Compatible
- 4-port USB Type A Female



EW1138

4 Port USB 3.2 Gen1 (USB 3.0) Hub

- USB 3.0 (5Gbps) & 2.0 (480Mbps)
- USB 3.2 Gen1, Backward Compatible
- 4-port USB Type A Female



EW1122

Mini Hub USB 2.0 4-port

- Add 4 USB Ports to PC or Laptop
- Hot-swappable
- Plug and Play: no drivers needed



EW1123

Mini Hub USB 2.0 4-port

- Add 4 USB Ports to PC or Laptop
- Hot-swappable
- Plug and Play: no drivers needed



PRODUCT COMPARISON CHART

SKU	EW1150	EW1148	EW1146	EW1149	EW9700
USB compatibility	USB 3.2 Gen1	USB 3.2 Gen1	USB 3.2 Gen1	USB 3.2 Gen1	USB 3.2 Gen1
Connector	USB-C male	USB-C male	USB-C male	USB-C male	USB-C male
Ports	1x USB-C data, 3x USB 3.2 Gen1, 2xHDMI 4K/60Hz, 1x DP 4K/60Hz, SD/TF 2.0, Audio, RJ45 1x USB-C PD 100W	1x HDMI, 1xRJ45, 2xUSB-A 3.2 Gen1, 1xUSB-C PD	1x HDMI, 1xRJ45, 2xUSB-A 3.2 Gen1 & 2.0, 1xUSB-C, 1xUSB-C PD, Card Reader slot	1x USB-A 3.2 Gen1, 2x USB 2.0, 1x USB-C, 1x USB-C PD	1x HDMI, 1x VGA, USB 3.2 Gen1, USB-C PD 60W
Connection display	2x HDMI 4K/30Hz + 1x DP 4K/60Hz	HDMI 4K 4096x2160 @30Hz	HDMI 4K 4096x2160 @30Hz	–	1x HDMI 4k/30Hz+ 1x VGA Full HD
Network interface	10/100/1000 Mbps	10/100/1000 Mbps	10/100 Mbps	–	–
Data transfer speed	USB 3.2 Gen1 SuperSpeed (USB 3.0)	USB 3.2 Gen1 SuperSpeed (USB 3.0)	USB 3.2 Gen1 SuperSpeed (USB 3.0)	USB 3.2 Gen1 SuperSpeed (USB 3.0) USB 2.0 (480Mbps)	USB 3.2 Gen1 SuperSpeed (USB 3.0)
USB-C	Yes	No	Yes	Yes	No
USB-C PD	Yes	Yes	Yes	Yes	Yes
Plug and Play	Yes	Yes	Yes	Yes	Yes
Cable part length cm	15cm	12cm	15cm	15cm	15cm
System requirements	1 free USB 3.2 Gen1 - SuperSpeed (USB 3.0) C port with DisplayPort alternate mode	1 free USB 3.2 Gen1 - SuperSpeed (USB 3.0) C port with DisplayPort alternate mode	1 free USB 3.2 Gen1 - SuperSpeed (USB 3.0) C port with DisplayPort alternate mode	1 free USB 3.2 Gen1 - SuperSpeed (USB 3.0) C port	1 free USB 3.2 Gen1 - SuperSpeed (USB 3.0) C port with DisplayPort alternate mode

SKU	EW1140	EW1141	EW1147
			
USB compatibility	USB 3.2 Gen1	USB 3.2 Gen1	USB 3.2 Gen1
Connector	USB-A male	USB-C male	USB-A & C male
Number of USB ports	3x USB-A female	3x USB-A female	7x USB-A female
Data transfer speed	5Gbps	5Gbps	5Gbps
USB-C	No	Yes	Yes
Power	USB	USB	Adapter (included)
Plug and Play	Yes	Yes	Yes
Compact design	Yes	Yes	No
Cable part length	15 cm	15 cm	12 cm
Extra functionality	1x Gigabit Lan	1x Gigabit Lan	With ON/OFF switch on each ports

SKU	EW1144	EW1145	EW1137	EW1134
				
USB compatibility	USB 3.2 Gen1	USB 3.2 Gen1	USB 3.2 Gen1	USB 3.2 Gen1
Connector	USB-A male	USB-C male	USB-C	USB-A male
Number of USB ports	1x USB-A 3.2 female 3x USB-A 2.0	1x USB-A 3.2 female 3x USB-A 2.0	4x USB-A female	4x USB-A female
Data transfer speed	5 Gbps 480 Mbps	5 Gbps 480 Mbps	5Gbps	5Gbps
USB-C	No	No	Yes	No
Power	USB	USB	USB	Adapter (included)
Plug and Play	Yes	Yes	Yes	Yes
Compact design	Yes	Yes	Yes	Yes
Cable part length	15 cm	15 cm	30 cm	52 cm
Extra functionality	Slim, Aluminium	Slim, Aluminium	LED-lighting	Micro USB- B to USB-A male cable

SKU	EW1136	EW1138	EW1122	EW1123
				
USB compatibility	USB 3.2 Gen1	USB 3.2 Gen1	USB 2.0	USB 2.0
Connector	USB-A male	USB-A male	USB-A male	USB-A male
Number of USB ports	4x USB-A female	4x USB-A female	4x USB-A female	4x USB-A female
Data transfer speed	5Gbps	5Gbps	480Mbps	480Mbps
USB-C	No	No	No	No
Power	USB	USB	USB	USB
Plug and Play	Yes	Yes	Yes	Yes
Compact design	Yes	Yes	Yes	Yes
Cable part length	15 cm	15 cm	15 cm	15 cm
Extra functionality	DC port for extra power	LED-lighting	-	-

M.2 NVMe SSD Enclosures & Cloning Docks - USB 4 & USB 3.2 High-Speed Solutions

Maximize your SSD's performance and versatility with our range of **M.2 NVMe enclosures and docking stations**, designed for ultra-fast data access, secure storage mobility, and seamless disk cloning. Featuring the latest **USB 4 and USB 3.2 Gen 2x2 interfaces**, these tools deliver top-tier speeds for professionals, content creators, and IT technicians.

- **High-Speed USB 4 / USB 3.2 Interfaces**
Achieve blazing-fast transfer rates up to 40 Gbps (USB 4) or 20 Gbps (USB 3.2 Gen 2x2), ideal for handling 4K/8K video, large data backups, and real-time editing.
- **Tool-Free M.2 NVMe SSD Installation**
Compatible with M-key and B+M key NVMe SSDs (sizes 2230/2242/2260/2280), with quick assembly and robust thermal management via aluminum casing and thermal pads.
- **Standalone Cloning Dock Functionality**
Clone M.2 NVMe SSDs directly - no PC required. Ideal for upgrades, system migration, and backups.

- **Plug & Play and Hot-Swap Support**
No drivers required. Supports real-time SSD swapping for maintenance or quick data access.
- **Wide OS Compatibility**
Works seamlessly with Windows, macOS, Linux, and Android systems via USB-C.
- **Smart Protection & Heat Dissipation**
Built-in safeguards against overcurrent, short circuit, and overheating - plus passive cooling for sustained performance during heavy transfers.


Perfect For:

- IT professionals performing SSD upgrades or system cloning
- Content creators managing high-volume data
- Users needing portable, high-speed storage on the go
- Anyone upgrading from SATA to NVMe for faster performance

EW7062

USB4 40Gbps M.2 NVMe PCIe Enclosure

- M.2 NVMe SSD Case (2230-2280)
- 40Gbps Speed, UASP & TRIM Ready
- Tool-Free, Driver-Free Setup



EW7061

USB 3.2 Gen2 M.2 NVMe&SATA PCIe Enclosure

- M.2 NVMe/SATA SSD Case (2230-2280)
- 40Gbps Speed, UASP & TRIM Ready
- Tool-Free, Driver-Free Setup



EW7060

USB 3.2 Gen2 M.2 NVMe Enclosure

- M.2 NVMe SSD Case (2230-2280)
- Includes USB-C & USB-A Cables
- 10Gbps Speed, UASP & TRIM Ready



EW7078

Dual Bay USB3.2 Gen2 Docking Station

- Offline Clone: No PC Required
- Read/Write 2x NVMe SSDs at Once
- Mobile Support via OTG Feature



EW7065

Dual bay HDD/NVMe M2 SSD clone & converter for 2.5" and 3.5" SATA

- Dual Clone: NVMe & SATA Drives
- LEDs Show Clone Progress: 25-100%
- No Tools Needed, Cools Efficiently



EW7066


Docking station for SSD M.2 NVMe&SATA PCIe M-Key & B+M Key

- NVMe/SATA M.2 SSDs: 2230-22110
- USB 3.2 Gen2 10Gbps data transfer
- Support UASP and TRIM



EW7025**USB-C 3.2 Gen2 Screwless M.2 NVMe SSD Enclosure**

- Screwless M.2 NVMe SSD Enclosure
- UASP support for a higher data transfer
- SuperSpeed+ USB 3.2 Gen 2 speed up to 10Gbps

**EW7022****USB-C 3.2 Gen2 M.2 NVMe SSD Enclosure**

- Aluminum M.2 NVMe Case, 80mm Max
- UASP support for a higher data transfer
- SuperSpeed+ USB 3.2 Gen 2 speed up to 10Gbps

**EW7023****Portable USB 3.2 Gen1 (USB 3.0) M.2 SSD Enclosure**

- Aluminum M.2 NGFF Case, 80mm Max
- UASP support for a higher data transfer
- SuperSpeed+ USB 3.2 Gen 2 speed up to 10Gbps

**EW7064****USB 3.2 Gen1 Hard Disk Enclosure SATA 2.5" USB C-C and USB C-A adapter**


- 2.5" SATA HDD/SSD (Max 9.5mm)
- UASP support for a higher data transfer
- SuperSpeed+ USB 3.2 Gen 2 speed up to 10Gbps

**EW7068****USB 3.2 Gen1 Hard Disk Enclosure SATA 2.5"**

- 2.5" SATA HDD/SSD (Max 9.5mm)
- UASP support for a higher data transfer
- SuperSpeed+ USB 3.2 Gen 1 speed up to 5Gbps

**EW7073****USB 3.2 Gen1 Type-C Screwless 2.5" SATA HDD/SSD enclosure**

- 2.5" SATA HDD/SSD (Max 9.5mm)
- UASP support for a higher data transfer
- SuperSpeed+ USB 3.2 Gen 1 speed up to 5Gbps

**EW7070****USB 3.2 Gen2 Type-C 2.5" HDD/SSD Enclosure**

- 2.5" SATA HDD/SSD (Max 9.5mm)
- UASP support for a higher data transfer
- SuperSpeed+ USB 3.2 Gen 2 speed up to 10Gbps

**EW7075****USB-C 3.2 Gen1 to 2.5" SATA Adapter Cable for SSD/HDD**

- USB-C Adapter for SATA SSD/HDD
- Ideal for Clone, Backup, Migrate
- UASP Support allowing high transfer speeds



EW7013

M.2 NVMe SSD Docking Station, USB-C, USB 3.2 Gen 2

- Backup with M.2 NVMe/PCIe SSD
- M.2 SSD (M/B+M) up to 4TB
- USB 3.2 Gen2 + UASP, 10Gbps



EW7069

USB 3.2 Gen 1 External Enclosure 2.5 SATA screwless

- 2.5" SATA HDD/SSD (Max 9.5mm)
- UASP support for a higher data transfer
- Screwless design for a quick and easy installation



EW7044

USB 3.2 Gen1 Screwless 2.5" SATA HDD/SSD enclosure

- 2.5" SATA HDD/SSD (Max 9.5mm)
- UASP support for a higher data transfer
- Screwless design for a quick and easy installation



EW7049

USB 3.2 Gen1 Screwless 2.5" SATA HDD/SSD enclosure

- 2.5" SATA HDD/SSD (Max 9.5mm)
- SuperSpeed USB 3.2 Gen1 (USB 3.0)
- Screwless design for a quick and easy installation



EW7032

USB 3.2 Gen1 2.5" SATA HDD/SSD Enclosure

- 2.5" SATA HDD/SSD (Max 9.5mm)
- SuperSpeed USB 3.2 Gen1 (USB 3.0)
- Solid Aluminum, Heat Dissipated



EW7056

USB 3.2 Gen1 (USB 3.0) Screwless 3.5" SATA HDD Enclosure

- 3.5" SATA HDD/SSD
- SuperSpeed USB 3.2 Gen1 (USB 3.0)
- UASP support for higher data transfer



EW7014

Dual Docking station USB 3.2 Gen1 (USB3.0) for 2.5 and 3.5" SATA HDD/SSD

- 2.5"/3.5" SATA Dock, Dual Bay
- Easily access and backup your data
- Status LEDs for data and cloning



EW7017

USB 3.1 to 2.5" SATA Hard Drive Adapter Cable for SSD / HDD

- 2.5" SATA to USB Adapter Cable
- Add SSD via USB 3.1 Adapter
- UASP support for higher data transfer



EW7018**USB 3.1 Gen1 (USB 3.0) to 2.5/3.5" SATA Adapter Cable for SSD/HDD**

- 2.5"/3.5" SATA to USB Adapter Cable
- Add SSD/HDD via USB 3.1 Adapter
- UASP support for higher data transfer

**EW7001****3.5" Mounting Bracket for a 2.5" HDD/SSD**

- Fit 2.5" SSD/HDD in 3.5" Bay
- For any 2.5" HDD/SSD
- Solid aluminium bracket

**EW7007****SSD Mounting Kit for a 2.5" SSD/HDD**

- Fit 2.5" SSD/HDD in 3.5" Bay
- Includes 50cm SATA w/ Locks
- Mounting screws included

**EW7006****3.5" Mounting Bracket for two 2.5" HDDs/SSDs**

- Mount 2x 2.5" Drives in 3.5" Bay
- For any 2.5" HDD/SSD
- Solid aluminium bracket

**EW7002****5.25" Mounting Bracket for 2.5 and 3.5" HDD/SSD**

- Mount 4x 2.5" Drives in 5.25" Bay
- 3.5" + 2x 2.5" Drives in 5.25" Bay
- For any 2.5" and 3.5" HDD/SSD

**EW7003****SATA III SSD/HDD Installation Frame for CD/DVD/Blu-ray drive slot 9.5mm height**


- 2.5" SATA HDD/SSD Mount Frame
- Add 2.5" SATA Drive Internally
- Fits 9.5mm SATA Optical Bays

**EW7005****SATA III SSD/HDD Installation Frame for CD/DVD/Blu-ray drive slot 12.7mm height**

- 2.5" SATA HDD/SSD Mount Frame
- Add 2.5" SATA Drive Internally
- Fits 12.7mm SATA Optical Bays



PRODUCT COMPARISON CHART

SKU	EW7062	EW7061	EW7060	EW7078	EW7065
					
Type of enclosure	External	External	External	Docking	Docking
HDD/SSD interface	M.2 NVMe PCIe	M.2 NVMe&SATA PCIe	M.2 NVMe PCIe	M.2 NVMe PCIe	M.2 NVMe PCIe & SATA HDD/SSD
Format HDD/SSD	up to 80mm	up to 80mm	up to 80mm	up to 80mm	up to 80mm
Connection	USB 4	USB 3.2 Gen 2	USB 3.2 Gen 2	USB 3.2 Gen 2	USB 3.2 Gen 2
Transfer speed max.	40 Gbps	10 Gbps	10 Gbps	10 Gbps	10 Gbps
USB-C	Yes	Yes	Yes	Yes	Yes
Power	USB	USB	USB	USB	DC 12V 2A
Material housing	Aluminium	Aluminium	Aluminium	ABS	ABS
UASP-support	Yes	Yes	Yes	Yes	Yes
Extra	–	–	–	–	–
Dimension (WxHxD mm)	–	–	–	–	–
Included cables / accessories	USB-C cable	USB-C + A cable	USB-C + A cable	USB-C	USB-C + power adapter

SKU	EW7066	EW7025	EW7022	EW7023	EW7064
					
Type of enclosure	Docking	External	External	External	External
HDD/SSD interface	M.2 NVMe&SATA PCIe	M.2 NVMe/PCIe	M.2 NVMe/PCIe	M.2	SATA
Format HDD/SSD	up to 80mm	up to 80 mm	up to 80 mm	up to 80 mm	2.5"
Connection	USB 3.2 Gen 2	USB 3.2 Gen2	USB 3.2 Gen2	USB 3.2 Gen1	USB 3.2 Gen1
Transfer speed max.	10 Gbps	10Gbit/s	10Gbit/s	5Gbit/s	5Gbit/s
USB-C	Yes	Yes	Yes	No	–
Power	USB	USB	USB	USB	USB
Material housing	ABS	Aluminium	Aluminium	Aluminium	ABS
UASP-support	Yes	Yes	Yes	Yes	Yes
Extra	–	Blue LED indicator Light weight and compac	LED status indicator Lightweight & pocket-sized Backwards compatible with USB 3.0 and USB 2.0	Blue LED indicator Light weight and compact	Screwless design
Dimension (WxHxD mm)	–	39x16x108	37 x 13 x 128 mm	40.6x9.6x109	–
Included cables / accessories	USB-C	USB-C to USB-C USB-C to USB-A Screws, screwdriver	USB-C to USB-C USB-C to USB-A Screws, screwdriver	USB-A-cable Screws, screwdriver	USB-C + A-cable

SKU	EW7068	EW7073	EW7070	EW7075	EW7013
					
Type of enclosure	External	External	External	Adapter cable	Docking
HDD/SSD interface	SATA	SATA	SATA	SATA	SATA
Format HDD/SSD	2.5"	2.5"	2.5"	2.5"	M2 NVMe
Connection	USB 3.2 Gen1	USB 3.2 Gen1	USB 3.2 Gen2	USB 3.2 Gen1	USB 3.2 Gen2
Transfer speed max.	5Gbit/s	5Gbit/s	10Gbit/s	5Gbit/s	10Gbit/s
USB-C	–	Yes	Yes	Yes	Yes
Power	USB	USB	USB	USB	USB
Material housing	ABS	ABS	AluminiumABS	ABS	ABS
UASP-support	Yes	Yes	Yes	Yes	Yes
Extra	Screwless design	LED indicator Screwless design	Can be connected to the traditional USB Type-A port as well with the included USB-A cable	Led indicator	Led indicator ON/OFF button
Dimension (WxHxD mm)	–	79x13x125	79x19x126	70x18,2x12,5	60x14,5x60
Included cables / accessories	USB-C cable	USB-C-cable	USB-C to USB-C USB-C to USB-A Screws, screwdriver	USB-A to micro USB-B cable	USB-C-cable

SKU	EW7069	EW7044	EW7049	EW7032	EW7056
					
Type of enclosure	External	External	External	External	External
HDD/SSD interface	SATA	SATA	SATA	SATA	SATA
Format HDD/SSD	2.5"	2.5"	2.5"	2.5"	3.5"
Connection	USB 3.2 Gen1	USB 3.2 Gen1	USB 3.2 Gen1	USB 3.2 Gen1	USB 3.2 Gen1
Transfer speed max.	5Gbit/s	5Gbit/s	5Gbit/s	5Gbit/s	5Gbit/s
USB-C	–	No	No	No	No
Power	USB	USB	USB	USB	DC 12V 2A
Material housing	ABS	ABS	ABS	Aluminium	ABS
UASP-support	Yes	Yes	Yes	Yes	Yes
Extra	Screwless design	LED indicator Screwless design	LED indicator Screwless design	LED indicator	Led indicator ON/OFF switch
Dimension (WxHxD mm)	–	75x14x120	79x13x125	75x14x129	110x187x31
Included cables / accessories	USB-A cable	USB-A-cable	USB-A-cable	USB-A cable 60cm	USB-A-kabel 12V adapter

SKU	EW7014	EW7017	EW7018	EW7001	EW7007
					
Type of enclosure	Docking	Adapter cable	Adapter cable	Bracket	Bracket
HDD/SSD interface	SATA	SATA	SATA	–	SATA
Format HDD/SSD	2.5 + 3.5"	2.5"	2.5 + 3.5"	2.5 to 3.5"	2.5 to 3.5"
Connection	USB 3.2 Gen1	USB 3.2 Gen1	USB 3.2 Gen1	–	–
Transfer speed max.	5Gbit/s	5Gbit/s	5Gbit/s	–	–
USB-C	No	No	No	–	–
Power	Adapter	USB	DC 12V 2A	–	–
Material housing	ABS	ABS	ABS	Aluminium	Aluminium
UASP-support	Yes	Yes	Yes	No	No
Extra	Dual bay LED indicator ON/OFF button Clone-function	Led indicator	Led indicator	Bulk	In retail box
Dimension (WxHxD mm)	149x61x117	70x18,2x12,5	70x20x34	100x10x100	100x10x100
Included cables / accessories	USB-A cable 12V 3A power adapter	–	Power adapter	Screws	SATA III cable 50 cm and screws

SKU	EW7006	EW7002	EW7003	EW7005
				
Type of enclosure	Bracket	Bracket	Installation frame	Installation frame
HDD/SSD interface	–	–	SATA	SATA
Format HDD/SSD	2x 2.5 to 3.5"	5.25" to 2.5 and 3.5"	2.5"	2.5"
Connection	–	–	–	–
Transfer speed max.	–	–	–	–
USB-C	–	–	–	–
Power	–	–	–	–
Material housing	Aluminium	Aluminium	Aluminium	Aluminium
UASP-support	No	No	No	No
Extra	In retail box	Bulk	In carton box	In carton box
Dimension (WxHxD mm)	115x23x101	170x123x39	–	–
Included cables / accessories	Screws	Screws	Screws	Screws

Barcode Scanners - Wired & Wireless 1D/2D Models for Every Workflow

Enhance your data capture operations with our complete range of **barcode scanners**, designed to meet the demands of retail, logistics, healthcare, and warehouse environments. Available in **wired USB**, **Bluetooth wireless**, and **2.4GHz models**, these scanners support **1D and 2D barcode formats**, including QR codes, PDF417, and Data Matrix. Options include **handheld models**, **hands-free desktop units**, and scanners with **adjustable stands** for flexible use.

1D & 2D Barcode Support

Reads all major linear and matrix codes quickly and accurately - even from screens, damaged labels, or low-contrast surfaces.

Wireless Bluetooth & 2.4GHz Models

Offer cable-free convenience with up to 100m transmission range. Ideal for mobile workstations, point-of-sale setups, and inventory control.

Wired USB Models

Plug-and-play simplicity for continuous, high-volume scanning with stable connection - perfect for retail counters and fixed stations.

Desktop and Stand-Mounted Options

Choose between handheld operation or automatic, hands-free scanning via included stands - ideal for checkout areas and document processing.

Fast Scanning Engine

High-speed decoding with low error rates, ensuring fast and efficient workflow in busy environments.

Rugged and Durable Design

Built to withstand drops, dust, and intensive daily use, with IP-rated models available for industrial environments.

Ideal Applications:

- Retail and point of sale (POS) systems
- Inventory and warehouse management
- Healthcare (patient wristbands, medication tracking)
- Shipping and logistics
- Ticketing, access control, and ID verification

EW3450

1D 2D QR Barcode Reader with USB Cable, Hands-Free, Automatic Scanning with Image Detection

- Stable POS scanner, hands-free
- No setup - just plug & scan
- Omnidirectional lens, fast scan



EW3440

Wireless and Bluetooth 2D Barcode Scanner with Smart Dock

- Fast 1D/2D barcode scanning
- Smart base: charge & transmit
- 3-in-1: USB, Bluetooth, 2.4GHz



EW3400

Laser Barcode Scanner

- 650nm laser diode barcode reader
- 150 readings per second
- Plug & play via USB - no setup



EW3410

2D USB Barcode Scanner

- 200 readings per second
- Plug & play USB barcode reader
- Reads UPC, EAN, Code 128 & more



EW3430

Wireless laser Barcode Scanner


- Wireless laser barcode reader
- 200 readings per second
- Plug & play USB barcode reader



EW3431

1D & 2D Wireless Barcode Scanner

- Easy configuration
- No software driver is required.
- Reads UPC, EAN, Code 128 & more



PRODUCT COMPARISON CHART

SKU	EW3450	EW3440	EW3400
			
Interface	USB	Wireless USB dongle, Bluetooth, USB	USB
Technology	Red light	Red light	Laser
Laser	Red CCD(aiming), white LED (lighting)	Red CCD(aiming), white LED (lighting)	Visible laser 650nmv class2
Scan modes	Manual; automatic successive scanning; automatic scanning with bracket	Manual; automatic successive scanning; automatic scanning with bracket	Manual; automatic successive scanning; automatic scanning with bracket
Scan Speeds (scan/sec)	300	500	100
Stand by Mode	Standby current is less than 10UA and that makes the battery standby time much longer	Standby current is less than 10UA and that makes the battery standby time much longer	Yes
Warning Mode	Buzzer, Indicator Light (LED)	Buzzer, Indicator Light (LED)	Buzzer, Indicator Light (LED)
Stored up to bar codes	-	-	The scanner can decode a variety of 1D barcode types (listed in the technical specs)
Supported Languages	Support multi-languages	Support multi-languages	Support multi-languages
Shell Material	ABS+PVC+PC	ABS+PVC+PC	ABS+PVC+PC
Size (mm)	68 x 95.3 x 151.8 mm	177x68.3x90.5 mm	162x76x96 mm
Weight	262 gr	195±5 gr	110±5 gr
Battery: Type / Capacity	-	Lithium polymer battery 3.7V 2000mAH	No battery; the scanner is powered via USB (DC 5V / 100mA)
Transmission Distance	-	2.4Ghz 100m Bluetooth 4.2	the scanner's read distance is 10-600 mm
Bar Code support	1D: Interleaved 2 of 5, ITF-6, ITF-14, ISB-128, Code 11, UCC/ EAN-128, GS1 Databar, Industrial 2 of 5, Code 128, EAN-13, EAN-8, Code 39, UPC-A, UPC-E, Codabar, Standard 2 of 5, Plessey, MSI-Plessey, Code 93, GS1 composite code, Matrix 2 of 5, Code 32 2D: PDF417, Data Matrix, QR Code, HanXin, AZTEC, Maxicode, Micro QR, Micro PDF417	1D: Interleaved 2 of 5, ITF-6, ITF-14, ISB-128, Code 11, UCC/ EAN-128, GS1 Databar, Industrial 2 of 5, Code 128, EAN-13, EAN-8, Code 39, UPC-A, UPC-E, Codabar, Standard 2 of 5, Plessey, MSI-Plessey, Code 93, GS1 composite code, Matrix 2 of 5, Code 32 2D: PDF417, Data Matrix, QR Code, HanXin, AZTEC, Maxicode, Micro QR, Micro PDF417	PC-A, UPC-E, EAN-13, EAN-8, ISBN/ISSN, Code 39, Codabar, Interleaved 2 of 5, Industrial 2 of 5, Matrix 2 of 5, Code128, Code 93, Code 11, MSI/PIESSEY, UK/PLESSEY, UCC/EAN128 code
Prompt mode	Buzzer, Indicator Light, LED	Buzzer, Indicator Light, LED	Buzzer, Indicator Light, LED

SKU	EW3410	EW3430	EW3431
			
Interface	USB	Wireless USB dongle	Wireless USB dongle
Technology	2D CCD Barcode Technology	Laser	CCD
Laser	Red CCD(aiming), white LED (lighting)	Visible laser 650nmv class1	632nm red diode (LED)
Scan modes	Manual; automatic successive scanning; automatic scanning with bracket	Manual; automatic successive scanning; automatic scanning with bracket	Manual; automatic successive scanning; automatic scanning with bracket
Scan Speeds (scan/sec)	200	200	500
Stand by Mode	-	Standby current is less than 10UA and that makes the battery standby time much longer	Standby current is less than 10UA and that makes the battery standby time much longer
Warning Mode	Buzzer, Indicator Light (LED)	Buzzer, Indicator Light (LED)	Buzzer, Indicator Light (LED)
Stored up to bar codes	-	500-10000	64K (About 3500 14b 1D barcodes)
Supported Languages	Support multi-languages	Support multi-languages	Support multi-languages
Shell Material	ABS+PVC+PC	ABS+PVC+PC	ABS+PVC+PC
Size (mm)	157x71x90 mm	93x88x160 mm	70x70x196 mm
Weight	112±5 gr	136±5 gr	146±5 gr
Battery: Type / Capacity	-	Lithium polymer battery 3.7V 750mAH	3.7V 2000 mAH 18650 Lithium ion battery
Transmission Distance	-	2.4GHz 50mts	2.4GHz 100mts
Bar Code support	1D:Codabar, Code11, Code39/Code93, UPC/ EAN, Code128/EAN128, InterLeaved2of5, Matrix 2of5, MSI CODE, Standard2of5. 2D:QR CODE, PDF417, Data Matrix	UPC-A, UPC-E, EAN-13, EAN-8, ISBN/ISSN code 39, Codabar, Interleave 25, Industrial 25, Matrix 25, Code 128, Code 93, Code 11, MSI/PIESSEY, UK/PLESSEY, UCC/EAN128	1D:Codabar, Code11, Code39/Code93, UPC/ EAN, Code128/EAN128, InterLeaved2of5, Matrix 2of5, MSI CODE, Standard2of5. 2D:QR CODE, PDF417, Data Matrix
Prompt mode	Buzzer, Indicator Light, LED	Buzzer, Indicator Light (LED)	Buzzer, Indicator Light (LED)

EW5682

Rechargeable 4-in-1 Electric Turbo Jet Air Duster-Vacuum Cleaner-Inflator-Vacuum Pump

- Includes 12 accessories and a USB-C charging cable
- High-capacity, long-lasting batteries, long-life 4000mAh 21700 lithium batteries
- Features a high-performance brushless motor



EW5682-F

HEPA washable filter replacement for EW5682

- Pack of 6 HEPA filters
- Replacement HEPA filters for the EW5682
- For best performance of your EW5682, replace the filter periodically



EW5681

Rechargeable 3-in-1 Electric Turbo Jet Air Duster-Vacuum Cleaner-Inflator-Vacuum Pump

- Includes 6 accessories and a USB-C charging cable
- High-capacity, long-lasting batteries. Long-lasting 2500mAh 18650 lithium batteries
- It boasts a powerful 130W/130,000 rpm and 10kPa



EW5607

Rechargeable electric air duster with vacuum for storage bags

- Cleans PCs, optics, ornaments
- Great battery capacity, 7500 mAh
- Dual-use: blower & inflator



EW5600

Air Duster. Upside down function use, 220 ml

- The Air Duster removes all dust and debris
- Ideal for electrical equipment
- Extension tube reaches tight spots



EW5601

Air Duster, 400ml

- The Air Duster removes all dust and debris
- Ideal for electrical equipment
- Extension tube reaches tight spots



EW5606

Air Duster with apple scent, 400ml

- Apple-Scented Airduster Spray
- Extension tube reaches tight spots
- Extension tube reaches tight spots



EW5668

Screen Cleaning Kit 100ml with 20x20cm Microfiber Cloth

- Travel-size screen cleaner
- Antistatic & antibacterial
- Ultra-soft, lint-free cloth



EW5671

Screen Cleaning Kit, 200ml with 20x20cm Microfiber cloth

- Screen cleaner + microfiber
- Removes dust and fingerprints
- Anti-bacterial: SGS tested



EW5678

Screen Cleaning Kit 500ml with 30x30cm Microfiber Cloth and rotatable switch nozzle Spray Gun

- Large-size tech cleaning fluid
- Antistatic & antibacterial
- Ultra-soft, lint-free cloth



EW5680

Screen Cleaning Kit 1000ml with 30x30cm Microfiber Cloth, rotatable switch nozzle Spray Gun and dosing refill nozzle

- Large refill for tech cleaning
- Antistatic & antibacterial
- Ultra-soft, lint-free cloth



EW5631

21-in-1 Multifunctional cleaning kit

- Complete gadget cleaning set
- Retractable anti-scratch brush
- For screens, keyboards & more



EW5630

7-in-1 Multifunctional cleaning kit

- Retractable anti-scratch brush
- AirPods cleaning pen + brush
- For screens, keyboards & more



EW5636

2 in 1 Premium Microfiber cleaning and screen-saver cloth 29x18.6cm

- For screens, lenses & optics
- Guards screen & keeps keys clean
- Screen-saver & dust shield



EW5612

Surface Cleaning Wipes

- 100 Screen Wipes in Canister
- Removes dust and fingerprints
- Anti-bacterial: SGS tested



EW5635

6pcs Kit Microfiber Cleaning cloths 15x18cm (2pz White, 2pz Grey, 2pz Blue)

- For screens, lenses & optics
- Antistatic - attracts fine dust
- Ultra-soft, lint-free cloth



EW5675**Sanitizer cleaning spray 100ml**

- All-surface sanitizer spray
- Safe for all surfaces & spaces
- Eliminates dirt and fingerprints

**EW5676****Sanitizer cleaning spray 400ml**

- All-surface sanitizer spray
- Safe for all surfaces & spaces
- Eliminates dirt and fingerprints

**EW5611****Isopropyl Alcohol spray, 400ml**

- Cleaner for Plastic Tech Parts
- Chlorine free
- Safe for plastics

**EW5613****Isopropyl Alcohol spray, 200ml**

- Cleaner for Plastic Tech Parts
- Chlorine free
- Safe for plastics

**EW5614****Dry clean contact spray, 200ml**

- Dry deoxidizer for electrical contacts
- Prevents moisture
- No residues

**EW5615****Oil clean contact spray, 200ml**

- Contact Lube & Deoxidizer Oil
- Generates a thin film
- Protects against oxidation

**EW5616****Cooling spray, 200ml**

- Reaches -45°C
- Exposes defects due to overheating
- Reduces damage due to welding or brazing

**EW5617****Roll cleaner spray, 200ml**

- Removes wax, grease, oil and impurities
- Protects the gum
- 100% Ozone friendly



EW5618

Cable lubrication spray, 400ml

- Biodegradable and odorless
- Eliminates the friction and does not solidify
- Compatible with any type of cable



EW5619

Air Conditioning cleaning spray, 400ml

- Cleans & Refreshes AC Units
- Odor-Neutralizing Foam Spray
- Suitable for professional use



EW5621

Stop Fire spray, 500gr

- Fire Safety for Car & Home
- Easy to operate
- Covers A-B-C-E Fire Classes



EW5677

PTFE anti-friction dry lubricant spray 400ml

- PTFE Lube - Rust & Moisture Safe
- Dry Lube - No Dirt, No Grease
- High-Perf Lube - No Residue



EW5625

Repositionable Glue Spray, 400ml

- Quick-dry repositionable glue
- Glue for light materials
- Adheres paper, foam, plastic



EW5626

Permanent Glue Spray, 400ml

- Permanent quick-dry glue
- Glue for light materials
- 100% Ozone friendly



EW5627

Glue Remover Spray, 400ml

- Removes glue & label residues
- Evaporates rapidly
- No silicones or chlorinated solvents



EW2536

TRENDY ROLL Backpack 17.3". Oxford 900D, rPet recycled material, waterproof material and zipper

- Expandable bag: 25.5L to 34L
- Eco bag: waterproof & rugged
- Padded back & straps for comfort



EW2537

VINTAGE Backpack 16.1"- Oxford 900D, rPet recycled material, waterproof material and zipper

- 27L bag fits 16.1" laptop & gear
- Waterproof & eco-friendly bag
- Padded back & straps for comfort



EW2528

Urban Notebook Backpack 17.3"

- Suitable for notebooks up to 17.3"
- Double lining protects laptop
- Laptop & tablet stored safely



EW2529

Urban Notebook Backpack 17.3" with USB outlet

- Suitable for notebooks up to 17.3"
- Charge your phone via USB port
- Padded sleeve for laptop & tablet



EW2526

Notebook Backpack 15.6" with USB Outlet

- Fits 15.6" laptop + USB charging
- Laptop slot + gear & bottle space
- Ergo straps, padded back & more



EW2538

URBAN BUSINESS Notebook Backpack 16.1" Oxford 600D, rPet recycled material, waterproof material, Grey

- 25L bag fits 16.1" laptop & gear
- Waterproof & eco-friendly bag
- Padded back & straps for comfort



EW2539

URBAN BUSINESS Notebook Backpack 16.1" Oxford 600D, rPet recycled material, waterproof material, Black

- 25L bag fits 16.1" laptop & gear
- Waterproof & eco-friendly bag
- Padded back & straps for comfort



EW2515

Laptop Bag 15.6", black

- Suitable for laptops up to 15.6"
- Extra laptop protection inside
- Inner pocket for accessories



EW2516

Laptop Bag 15.6", blue

- Suitable for laptops up to 15.6"
- Extra laptop protection inside
- Inner pocket for accessories



EW2517

Laptop Bag 15.6", grey

- Suitable for laptops up to 15.6"
- Extra laptop protection inside
- Inner pocket for accessories



EW2505

Notebook bag 15.6" Business kit with mouse

- Compact bag for laptop & gear
- Padded inside for laptop safety
- Fits notebooks up to 15.6"



EW2520

Laptop Sleeve 13.3"

- Suitable for notebooks up to 13.3"
- Strong lining protects laptop
- Easy to carry, ultra-light build



EW2521

Sleeve for Laptop up to 14.1"

- Suitable for notebooks up to 14.1"
- Strong lining protects laptop
- Easy to carry, ultra-light build



EW2523

Sleeve for laptop up to 15.6"

- Suitable for notebooks up to 15.6"
- Strong lining protects laptop
- Easy to carry, ultra-light build



PRODUCT COMPARISON CHART

SKU	EW2536	EW2537	EW2528
			
Type of bag	Backpack	Backpack	Backpack
Protection	****	****	***
Material	rPET recycled material	rPET recycled material	Polyester mix
Laptop size	17.3"	16.1"	17.3"
Tablet size	–	–	10.1"
Compartments	2	2	6
Additional storage	Yes	Yes	Yes
Weight (kg.)	0.69	0.5	0.98
Volume (litre)	25 up to 34	27	30 l
Adjustable shoulder strap	Yes	Yes	Yes
USB charging port	Yes	Yes	–
Extra	"USB-A and USB-C charging port high-visibility reflective strip"	"USB-A and USB-C charging port high-visibility reflective strip"	Padded back for better comfort Water repellent material
Colour	Black	Black	Black

SKU	EW2529	EW2526	EW2538 EW2539
			
Type of bag	Backpack	Backpack	Shoulder bag
Protection	****	****	**
Material	Polyester mix	Polyester mix	Polyester
Laptop size	17.3"	15.6"	15.6"
Tablet size	10.1"	10.1"	10.1"
Compartments	3	3	3
Additional storage	Yes	Yes	No
Weight (kg)	0.7	0.8	0.5
Volume (litre)	30	26 l	10 l
Adjustable shoulder strap	Yes	Yes	Yes
USB charging port	Yes	Yes	–
Extra	Many internal storage options Water repellent material	Many internal storage options with compression belt for more stability and flexibility Water repellent material	Water repellent material With trolley strap
Colour	Grey	Black	Grey

SKU	EW2515	EW2516	EW2517
			
Type of bag	Shoulder bag	Shoulder bag	Shoulder bag
Protection	**	**	**
Material	Polyester	Polyester	Polyester
Laptop size	15.6"	15.6"	15.6"
Tablet size	10.1"	10.1"	10.1"
Compartments	3	3	3
Additional storage	No	No	No
Weight (kg)	0.5	0.5	0.5
Volume (litre)	10 l	10 l	10 l
Adjustable shoulder strap	Yes	Yes	Yes
USB charging port	–	–	–
Extra	Water repellent material With trolley strap	Water repellent material With trolley strap	Water repellent material With trolley strap
Colour	Black	Blue	Grey

SKU	EW2505	EW2520 EW2521 EW2523
		
Type of bag	Shoulder bag	Sleeve
Protection	***	**
Material	Nylon 600D	Polyester
Laptop size	15.6"	EW2520 13.3" EW2521 14.1" EW2523 15.6"
Tablet size	–	–
Compartments	2	2
Additional storage	No	No
Weight (kg)	0.7	EW2520 0.2 kg EW2521 0.24 kg EW2523 0.24 kg
Volume (litre)	11 l	EW2520 3 l EW2521 3 l EW2523 4 l
Adjustable shoulder strap	Yes	No
USB charging port	–	–
Extra	Bundle with USB Wired Mouse Hard frame for optimum protection	–
Colour	Black	Black

EW1242

Notebook Lock with 2 Keys


- Fits any device with lock slot
- Comes with 2 identical keys
- Ideal for the office and public areas



EW1241

Notebook Lock with number combination

- Fits any device with lock slot
- 4-digit combination lock
- Ideal for the office and public areas



EW1243

Wedge Notebook Lock with number combination

- Fits Wedge slots (3.2 x 4.5mm)
- 4-digit combination lock
- Ideal for the office and public areas



EW1238

NANO Slot Laptops Combination Lock Security Cable

- Fits Nano slots (2.5 x 6mm)
- 4-digit combination lock
- Ideal for the office and public areas



EW1239

NANO Slot Laptops Lock Security Cable

- Fits Nano slots (2.5 x 6mm)
- Comes with 2 identical keys
- Ideal for the office and public areas



PRODUCT COMPARISON CHART

SKU	EW1241	EW1242	EW1243	EW1238	EW1239
					
Type	4-digit combination lock	Comes with 2 identical keys	4-digit combination lock for Wedge/Noble slot	4-digit combination lock for Nano Slot	Comes with 2 identical keys for Nano Slot
Extra	Strong locking device featuring a 1.5 m steel cable	Strong locking device featuring a 1.5 m steel cable	Strong locking device featuring a 1,5m steel cable	Strong locking device featuring a 1,8m steel cable	Strong locking device featuring a 1,8m steel cable

EW1017

USB-A Gigabit Networking Adapter

- Data transfer rates of up to 1000 Mbps
- Adds 1Gb LAN port to your PC
- 1-Port RJ45 networking adapter



EW9828

USB-C Gigabit Networking Adapter

- Data transfer rates of up to 1000 Mbps
- Adds 1Gb LAN port to your PC
- 1-Port RJ45 networking adapter



EW9818

USB-C Gigabit Networking Adapter

- Data transfer rates of up to 1000 Mbps
- Adds 1Gb LAN port to your PC
- 1-Port RJ45 networking adapter



EW4029

10/100/1000Mbps PCI-e Network Adapter

- Data transfer rates of up to 1000 Mbps
- Adds 1Gb LAN port to your PC
- 1-Port RJ45 networking adapter



EW1085

Micro USB Bluetooth Reciever Class 1

- V5.3: Smarter, stable, efficient
- Boosted speed & interference guard
- Long-range signal up to 20m



Simplex Patch Cable – Bidirectional Communication Over a Single Fiber

Simplex patch cables allow you to cut your fiber or cabling requirements in half by enabling bidirectional communication over a single fiber strand. Designed for use with fiber optic modules that support two-way data transmission on one fiber, these cables are ideal for FTTH (Fiber to the Home) and telecommunications applications where minimizing fiber usage is critical. Simplex patch cables are available in Singlemode only and are not offered in Multimode.



Fibre-optic Cable (FTTH) SC-APC to SC-APC, Singlemode (OS2) Simplex, LSZH

- Used to connect the internet provider ONT (Optical Network Terminal) to the router/modem or fiber media converter
- Fibre type: Singlemode G657.A2
- Connector type: SC/SC
- Polishing type: APC/APC



COLOUR	CONNECTORS	1m	2m	3m	5m	10m	15m	20m	25m	30m	40m	50m	70m	100m
YELLOW	SC/APC to SC/APC	IM1400	IM1401	IM1402	IM1403	IM1404	IM1405	IM1406	IM1407	IM1408	IM1409	IM1410	IM1411	IM1412

Fibre-optic Cable (FTTH) SC-APC to SC-UPC, Singlemode (OS2) Simplex, LSZH

- Used to connect the internet provider ONT (Optical Network Terminal) to the router/modem or fiber media converter.
- Fibre type: Singlemode G657.A2
- Connector type: SC/SC
- Polishing type: APC/UPC



COLOUR	CONNECTORS	1m	2m	3m	5m	10m	15m	20m	25m	30m	40m	50m	70m	100m
WHITE	SC/APC to SC/UPC	IM1420	IM1421	IM1422	IM1423	IM1424	IM1425	IM1426	IM1427	IM1428	IM1429	IM1430	IM1431	IM1432

Category 8 Ethernet Cable – ISO/IEC Class I

Category 8 cabling is the highest-performance standard defined for twisted-pair copper Ethernet cables, classified under ISO/IEC Class I. It supports an ultra-high bandwidth of up to 2000 MHz, making it suitable for demanding data transmission environments such as data centers and enterprise backbone networks.

Designed to support 100BASE-T, 1000BASE-T, 10GBASE-T, and 40GBASE-T Ethernet, Category 8 cables enable data rates up to 40 Gbps over short distances. The maximum channel length is 30 meters, which includes up to 24 meters of horizontal cabling and 6 meters of patch cords, making it ideal for switch-to-server connections in high-density setups.

Technical Highlights:

- Frequency Range: Up to 2000 MHz
- Supported Speeds: 100 Mbps, 1 Gbps, 10 Gbps, 40 Gbps

- Maximum Length: 30 meters (channel)
- Connector Type: RJ45 (backward compatible with Cat6A and lower categories)
- Use Case: High-speed interconnects in data centers, server farms, and short-range backbone links

Category 8 cables are fully backward compatible with Category 6A and below, but their performance is optimized for short-range, high-throughput applications where latency and signal integrity are critical.



Cat 8.1 S/FTP Networking cable

- Network cable for 25/40G Base-T Ethernet networks (40GB-capable) and downward compatible, Ethernet (10BASE-T, 100BASE-TX, 1000BASE-T)
- Cat 8.1 raw cable up to 2000 MHz / 2 GHz
- RJ45 plug with 50μ gold-plated contact
- Suitable for Power over Ethernet (PoE/PoE+)
- Double-shielded LAN/network cable: wire pair shielding + overall shielding
- Ideal for game consoles with high resolution image (4K/120Hz, 8k/60Hz) such as Playstation 5 or Xbox serie X/S



COLOR	0.15m	0.25m	0.5m	1m	1.5m	2m	3m	5m	7.5m	10m	15m
BLACK	IM1185	IM1186	IM1187	IM1188	IM1189	IM1190	IM1191	IM1192	IM1193	IM1194	IM1195

Slimline Patch Cable with Flexible RJ45 Connectors

This CAT6A slimline patch cable is specifically engineered for environments where space is limited and flexibility is essential. Featuring Flexible RJ45 connectors, the cable can be positioned precisely as needed without compromising the bending radius-ensuring a clean, organized, and stress-free installation.

With a slim 4mm cable jacket, this design not only saves space but also improves airflow within network cabinets, contributing to better cooling performance.

Key Features:

- **Flexible RJ45 Connectors:**
Allow for optimal cable positioning in tight spaces, reducing strain and enhancing installation flexibility.
- **Slim 4mm Diameter:**
Enhances airflow and cooling efficiency in racks and cabinets while simplifying cable management.

- **High-Quality Construction:**
Built with 100% copper 32AWG wires for superior conductivity and durability, ensuring stable and efficient data transmission.
- **50µ Gold-Plated Contacts:**
Provide excellent corrosion resistance and signal integrity, resulting in improved performance and extended lifespan.
- **Tested Reliability:**
Each cable is fully tested to guarantee quality and comes with a 5-year warranty for added peace of mind.



Cat.6A U/UTP Slim Patch Cable with Foldable Connectors

- Slim Patch Network Cable Cat. 6A – 100% copper
- Connectors: 2 x RJ45 male
- Flexible connector covers: Designed to protect RJ45 connectors from stress and damage, they make it easy to bend the slim cable in any direction, making it ideal for installations in tight or angled spaces
- Cable construction: 4 twisted pairs, 32AWG conductors
- Outer sheath: resistant and flexible PVC for greater durability
- Shielding Type: U/UTP (Unshielded)

COLOR	0.2m	0.5m	1m	1.5m	2m	3m	5m
WHITE	IM1300	IM1301	IM1302	IM1303	IM1304	IM1305	IM1306

Cat.6A U/FTP Slim Patch Cable with Foldable Connectors

- Slim Patch Network Cable Cat. 6A - 100% copper
- Connectors: 2 x RJ45 male
- Flexible connector covers: Designed to protect RJ45 connectors from stress and damage, they make it easy to bend the slim cable in any direction, making it ideal for installations in tight or angled spaces
- Cable construction: 4 twisted pairs, 32AWG conductors
- Outer sheath: resistant and flexible PVC for greater durability
- Shielding Type: U/FTP (with aluminum shielding on each pair)



COLOR	0.2m	0.5m	1m	1.5m	2m	3m	5m
GREY	IM1315	IM1316	IM1317	IM1318	IM1319	IM1320	IM1321

Slimline Patch Cables

When Should You Use Slimline Patch Cables?

Slimline patch cables are the ideal choice in environments where space is at a premium, such as data centers. Compared to standard patch cables, the slimline version features a diameter that is over 40% thinner, significantly reducing the space required within racks and simplifying cable management.

These cables are specifically designed for direct device-to-device connections, offering both efficiency and practicality.

Key Benefits of Slimline Patch Cables:

Enhanced Cable Management and Space Efficiency:

The reduced diameter of slimline cables saves valuable space in server rooms. When bundled, they occupy considerably less volume, and their increased flexibility makes organizing and routing cables much easier.

Snagless Connectors:

Snagless connectors include a protective flap that shields the RJ-45 latch, preventing it from breaking or getting caught on other cables during installation or repatching.



Cat.6 U/UTP Slim Patch Cable

- Slim Patch Network Cable Cat. 6 – 100% copper
- Connectors: 2 x RJ45 male
- Cable construction: 4 twisted pairs, 30AWG conductors
- Outer sheath: resistant and flexible PVC for greater durability
- Shielding Type: U/UTP (Unshielded)



COLOR	0.25m	0.5m	1m	1.5m	2m	3m	5m
WHITE	IM1035	IM1036	IM1037	IM1038	IM1039	IM1040	IM1041
BLACK	IM1044	IM1045	IM1046	IM1047	IM1048	IM1049	IM1050

Cat.6 S/FTP Patch Cable

- Patch Network Cable Cat. 6 – CCA (copper clad aluminum)
- Connectors: 2 x RJ45 male
- Cable construction: 4 twisted pairs, 27AWG conductors
- Outer sheath: resistant and flexible PVC for greater durability
- Shielding Type: S/FTP (shielded with foiled twisted pairs)



COLOR	0.5m	1m	2m	3m	5m	7m	10m
GREY	IM1070	IM1071	IM1072	IM1073	IM1074	IM1075	IM1076

Cat.6 U/UTP Patch Cable

- Patch Network Cable Cat. 6 – CCA (copper clad aluminum)
- Connectors: 2 x RJ45 male
- Cable construction: 4 twisted pairs, 26AWG conductors
- Outer sheath: resistant and flexible PVC for greater durability
- Shielding Type: U/UTP (Unshielded)



COLOR	0.5m	1m	2m	3m	5m	7m	10m	15m	20m
GREY	IM1000	IM1006	IM1012	IM1018	IM1024	IM1030	IM1031	IM1032	IM1033
BLUE	IM1001	IM1007	IM1013	IM1019	IM1025	-	-	-	-
BLACK	IM1002	IM1008	IM1014	IM1020	IM1026	-	-	-	-
GREEN	IM1003	IM1009	IM1015	IM1021	IM1027	-	-	-	-
WHITE	IM1004	IM1010	IM1016	IM1022	IM1028	-	-	-	-
YELLOW	IM1005	IM1011	IM1017	IM1023	IM1029	-	--	-	-

Cat.5 U/UTP Patch Cable

- Patch Network Cable Cat. 6 – CCA (copper clad aluminum)
- Connectors: 2 x RJ45 male
- Cable construction: 4 twisted pairs, 26AWG conductors
- Outer sheath: resistant and flexible PVC for greater durability
- Shielding Type: U/UTP (Unshielded)



COLOR	0.25m	0.5m	1m	2m	3m	5m	7m	10m	15m	20m
GREY	-	IM1138	IM1146	IM1154	IM1162	IM1170	IM1178	IM1179	IM1180	IM1181
BLUE	IM1131	IM1140	-	-	IM1163	-	-	-	-	-
GREEN	IM1132	IM1142	IM1150	-	IM1164	-	-	-	-	-
ORANGE	-	-	IM1151	-	-	IM1175	-	-	-	-
PURPLE	-	IM1145	IM1152	-	-	IM1176	-	-	-	-
WHITE	-	IM1139	IM1147	IM1155	IM1169	IM1177	-	-	-	-
YELLOW	-	IM1141	IM1149	IM1157	IM1167	IM1172	-	-	-	-
BLACK	IM1137	IM1143	IM1153	IM1159	IM1168	IM1173	-	-	-	-

Cat. 6 Solid Twisted pair installation cable

- Aluminium clad copper (CCA) conductors and comply with the requirements described in the ANSI/TIA-568.2-D



COLOUR	SHIELDING	OUTER JACKET	AWG	CPR CALSS	100m	305m
GREY	U/UTP	PVC	23	Eca	IM1214	IM1216
GREY	F/UTP	PVC	23	Eca	-	IM1220
GREY	U/UTP	LSZH	23	Eca	-	IM1217

Cat. 6A Solid Twisted pair installation cable

- Full copper conductors and comply with the requirements described in the ANSI/TIA-568.2-D
- Comply with international standards



COLOUR	SHIELDING	OUTER JACKET	AWG	CPR Calss	30m	50m	100m	305m
BLUE	U/UTP	LSZH	23	Eca	IM1221	IM1222	IM1223	IM1224

Cat. 7 Solid Twisted pair installation cable

- Full copper conductors and comply with the requirements described in the ANSI/TIA-568.2-D
- Comply with international standards



COLOUR	SHIELDING	OUTER JACKET	AWG	CPR Calss	30m	50m	100m	305m
ORANGE	S/FTP	LSZH	23	Eca	IM1225	IM1226	IM1227	IM1228

IM1205

RJ45 Modular Plug Cat.6 U/UTP for round cable, 100pcs

- For solid cable Cat.6 U/UTP (AWG23-26)
- 15 µ gold-plated contacts



IM1206

RJ45 Modular Plug Cat.6 U/UTP pass through for round cable, 100pcs

- For solid cable Cat.6 U/UTP (AWG23-26)
- 15 µ gold-plated contacts



EW9006

Crimping Tool for CAT.5e/CAT.6/CAT.6A/CAT.7 & RJ11/12

- Fits Cat.5e/6/6A/7 RJ45 plugs
- Fits Pass & Non-Pass RJ45 plug
- Suitable also for RJ11/12 modular plugs



EW9005

Modular Crimp Tool

- All-in-one network crimp tool
- Suitable for: RJ-45 connectors
- Strips and cuts the cables



USB Generations of cables and standards

Summary of USB

Understanding USB Generations: From USB 1.0 to USB 3.2
Legacy USB Standards: USB 1.0 and USB 2.0

USB 1.0 and USB 2.0 are considered first-generation USB standards.

USB 2.0 supports data transfer speeds up to 480 Mbps.

These versions are still widely used for low-speed peripherals like keyboards, mice, and printers.

The Confusing Era: USB 3.x and Renaming Chaos

From USB 3.0 onward, the naming conventions became inconsistent and confusing due to multiple rebranding. Here's a breakdown:

Original Name	Renamed As	Max Speed	Marketing Name
USB 3.0	USB 3.1 Gen 1 → USB 3.2 Gen 1	5 Gbps	SuperSpeed
USB 3.1 Gen 2	USB 3.2 Gen 2	10 Gbps	SuperSpeed+
	USB 3.2 Gen 2x2	20 Gbps	SuperSpeed+

Detailed Breakdown:

USB 3.2 Gen 1

Formerly known as USB 3.0 and USB 3.1 Gen 1

Supports up to 5 Gbps

Marketed as SuperSpeed USB

USB 3.2 Gen 2

Previously USB 3.1 Gen 2

Supports up to 10 Gbps

Marketed as SuperSpeed+ USB

USB 3.2 Gen 2x2

Introduced to double the bandwidth using two 10 Gbps lanes

Supports up to 20 Gbps

Marketed as SuperSpeed+ USB 20Gbps

USB-C ≠ USB 3.x

A common misconception is that USB-C always means USB 3.1 or higher. In reality:

USB-C is a connector type, not a speed or protocol.

A USB-C cable can support anything from USB 2.0 (480 Mbps) to USB4 (40–80 Gbps).

The confusion stems from the fact that USB-C and USB 3.1 were introduced around the same time.

USB-C: A Powerful Connector, But Not Always What It Seems

Many users assume that USB-C automatically means high-speed data transfer, but this is a common misconception.

The confusion largely stems from the fact that USB 3.1, USB 3.2, and USB-C were introduced around the same time.

Key Clarification:

USB-C is a connector type, not a speed or protocol.

A USB-C cable can support anything from USB 2.0 (480 Mbps) to USB4 (40–80 Gbps).

For example, a USB-C cable labeled as USB 2.0 will still only deliver USB 2.0 speeds, despite having the modern connector.

Why the Confusion?

USB generations have been renamed multiple times (e.g., USB 3.0 → USB 3.1 Gen 1 → USB 3.2 Gen 1).

Marketing names like SuperSpeed and SuperSpeed+ add to the ambiguity.

Manufacturers sometimes fail to clearly label cables and ports with their actual capabilities.

Inconsistent compliance with specifications can lead to device incompatibility, reduced performance, or connection errors.

USB4®: The New Standard

USB4® is the latest evolution of the USB standard, designed to unify and simplify the USB ecosystem.

Key Features:

- USB4 (40 Gbps) is based on the Thunderbolt™ 3 protocol.
- USB4 Version 2.0 supports up to 80 Gbps, doubling the bandwidth.
- Backward compatible with USB 3.x and USB 2.0 devices.
- Supports DisplayPort Alternate Mode (DP Alt Mode):
 - One 8K@60Hz display
 - Or two 4K@60Hz displays via daisy-chaining
- Enables power delivery, data, and video over a single USB-C cable.
- Thunderbolt™ Compatibility:
 - USB4 supports Thunderbolt™ 3 devices, but only if the host and cable are compatible.
 - Thunderbolt™ 4 offers the highest level of performance and reliability, but requires full support from both the device and the cable.

Version	Name	Other name	Ampere	Voltage	Power	Speed
USB 1.0	Low Speed		0.15A	5V	0.75W	1.5Mbit/s
USB1.1	Full Speed	Universal	0.15A	5V	0.75W	12 Mbit/s
USB 2.0	Highspeed	Enhanced	0.5A	5V	2.5W	480 Mbit/s
USB 3.2 Gen1	Superspeed 5Gb	USB 3.0 USB 3.1 Gen1	2A	5V	10W	5Gbit/s
			3A	9V	27W	
			3A	12V	36W	
USB 3.2 Gen2	Superspeed 10Gbps	USB 3.1 USB 3.1 Gen2	2A	5V	10W	10Gbit/s
			3A	9V	27W	
			3A	12V	36W	
			3A	15V	45W	
			5A	20V	100W	
USB 3.2 Gen2x2	SuperSpeed 20Gbps	USB 3.2	2A	5V	10W	20Gbits
			3A	9V	27W	
			3A	12V	36W	
			3A	15V	45W	
			5A	20V	100W	
USB4	SuperSpeed 20Gbps of 40Gbps	USB4	5A	28V	140W	20 Gbit/s of 40 Gbit/s
			5A	36V	180W	
			5A	48V	240W	
			2A	5V	10W	
			3A	9V	27W	
			3A	12V	36W	
			3A	15V	45W	
			5A	20V	100W	
			5A	28V	140W	
			5A	36V	180W	
			5A	48V	240W	

Advantages of USB-C

USB-C is a versatile and future-proof connector that combines power, data, and video transmission into a single, compact, and reversible cable. It's designed to simplify connectivity across a wide range of devices - from smartphones and laptops to monitors and docking stations.

Compact & Reversible Connector

Tired of flipping USB-A plugs the wrong way? USB-C solves that problem with a reversible design - it can be plugged in either direction, eliminating frustration and wear.

- No top or bottom side: Plug it in either way
- Compact size: Enables thinner, lighter devices
- Universal fit: Used across laptops, tablets, smartphones, and more

Faster & Safer Charging with Power Delivery (PD)

USB-C supports the USB Power Delivery (PD) protocol, which allows for faster and smarter charging by dynamically adjusting voltage and current based on the device's needs.

- Up to 70% faster charging compared to standard USB
- Bi-directional charging: Charge your phone from your tablet or vice versa (if both support PD)
- PD Voltage Profiles: 5V, 9V, 12V, 15V, 20V

How it works:

An e-marker chip inside the cable communicates with the charger and device to negotiate the optimal charging profile, ensuring safe and efficient power delivery.

Extended Power Range (EPR): Beyond 100W

The USB Implementers Forum (USB-IF) introduced EPR (Extended Power Range) to support even higher power levels:

- New PD profiles: 28V, 36V, and 48V
- Supports up to 240W of power - ideal for high-performance laptops, monitors, and docking stations

Video Support via DisplayPort Alternate Mode

USB-C can also carry video signals using DisplayPort Alternate Mode (DP Alt Mode), allowing you to connect to external displays without needing a separate video cable.

- Supports 4K and 8K video output
- Enables daisy-chaining multiple monitors
- Reduces cable clutter by combining video, data, and power in one connection

Summary: Why USB-C?

Feature	Benefit
Reversible Connector	Easy, frustration-free connection
Power Delivery (PD)	Fast, safe, and smart charging up to 240W (with EPR)
Video Support	Connect to monitors via DP Alt Mode
Universal Compatibility	One cable for data, video, and power

What to look for when using a USB-C cable?

USB-C Power Delivery and E-Marker Explained

With the introduction of Extended Power Range (EPR), USB-C cables can now support up to 240W of power—far beyond the 100W limit of earlier standards. While most devices don't require this much power, high-performance equipment like gaming laptops often do.

EPR Power Profiles

EPR introduces new voltage levels to support higher power

delivery:

- 28V
- 36V
- 48V

At 48V and 5A, a USB-C cable can deliver up to 240W. However, to achieve this, all connected devices - including the charger, cable, and device - must support EPR.

The Role of the E-Marker Chip

An E-marker (electronic marker) is a small chip embedded in USB-C cables that enables safe and intelligent power negotiation. It communicates key information to connected devices, such as:

Maximum supported voltage and current

- Cable manufacturer and type
- Video and data capabilities
- All USB-C cables rated for more than 60W must include an E-marker.

Why E-Markers Matter

If your laptop requires 100W and your charger can supply it, the cable must also support 100W. If the cable lacks an E-marker, the system will default to 60W to prevent damage, potentially resulting in slower charging or device malfunction.

All ACT USB-C cables support at least 60W (20V @ 3A), and some models are capable of handling up to 240W. Always check the specifications to ensure compatibility.

Safety Warning

Low-quality USB-C cables that lack proper certification or E-markers may overheat, fail, or even burn out when used for high-power applications. Always use cables from trusted manufacturers and verify their specifications before use.

Support for video via DisplayPort Alternate Mode

USB-C and DisplayPort Alternate Mode

USB-C supports the DisplayPort Alternate Mode (DP Alt Mode) protocol, which allows video signals to be transmitted through the USB-C port—alongside data and power. This makes it possible to connect USB-C devices directly to external displays.

USB-C with DP Alt Mode can transmit:

4K video while simultaneously transferring data and power 8K@60Hz or dual 4K@60Hz when using a USB4® 40Gbps cable.

If your monitor doesn't have a USB-C input, you can use a USB-C video adapter to connect to HDMI, DisplayPort, or VGA inputs.

Thunderbolt™: One Cable for Data, Video, and Power

USB-C and Thunderbolt™ use the same connector, but they are not the same technology. This often causes confusion, so here's a breakdown:

Key Compatibility Facts:

Thunderbolt™ 4 supports Thunderbolt™ 3 and USB4®
USB4® supports Thunderbolt™ 3 by default (if the host device allows it)

Thunderbolt™ 3

Max speed: 40 Gbps (4x faster than USB 3.2 Gen 2)

Video support: Up to two 4K@60Hz displays

Power delivery: Supports charging and powering devices

Requirements: All connected devices (laptop, monitor, cable) must support Thunderbolt™ 3

Thunderbolt™ 4

Same connector and speed as Thunderbolt™ 3 (40 Gbps)

Improved PCIe throughput: 32 Gbps (vs. 16 Gbps in TB3)

Video support:

1× 8K@60Hz or

2× 4K@60Hz displays

Enhanced security: Protection against Thunderspy attacks

Fully integrates USB4® specifications, offering the most complete and secure USB-C experience

What to Consider When Buying a USB-C Cable

The most important question when choosing a USB-C cable is:

What will you use it for?

Different applications - data transfer, video output, and power delivery - require different cable specifications.

Key Questions to Ask:

Data: What transfer speed do I need? (e.g., USB 2.0, USB 3.2, USB4)

Video: Will I use the cable to connect a laptop to a monitor?

Does it support DisplayPort Alternate Mode?

Power: What is the required power throughput? Does the cable support Power Delivery (PD)?

Warning: Cheap or uncertified cables may not support the required power levels and can cause malfunctions or even overheating and fire.

USB-C Accessories and Adapters

Adapters such as USB-C to USB-A or USB-A to USB-C can help connect older peripherals. However, compatibility is not guaranteed:

USB-C and USB-A use different protocols, so not all features (like PD or video) may work.

Always check the adapter's specifications and the capabilities of the connected devices.

USB-C Chargers and Power Delivery

To charge a device via USB-C, ensure the following:

Cable Compatibility:

- Must support Power Delivery (PD)
- Must be rated for the required wattage (e.g., 60W, 100W, 240W)
- USB 3.2 and USB 2.0 cables typically support up to 60W
- USB4 cables can support up to 240W (with EPR)

Charger Output:

- 20W is sufficient for smartphones
- 45W or more is needed for laptops and monitors (depending on the device)

Device Requirements:

- The device must support PD and match the charger's output
- Mismatched power profiles can lead to slow charging or no charging at all

USB-C Charging and E-Marker Behavior

When using an Ewent USB-C cable without an E-marker to charge a 65W device with a 65W charger, the charger and device will negotiate the safest charging profile. Since the cable is only rated for 60W, the system will automatically limit charging to 60W to prevent overheating or damage.

This is a built-in safety feature of USB Power Delivery (PD) and highlights the importance of using cables that match your device's power requirements.

Charging Smartphones with Laptop Chargers

You can safely charge a USB-C smartphone using a 45W

or 65W USB-C laptop charger, as long as both the charger and the phone support Power Delivery. The devices will communicate to determine the optimal charging profile, ensuring safe and efficient charging.

USB-C Pass-Through Ports

Many USB-C peripherals (like docking stations or hubs) include a dedicated USB-C pass-through port. This allows you to:

- Connect your laptop charger to the peripheral
- Continue powering your laptop while using the peripheral
- Avoid occupying multiple USB-C ports on your device

Which protocol is supported by my device?

It can be very hard to find out which technology or protocol is supported by a laptop, smartphone and tablet with USB-C. Each technology and protocol has its own dedicated logo. The most convenient way would be to put the logo next to the USB-C port. Unfortunately, this isn't mandatory for manufacturers and thus leads to confusion.

We highly recommend to consult the manual/user guide of your device. If your device does have a logo next to the USB-C connection, you can see here what it means:

USB-C DATA

5Gbps

10Gbps

20Gbps

40Gbps

USB-C POWER DELIVERY

5W

10W

20W

40W

What is USB-C?



ThunderBolt



Power Delivery



DisplayPort

Is the cable suitable for charging, data or video?

One of the biggest challenges is identifying the right USB-C cable and understanding its capabilities. Two cables may look identical on the outside but differ significantly in performance and quality. That's why it's important to check the technical specifications provided by the manufacturer.

Using a high-quality USB-C cable is essential. A low-grade cable can result in slower data transfer, reduced power delivery, or visual disruptions. In more serious cases, especially during charging, a poor-quality cable can overheat, burn out, and cause permanent damage to your devices.

To ensure optimal performance and safety, always choose a USB-C cable that is officially certified.

USB 4 Gen3 Type-C cable

- Connectors: USB-C male to USB-C male
- Power Delivery: Supports up to 240W for fast and efficient charging
- Data Transfer Speed: Up to 40 Gbps, perfect for large file transfers and high-speed workflows
- Video Output: Supports resolutions up to 8K at 120Hz, ideal for ultra-high-definition displays



COLOR	DESCRIPTION	USB Version	Max PD Wattage	Material	Video	1m	2m
BLACK	USB-C male to C male	4 40Gbps	240W	Fabric	8K/120Hz	EC1071	EC1072
WHITE							
BLACK	USB-C male to C male	4 40Gbps	240W	PVC	8K/60Hz	EC1070	–

USB 3.2 Gen2x2 Type-C cable

- Connectors: USB-C male to USB-C male
- Power Delivery: Supports up to 100W for fast and efficient charging
- Data Transfer Speed: Up to 20 Gbps, perfect for large file transfers and high-speed workflows
- Video Output: Supports resolutions up to 4K at 60Hz, ideal for ultra-high-definition displays



COLOR	DESCRIPTION	USB Version	Max PD Wattage	Material	Video	1m	2m
BLACK	USB-C male to C male	3.2 Gen2x2 20Gbps	60W	Fabric	4K/120Hz	EC1097	EC1098
WHITE							
BLACK	USB-C male to C male	3.2 Gen2x2 20Gbps	100W	PVC	4K/60Hz	EC1046	–

USB 3.2 Gen1 Type-C cable

- Connectors: USB-C male to USB-C male
- Power Delivery: Supports up to 60W for fast and efficient charging
- Data Transfer Speed: Up to 5 Gbps, perfect for large file transfers and high-speed workflows



COLOR	DESCRIPTION	USB Version	Max PD Wattage	Material	Video	0.5m	1m	1.8m	2m	3m
BLACK/ GREY	USB-C male to C+A male	3.2 Gen1 5 Gbps	60W	Fabric	–	–	EW9918	–	–	–
BLACK	USB-C male to C male	3.2 Gen1 5 Gbps	60W	PVC	–	–	EC1095	–	EC1096	–
BLACK	USB-C male to C male	3.2 Gen1 5 Gbps	60W	PVC	4K/60Hz	–	EC1045	–	–	–

USB USB 2.0 Gen1 Type-C cable

- Power Delivery: Supports up to 240W for fast and efficient charging
- Data Transfer Speed: Up to 480 Mbps, perfect for large file transfers and high-speed workflows



COLOR	DESCRIPTION	USB Version	Max PD Wattage	Material	Video	0.5m	1m	1.8m	2m	3m
BLACK	USB-C male to C male	2.0 480Mbps	60W	PVC	–	EC1082	EC1080	–	EC1081	–
WHITE	USB-C male to C male	2.0 480Mbps	60W	PVC	–	–	EC1083	–	EC1084	EC1085
BLACK	USB-C male to C male	2.0 480Mbps	240W	PVC	–	–	EC1086	–	EC1087	–
BLACK WHITE	USB-C male to C male	2.0 480Mbps	60W	Fabric	–	–	EC1088	–	EC1089	–
BLACK WHITE	USB-C male to C male	2.0 480Mbps	100W	Fabric	–	EC1090	EC1091	–	EC1092	–
WHITE	USB-C male to C male	2.0 480Mbps	240W	Silicone	–	–	EC1093	–	EC1094	–
BLACK	USB-C male to C male	2.0 480Mbps	60W	PVC	–	–	EC1035	EC1036	–	–
BLACK	USB-C male to C male	2.0 480Mbps	18W	PVC	–	–	EC1033	EC1034	–	–
BLACK	USB-C male to C female	2.0 480Mbps	60W	PVC	–	–	–	EC1037	–	EC1038

USB-C to A cable

- Power Delivery: Supports up to 60W for fast and efficient charging
- Data Transfer Speed: Up to 5 Gbps, perfect for large file transfers and high-speed workflows



COLOR	DESCRIPTION	USB Version	Max PD Wattage	Material	Video	0.5m	1m	1.8m	2m
BLACK	USB-C male to A male	3.2 Gen1 5 Gbps	60W	PVC	–	–	EC1042	EC1043	EC1044
BLACK	USB-C male to A male	3.2 Gen1 5 Gbps	60W	PVC	–	–	EC1055	EC1056	–

USB-C to A cable

- Power Delivery: Supports up to 60W for fast and efficient charging
- Data Transfer Speed: Up to 480 Mbps, perfect for large file transfers and high-speed workflows



COLOR	DESCRIPTION	USB Version	Max PD Wattage	Material	Video	0.5m	1m	1.8m	2m
BLACK	USB-C male to A male	2.0 480Mbps	60W	PVC	–	–	EC1130	–	EC1131
WHITE	USB-C male to A male	2.0 480Mbps	60W	PVC	–	–	EC1132	–	EC1133
BLACK WHITE	USB-C male to A male	2.0 480Mbps	60W	Fabric	–	–	EC1134	–	EC1135

USB-C adapters



EC1048



EC1049



EW9630



EW9643



EW9650

COLOR	DESCRIPTION	USB VERSION	MAX PD WATTAGE	MATERIAL	VIDEO	ITEM NUMBER
GREY	USB-C male USB-C female angled, magnetic	4 40Gbps	140W	Metal	8K/60Hz	EC1048
GREY	USB-C male USB-C female angled, magnetic	4 40Gbps	100W	Metal	8K/60Hz	EC1049
BLACK	USB-C male USB-A female	2.0 480Mbps	7.5W	PVC	–	EW9630
BLACK	USB-C male USB-A female, OTG	3.2 Gen1 5Gbps	15W	PVC	–	EW9643
BLACK	USB-A male USB-C female	3.2 Gen1 5Gbps	15W	PVC	–	EW9650

USB-C Video and Audio adapters



COLOR	DESCRIPTION	1080@30HZ	1080@60HZ	4K@30HZ	4K@60HZ	CABLE LENGTH	ITEM NUMBER
BLACK	USB-C male VGA female adapter	✓	✓			0.15m	EC1050
BLACK	USB-C male VGA male cable	✓	✓			2m	EC1052
BLACK	USB-C male to HDMI female adapter	✓	✓	✓	✓	0.15m	EW9823
BLACK	USB-C male to HDMI male cable	✓	✓	✓	✓	2m	EW9824
BLACK	USB-C male to DP female adapter	✓	✓	✓	✓	0.15m	EW9825
BLACK	USB-C male to DP male cable	✓	✓	✓	✓	2m	EW9826
BLACK	USB-C male to 2x 3.5mm 3-pin AUX female					0.15m	EC1645

USB-C 3.2 Gen1 to RJ45 Gigabit Ethernet Cable

- Wired internet for USB-C™ devices via LAN cable
- Up to 1 Gbit/s with CAT 6 cable tech
- Braided jacket offers grip and surface protection
- Durable metal plugs with bend protection



COLOR	DESCRIPTION	1m	1.5m	2m	3m	5m
BLACK	USB-C to RJ45 Cat.6	EC2000	EC2001	EC2002	EC2003	EC2004
GREY						

USB-C to Gigabit Ethernet Adapter



EW9828



EW9818

COLOR	DESCRIPTION	0.25m	0.5m
BLACK	USB-C to RJ45 adapter	1 Gbits	EW9828
ALUMINIUM	USB-C to RJ45 adapter	1 Gbits	EW9818

Understanding USB Generations: From USB 1.0 to USB 3.2

Legacy USB Standards: USB 1.0 and USB 2.0

USB 1.0 and USB 2.0 are considered first-generation USB standards.

USB 2.0 supports data transfer speeds up to 480 Mbps.

These versions are still widely used for low-speed peripherals like keyboards, mice, and printers.

The Confusing Era: USB 3.x and Renaming Chaos

From USB 3.0 onward, the naming conventions became inconsistent and confusing due to multiple rebranding.

Here's a breakdown:

Original Name	Renamed As	Max Speed	Marketing Name
USB 3.0	USB 3.1 Gen 1 → USB 3.2 Gen 1	5 Gbps	SuperSpeed
USB 3.1 Gen 2	USB 3.2 Gen 2	10 Gbps	SuperSpeed+
	USB 3.2 Gen 2x2	20 Gbps	SuperSpeed+

Detailed Breakdown:

USB 3.2 Gen 1

- Formerly known as USB 3.0 and USB 3.1 Gen 1
- Supports up to 5 Gbps
- Marketed as SuperSpeed USB

USB 3.2 Gen 2

- Previously USB 3.1 Gen 2
- Supports up to 10 Gbps
- Marketed as SuperSpeed+ USB

USB 3.2 Gen 2x2

- Introduced to double the bandwidth using two 10 Gbps lanes
- Supports up to 20 Gbps
- Marketed as SuperSpeed+ USB 20Gbps

USB 2.0 cable



EC1003



EC1010



EC1018



EC1024



EC1027



EC1028



EW9903



EW9902



EW9915



EW9916

COLOR	DESCRIPTION	0.25m	0.5m	1m	1.8m	2m	3m	5m
BLACK	USB-A male to B male, AWG28	-	-	EC1003	EC1004	-	EC1005	EC1006
BLACK	USB-A male to B male, AWG30	-	-	EC1060	EC1061	-	EC1062	-
BLACK	USB-A male to A female, AWG28	-	EC1010	EC1011	EC1012	-	EC1013	EC1014
BLACK	USB-A male to A female, AWG30	-	-	EC1065	EC1066	-	EC1067	-
BLACK	USB-A male to B Micro male	-	EC1018	EC1019	EC1020	-	-	-
BLACK	USB-A male to A male	-	-	-	EC1024	-	EC1025	EC1026
BLACK	USB-A male to B Mini male	-	-	-	EC1027	-	-	-
BLACK	USB-A female to 2x 5pin IDC	EC1028	-	-	-	-	-	-
WHITE	USB-A male to Apple 30 pin male	-	-	EW9903	-	-	-	-
WHITE	USB-A male to Lightning, MFI certified	-	-	-	-	EW9902	-	-
WHITE	USB-C male to Lightning, MFI certified	-	-	EW9915	-	-	-	-
WHITE	USB-C male to Lightning, MFI certified	-	-	-	-	EW9916	-	-

USB 3.2 Gen1 cable



COLOR	DESCRIPTION	0.25m	0.5m	1m	1.8m	2m	3m	5m
BLACK	USB-A male to A female	-	-	EC1007	EC1008	-	EC1009	-
BLACK	USB-A male to B Micro male	-	-	EC1015	EC1016	-	-	-
BLACK	USB-A male to A male	-	-	EC1021	EC1022	-	-	-

USB booster cable

- USB Signal Booster Cable
- Easily extend your USB cable



COLOR	DESCRIPTION	0.25m	0.5m	1m	1.8m	2m
TRANSPARENT	USB A male to USB A female	EW1021	EW1022	EW1023	EW1024	EW1025

USB to Serial Converter, 1.5m

- USB 2.0 to Serial Converter
- Easy PC link for serial gadgets
- Compliant with USB 2.0 specification



COLOR	DESCRIPTION	1.5m
TRANSPARENT	USB A male to DB9 PIN male	EW1116

What is the best video cable solution for my installation?

Summary

HDMI (High-Definition Multimedia Interface)

HDMI is the most widely used video interface, capable of transmitting high-definition video and audio over a single cable. It supports resolutions up to 8K, making it the standard for modern consumer electronics, including TVs, monitors, and AV systems.

Versions: HDMI 1.4, 2.0, and 2.1 (Ultra High Speed)

Audio/Video Support: Integrated digital audio and video

Maximum Recommended Length:

Standard HDMI cables: up to 5 meters

HDMI Premium Certified and Hybrid AOC (Active Optical Cables): up to 100 meters

Use Cases: Home entertainment, gaming, professional AV setups.

DisplayPort

DisplayPort is a high-performance digital interface designed for higher resolutions, refresh rates, and color depth compared to legacy standards like VGA and DVI. It supports audio, USB data, and multi-stream transport (MST), allowing multiple monitors to be connected via daisy-chaining.

Versions: DP 1.2, 1.4, 2.0, 2.1

Resolution Support: Up to 8K@60Hz with DSC (Display Stream Compression)

Maximum Recommended Length: 3 meters

Use Cases: Professional workstations, high-end graphics cards, multi-monitor setups

VGA (Video Graphics Array)

VGA is an analog video interface primarily used with older monitors and projectors. It is limited in resolution and signal quality compared to digital standards.

Signal Type: Analog

Maximum Recommended Length: 15 meters

Use Cases: Legacy systems, older display hardware

DVI (Digital Visual Interface)

DVI offers better video quality than VGA by supporting digital signals. It can be adapted to both VGA and HDMI using appropriate converters. DVI Dual Link supports higher resolutions.

Signal Type: Digital (DVI-D), Analog (DVI-A), or both (DVI-I)

Maximum Resolution:

Single Link: Up to 1920x1200

Dual Link: Up to 2560x1600@60Hz

Maximum Recommended Length:

Up to 5 meters for resolutions up to 1920x1200

Use Cases: Older PCs, monitors, and projectors

HDMI - High-Definition Multimedia Interface

HDMI is the most widely adopted video and audio interface in consumer and professional electronics. It is found on virtually all modern TVs, monitors, graphics cards, and AV equipment, making it the standard for high-definition digital connectivity.

HDMI Versions and Capabilities

HDMI is available in multiple versions, each offering different levels of performance:

HDMI 1.4 (High Speed)

Supports resolutions up to 4K@30Hz, 2560x1600@75Hz, and 1080p@144Hz, making it a cost-effective choice for non-UHD displays and competitive PC gaming.

Includes support for HDMI-CEC, a protocol that enables device interoperability - for example, powering on a home theater system when a receiver is activated.

HDMI 2.0 (High Speed with Ethernet)

Recommended for 4K@60Hz applications. It introduces support for HDR (High Dynamic Range), delivering enhanced contrast, richer colors, deeper blacks, and brighter whites. For optimal performance, use HDMI Premium Certified cables, approved by HDMI.org, to ensure full compliance with the 2.0 specification.

HDMI 2.1 (Ultra High Speed)

The latest and most advanced HDMI standard, supporting data rates up to 48 Gbps. Enables resolutions up to 8K@60Hz and 4K@120Hz, along with features like Dynamic HDR, eARC, and Variable Refresh Rate (VRR).

For maximum performance and reliability, use Ultra High Speed Certified cables, officially certified by HDMI.org.

Cable Certification and Quality

To guarantee signal integrity and compatibility, HDMI.org certifies cables under two main programs:

Premium Certified HDMI Cables - Designed for 4K@60Hz and HDR content

Ultra High Speed HDMI Cables - Required for HDMI 2.1 features, including 8K and high frame rate 4K

DisplayPort - High-Performance Digital Video Interface

DisplayPort is a widely adopted digital display interface, commonly found on modern monitors, graphics cards, and docking stations. Known for its high bandwidth and advanced features, DisplayPort is especially favored in professional and gaming environments.

DisplayPort Versions and Capabilities

DisplayPort 1.2

One of the most common versions, supporting resolutions up to 4K@60Hz. This is the minimum requirement for technologies like NVIDIA G-Sync and AMD FreeSync, which enhance visual performance by synchronizing the display refresh rate with the GPU.

Note: For NVIDIA G-Sync, DisplayPort is mandatory.

SST - Single Stream Transport

Introduced with DisplayPort 1.0

Supports a single video stream

Allows for mirror mode (duplicating the display) and extended mode (expanding the desktop across multiple screens)

MST - Multi Stream Transport

Available from DisplayPort 1.2 onward

Enables multiple independent video streams over a single cable via daisy-chaining

Requires monitors with both DisplayPort input and output.

Supports:

Mirror Mode: Clones the host display to multiple external monitors

Extended Mode: Expands the desktop across up to three external monitors, each showing different content

To use MST:

Connect the first monitor to the DisplayPort output of the computer.

Connect the second monitor to the DisplayPort output of the first monitor.

Ensure both the computer and monitors support MST.

DisplayPort to HDMI

While TVs typically use HDMI, you can connect a DisplayPort source to an HDMI display using a DisplayPort-to-HDMI adapter cable. This is useful for connecting laptops or PCs with DisplayPort outputs to consumer TVs.

- DSC – Display Stream Compression**
- DSC is a visually lossless compression standard introduced to support higher resolutions and refresh rates without increasing cable bandwidth requirements.
- Supported from DisplayPort 1.4 (optional) and mandatory from DP 2.0**
- Enables:
- 8K video output
 - Dual or triple 4K displays
 - High refresh rates (e.g., 144Hz, 240Hz) for gaming and professional use
 - Extends the capabilities of existing connectors and cables without compromising image quality
 - DisplayPort 2.0 and 2.1
 - DP 2.0 introduces up to 80 Gbps bandwidth (using 4 lanes with 20 Gbps each)
 - DP 2.1 ensures better interoperability and compliance with USB4 and Thunderbolt standards
 - Both versions support:
 - 8K@60Hz with HDR
 - 4K@240Hz
 - Multiple 4K displays via MST
 - DSC by default

DisplayPort 1.4	DisplayPort 2.1	
5K (5120x2800) @ 60Hz / 24 bits	10K (10240x4320) @ 60Hz / 24 bits	
4K (3840x2160) @ 60Hz / 24 bits	8K (7680x4320) @ 30Hz / 30 bits	

DisplayPort 1.4 with DSC	DisplayPort 2.1 without DSC	DisplayPort 2.1 with DSC
1x 8K (7680x4320) @60Hz	1x 10K (10240x4320) @60Hz	1x 16K (15360x8460) @60Hz
2x 5K (5120x2800) @60Hz	2x 4K (3840x2160) @144Hz	2x 8K (7680x4320) @120Hz
3x 4K (3840x2160) @60Hz	3x 4K (3840x2160) @90Hz	3x 10K (10240x4320) @60Hz

Active Optical Cables (AOC cable)

Active Optical Cables (AOC)

Active Optical Cables (AOC) combine fiber-optic and copper conductors to deliver high-performance signal transmission over long distances. These cables are significantly thinner, lighter, and more flexible than traditional copper cables, making them ideal for installations where space is limited and cable routing is challenging.

Key Advantages:

Extended Reach:

While standard HDMI or DisplayPort cables are typically limited to 5 meters, AOC cables can transmit signals over distances of up to 100 meters without degradation - supporting resolutions up to 8K@60Hz.

Superior Flexibility:

The slim and lightweight design allows for easier handling and installation, especially in tight spaces or complex routing scenarios.

Ideal Applications:

- Meeting rooms and conference systems
- Classrooms and educational AV setups
- Digital signage and public displays
- Long-distance connections in professional AV environments
- AOC cables offer a future-proof solution for high-resolution video transmission, combining the benefits of fiber optics with the convenience of traditional connectors.

Display Port cable



EC1420



EC1405



EC1400

COLOR	DESCRIPTION	VERSION	RESOLUTION	1m	2m	3m
BLACK	DP male to DP male	2.1	8K@120Hz	EC1420	EC1421	–
BLACK	DP male to DP male	2.0	8K@60Hz	EC1415	EC1416	EC1417
BLACK	DP male to DP male	1.4	8K@60Hz	EC1405	EC1406	EC1407
BLACK	DP male to DP male, AWG28	1.2	4K@60Hz	EC1400	EC1401	EC1402
BLACK	DP male to DP male, AWG28	1.2	4K@60Hz	EC1410	EC1411	EC1412

Display Port cable / Adapter



EC1430



EC1440

COLOUR	DESCRIPTION	VERSION	RESOLUTION	1m	2m	3m	5m
BLACK	DP male to HDMI-A male	1.2	4K@60Hz	EC1430	EC1431	EC1432	–
BLACK	DP male to DVI-D (24+1) male	1.2	4K@60Hz	EC1440	EC1441	EC1442	EC1443

Display Port cable / Adapter



EC1457



EC1456



EC1455



EC1458



EC1451




EC1454

COLOR	DESCRIPTION	VERSION	RESOLUTION	1m
BLACK	DP male to HDMI-A and VGA female	1.2	4K@60Hz	EC1457
BLACK	DP male to HDMI-A female	1.2	4K@60Hz	EC1456
BLACK	DP male to HDMI-A female	1.1	1080@60Hz	EC1455
WHITE	mini DP male to HDMI-A female	1.2	4K@60Hz	EC1458
WHITE	mini DP male to HDMI-A female	1.1	1080@60Hz	EC1451
BLACK	DP male to VGA HD Sub15pin female	1.1	1080@60Hz	EC1454

Slimline Patch Cable with Flexible RJ45 Connectors

Active Optical Cables (AOC) combine fiber-optic and copper conductors to deliver a lightweight and highly flexible cabling solution. Ideal for environments with limited space and the need for longer transmission distances, AOC cables can extend well beyond the typical 5-meter limit of traditional cables - reaching up to 100 meters without signal degradation.

These cables are well-suited for applications such as meeting rooms, classrooms, digital displays, and more. For simplified installation.



HDMI AOC (Active optical cable)

- The active HDMI cable with AOC technology is based on a hybrid construction with copper and fiber optic cable
- The cable is ideal for home theatres, meeting rooms, conference rooms, and other video wiring setups
- Supported standards: HDMI 2.0b, HDCP 2.2, HDR, ARC, DTS-HD Master Audio, CED, EDID, 21:8 Cinemascope, Dolby TrueHD, 32 channel audio



COLOUR	DESCRIPTION	VERSION	RESOLUTION	10m	15m	20m	30m
BLACK	HDMI-A male to HDMI-A male	2.0	4K@60hz	EC1353	EC1354	EC1355	EC1356

Ultra High Speed 2.1 HDMI cable 8K with Ethernet

- HDMI version 2.1 Resolution: 8K @ 60Hz / 4K @ 120Hz; Bandwidth 48Gbps
- Support for Dynamic HDR, Display Stream Compression 1.2, HDCP 2.2, Dolby Vision
- Crystal clear video and audio throughput



COLOUR	DESCRIPTION	VERSION	RESOLUTION	1m	1.5m	1.8m	3m	5m	8m	10m
BLACK	HDMI-A male to HDMI-A male	2.1	8K@60hz	EC1320	EC1319	EC1321	EC1322	EC1323	EC1324	EC1325

High Speed 2.0 HDMI cable 4K with Ethernet

- HDMI version 2.0
- For resolutions up to 4K@60Hz, HDR support
- This HDMI 4K cable supports 2160P @ 60Hz resolutions. Making it compatible with the resolutions supported by the following HDMI versions: HDMI 2.0, HDMI 1.4a, HDMI 1.4, HDMI 1.3a and HDMI 1.3.



COLOUR	DESCRIPTION	VERSION	RESOLUTION	1.8m	3m	5m
BLACK	HDMI-A male to HDMI-A male	2.0	4K@60Hz	EC1346	EC1347	EC1348

High Speed 1.4 HDMI cable 4K with Ethernet

- HDMI version 1.4
- For resolutions up to 4K@60Hz, HDR support
- This HDMI 4K cable supports 2160P @ 60Hz resolutions. Making it compatible with the resolutions supported by the following HDMI versions: HDMI 2.0, HDMI 1.4a, HDMI 1.4, HDMI 1.3a and HDMI 1.3.



EC1310



EC1330

COLOUR	DESCRIPTION	VERSION	RESOLUTION	1m	1.8m	2m	3m	5m	8m	10m	15m	20m
BLACK	HDMI-A male to HDMI-A male, 2x ferrite	1.4	4K@60Hz	EC1310	EC1311	-	EC1312	EC1313	-	EC1314	EC1315	EC1316
BLACK	HDMI-A male to HDMI-A male	1.4	4K@60Hz	EC1330	-	EC1331	EC1332	EC1333	EC1334	-	EC1335	EC1336
BLACK	HDMI-A male to HDMI-A male, OEM	1.4	4K@60Hz	EC1300	EC1301	-	EC1302	-	-	-	-	-

HDMI Adapter Cable



EC1338



EC1339



EC1350

COLOUR	DESCRIPTION	VERSION	RESOLUTION	0.15m	2m	3m
BLACK	HDMI-A male to HDMI-A female, flexible	2.0	4K@60Hz	EC1338	-	-
BLACK	HDMI-A male to HDMI-A female, flexible, 270°	2.0	4K@60Hz	EC1339	-	-
BLACK	HDMI-A male to DVI-D 18+1 male	1.3	1080@60Hz	-	EC1350	EC1351

HDMI Adapter



EC1370



EC1371



EC1373

COLOUR	DESCRIPTION	VERSION	RESOLUTION	ITEM NUMBER
BLACK	DVI-D 18+1 male to HDMI-A female	1.3	1080@60Hz	EC1370
BLACK	DVI-D 24+1 male to HDMI-A female	1.3	1080@60Hz	EC1371
BLACK	HDMI-A female to HDMI-A female	1.3	1080@60Hz	EC1373

HDMI-A male to VGA female adapter

- The HDMI to VGA Adapter Cable connects your PC or laptop with an HDMI output into a monitor or beamer with a VGA input
- Video and audio adapter from a digital HDMI connector to analogue VGA
- Maximum resolution: 1920 x 1200 pixels
- Video output: analogue VGA 1080p at 9-bit DAC



EW9864



EW9869

COLOUR	DESCRIPTION	VERSION	0.15m
BLACK	HDMI-A to VGA HD-Sub female + Audio	1920x1080p	EW9864
BLACK	HDMI-A to VGA HD-Sub female	1920x1080p	EW9869

DVI Cable



COLOUR	DESCRIPTION	RESOLUTION	1.8m	3m	5m
BLACK	DVI-D 24+1 male to DVI-D 24+1 male	2560x1600	EC1200	EC1201	EC1202

DVI - VGA adapter



COLOUR	DESCRIPTION	RESOLUTION	ITEM NUMBER
BLACK	DVI-I (24+5) to VGA HD Sub 15pin female	1080@60Hz	EC1250

VGA Cable



EC1103



EC1110



EC1100



EW9866

COLOUR	DESCRIPTION	0.15m	1.8m	3m	5m	20m
BLACK	SVGA male to SVGA male, 2x ferrite cores	-	EC1103	EC1104	EC1105	EC1108
BLACK	VGA male to VGA male, 1x ferrite core	-	EC1110	-	-	-
BLACK	VGA male to VGA male	-	EC1100	-	-	-
BLACK	Active converter VGA to HDMI with Audio	EW9866	-	-	-	-

Audio connection cable



COLOUR	DESCRIPTION	0.15m	0.5m	1.5m	2m	3m	5m	10m
BLACK	1x USB-C male to 2x 2x 3.5mm 3-pin female	EC1645	-	-	-	-	-	-
BLACK	1x 3.5mm AUX 4-pin male to 2x 3.5mm 3-pin female	EC1640	-	-	-	-	-	-
BLACK	1x 3.5mm AUX 4-pin male to 2x 3.5mm 3-pin female	EC1641	-	-	-	-	-	-
BLACK	1x 3.5mm AUX 4-pin female to 2x 3.5mm 3-pin male	EC1642	-	-	-	-	-	-
BLACK	2x RCA male to 2x RCA male	-	EC1600	EC1601	EC1602	-	EC1603	EC1604
BLACK	1x 3.5mm stereo male to 1x 3.5mm stereo male	-	-	EC1605	EC1606	EC1607	EC1608	EC1609
BLACK	1x 3.5mm stereo male to 2x RCA male	-	EC1610	EC1611	EC1612	EC1613	EC1614	-
BLACK	1x 3.5mm stereo male to 1x 3.5mm stereo female	-	-	-	EC1650	EC1651	EC1652	EC1653

Power Cords

Power cords are essential for delivering reliable electrical power to your equipment. EWENT offers a comprehensive and high-quality range of power cords designed to meet diverse application needs, ensuring both **performance** and **sustainability**.

Product Range

EWENT supplies a wide variety of power cords, including:

- **CEE 7/7**
- **IEC 60320:** C5, C7, C13, C14,
- **IEC 60309** (CEE1)
- **Power splitter cables** for efficient power distribution

Key Offerings


EWENT's power cord portfolio includes:

- **230V Power Cords** – Standard power supply cables for general use
- **Euro Power Cords** – Compatible with European power outlets
- **230V Splitter Cables** – For powering multiple devices from a single source

All EWENT power cords are manufactured to high standards, ensuring **durability**, **safety**, and **long-term reliability**.

Power Cable


- Maximum load: 230V / 10A
- The powercords are used for connecting equipment like computers, monitors and printers to the mains.



COLOUR	DESCRIPTION	1.8m	3m	5m
BLACK	Schuko CEE7/7 male angled to C13	EC1900	EC1901	EC1902
BLACK	Schuko CEE7/7 male to C13, angled	EC1910	-	-
BLACK	Schuko CEE7/7 male to C13	EC1912	-	-

Power Cable


- Maximum load: 230V / 10A
- The powercords are used for connecting equipment like computers, monitors and printers to the mains.



COLOUR	DESCRIPTION	1.8m	3m	5m
BLACK	Italian CEI 23-SO male to C13	EC1903	EC1904	EC1905
BLACK	Italian CEI 23-SO male to C13 angled	EC1911	-	-

Power cord Euro male - C7 female



- Maximum load: 230V / 2.5A
- The Euro to C7 power cord is often used for connecting equipment e.g., battery chargers, game consoles and other small portable devices to the mains.



COLOUR	DESCRIPTION	1.8m
BLACK	Euro male to C7	EC1906
WHITE	Euro male to C7	EC1916
BLACK	Euro male to C7 angled	EC1917
WHITE	Euro male to C7 angled	EC1918

Power cord to C5


- Maximum load: 230V / 2.5A
- This power cords are often used for connecting equipment e.g., laptops and other portable devices to the mains



COLOUR	DESCRIPTION	1.8m
BLACK	Schuko CEE7/7 male to C5	EC1907
BLACK	Italian CEI 23-50 male to C5	EC1908

Power cord C13 to C14

- Maximum load: 230V / 10A
- The C13 to C14 power cord can be used for extending a C13 power cable. Mostly used for connecting PDUs (Power Distribution Units) in datacenters



COLOUR	DESCRIPTION	1.8m	3m	5m
BLACK	C13 to C14	EC1913	EC1914	EC1915

Power cord extension cable

- Power extension cord with earthed plug
- Child protection
- For indoor use



EW3800



EW3803



EW3810

COLOUR	DESCRIPTION	3m	5m
WHITE	Italian 10A plug to Italian outlet 10A	EW3800	EW3802
BLACK	Italian 10A plug to Italian outlet 10A	-	EW3803
WHITE	Italian 10A plug to Italian outlet 10/16A	EW3810	EW3812

PC internal cable



EC1510



EC1513



EC1500



EC1501

COLOUR	DESCRIPTION	0.3m	0.5m	0.75m	0.13m
RED	SATA L-Type to SATA L-Type, with clip	EC1510	EC1511	EC1512	-
RED	SATA L-Type to SATA L-Type angled, with clip	EC1513	EC1514	EC1515	-
-	Molex 5.25" to 2x SATA L-Type	-	-	-	EC1500
-	Molex 5.25" to SATA L-Type	-	-	-	EC1501

INDEX

EC1003.....	107	EC1097.....	101	EC1415.....	111	EC1918.....	118	EW1293.....	20	EW1563.....	21
EC1004.....	107	EC1098.....	101	EC1416.....	111	EC2000.....	106	EW1310.....	32	EW1564.....	21
EC1005.....	107	EC1100.....	115	EC1417.....	111	EC2001.....	106	EW1318.....	32	EW1569.....	19
EC1006.....	107	EC1103.....	115	EC1420.....	111	EC2002.....	106	EW1319.....	32	EW1570.....	25
EC1007.....	108	EC1104.....	115	EC1421.....	111	EC2003.....	106	EW1320.....	32	EW1575.....	25
EC1008.....	108	EC1105.....	115	EC1430.....	111	EC2004.....	106	EW1321.....	32	EW1576.....	25
EC1009.....	108	EC1108.....	115	EC1431.....	111	EW1017.....	90	EW1323.....	31, 37	EW1581.....	7
EC1010.....	107	EC1110.....	115	EC1432.....	111	EW1021.....	108	EW1325.....	32	EW1582.....	8
EC1011.....	107	EC1130.....	103	EC1440.....	111	EW1022.....	108	EW1327.....	31	EW1583.....	7
EC1012.....	107	EC1131.....	103	EC1441.....	111	EW1023.....	108	EW1328.....	31	EW1584.....	8
EC1013.....	107	EC1132.....	103	EC1442.....	111	EW1024.....	108	EW1330.....	31	EW1585.....	28
EC1014.....	107	EC1133.....	103	EC1443.....	111	EW1025.....	108	EW1331.....	31	EW1586.....	28
EC1015.....	108	EC1134.....	103	EC1451.....	111	EW1049.....	66	EW1335.....	31	EW1591.....	7
EC1016.....	108	EC1135.....	103	EC1454.....	111	EW1052.....	66	EW1470.....	35	EW1592.....	7
EC1018.....	107	EC1200.....	115	EC1455.....	111	EW1053.....	66	EW1472.....	35	EW1700.....	5
EC1019.....	107	EC1201.....	115	EC1456.....	111	EW1055.....	66	EW1475.....	35	EW1701.....	4, 5
EC1020.....	107	EC1202.....	115	EC1457.....	111	EW1075.....	66	EW1480.....	35	EW1702.....	4, 5
EC1021.....	108	EC1250.....	115	EC1458.....	111	EW1085.....	90	EW1501.....	16	EW1703.....	5
EC1022.....	108	EC1300.....	113	EC1500.....	119	EW1122.....	70	EW1502.....	16	EW1714.....	5
EC1024.....	107	EC1301.....	113	EC1501.....	119	EW1123.....	70	EW1503.....	16	EW1720.....	5
EC1025.....	107	EC1302.....	113	EC1510.....	119	EW1134.....	69	EW1504.....	16	EW1721.....	5
EC1026.....	107	EC1310.....	113	EC1511.....	119	EW1136.....	69	EW1506.....	17	EW1730.....	5
EC1027.....	107	EC1311.....	113	EC1512.....	119	EW1137.....	69	EW1507.....	17	EW2505.....	86
EC1028.....	107	EC1312.....	113	EC1513.....	119	EW1138.....	70	EW1509.....	10, 11	EW2515.....	85
EC1033.....	102	EC1313.....	113	EC1514.....	119	EW1140.....	69	EW1510.....	12	EW2516.....	86
EC1034.....	102	EC1314.....	113	EC1515.....	119	EW1141.....	69	EW1512.....	10, 12	EW2517.....	86
EC1035.....	102	EC1315.....	113	EC1600.....	116	EW1144.....	69	EW1513.....	12	EW2520.....	86
EC1036.....	102	EC1316.....	113	EC1601.....	116	EW1145.....	69	EW1514.....	13	EW2521.....	86
EC1037.....	102	EC1319.....	112	EC1602.....	116	EW1146.....	68	EW1515.....	12	EW2523.....	86
EC1038.....	102	EC1320.....	112	EC1603.....	116	EW1147.....	69	EW1516.....	12	EW2526.....	85
EC1042.....	103	EC1321.....	112	EC1604.....	116	EW1148.....	68	EW1517.....	13	EW2528.....	85
EC1043.....	103	EC1322.....	112	EC1605.....	116	EW1149.....	68	EW1519.....	13	EW2529.....	85
EC1044.....	103	EC1323.....	112	EC1606.....	116	EW1150.....	68	EW1520.....	17	EW2536.....	85
EC1045.....	102	EC1324.....	112	EC1607.....	116	EW1152.....	68	EW1521.....	17	EW2537.....	85
EC1046.....	101	EC1325.....	112	EC1608.....	116	EW1160.....	30	EW1522.....	17	EW2538.....	85
EC1048.....	104	EC1330.....	113	EC1609.....	116	EW1161.....	30	EW1525.....	17	EW2539.....	85
EC1049.....	104	EC1331.....	113	EC1610.....	116	EW1162.....	30	EW1526.....	17	EW2761.....	58
EC1050.....	105	EC1332.....	113	EC1611.....	116	EW1163.....	30	EW1527.....	11	EW3000.....	62
EC1052.....	105	EC1333.....	113	EC1612.....	116	EW1164.....	30	EW1528.....	11	EW3001.....	62
EC1055.....	103	EC1334.....	113	EC1613.....	116	EW1188.....	49	EW1529.....	11	EW3002.....	62
EC1060.....	107	EC1335.....	113	EC1614.....	116	EW1189.....	49	EW1532.....	12	EW3003.....	62
EC1061.....	107	EC1336.....	113	EC1640.....	116	EW1194.....	49	EW1534.....	12	EW3005.....	62
EC1062.....	107	EC1338.....	113	EC1641.....	116	EW1195.....	49	EW1535.....	13	EW3006.....	62
EC1065.....	107	EC1339.....	113	EC1642.....	116	EW1196.....	49	EW1536.....	13	EW3007.....	62
EC1066.....	107	EC1346.....	113	EC1645.....	105, 116	EW1197.....	49	EW1537.....	13	EW3008.....	62
EC1067.....	107	EC1347.....	113	EC1650.....	116	EW1198.....	49	EW1538.....	13	EW3102.....	63
EC1070.....	101	EC1348.....	113	EC1651.....	116	EW1199.....	49	EW1539.....	7	EW3108.....	62
EC1071.....	101	EC1350.....	113	EC1652.....	116	EW1211.....	32	EW1540.....	7	EW3109.....	62
EC1072.....	101	EC1351.....	113	EC1653.....	116	EW1238.....	89	EW1541.....	8	EW3112.....	62
EC1080.....	102	EC1353.....	112	EC1900.....	117	EW1239.....	89	EW1542.....	8	EW3119.....	60
EC1081.....	102	EC1354.....	112	EC1901.....	117	EW1241.....	89	EW1543.....	8	EW3120.....	60
EC1082.....	102	EC1355.....	112	EC1902.....	117	EW1242.....	89	EW1544.....	8	EW3154.....	53
EC1083.....	102	EC1356.....	112	EC1903.....	117	EW1243.....	89	EW1545.....	19	EW3156.....	56
EC1084.....	102	EC1370.....	114	EC1904.....	117	EW1250.....	23	EW1546.....	19	EW3157.....	56
EC1085.....	102	EC1371.....	114	EC1905.....	117	EW1256.....	23	EW1547.....	19	EW3158.....	53
EC1086.....	102	EC1373.....	114	EC1906.....	118	EW1258.....	23	EW1548.....	20	EW3159.....	56
EC1087.....	102	EC1400.....	111	EC1907.....	118	EW1259.....	23	EW1549.....	8	EW3160.....	60
EC1088.....	102	EC1401.....	111	EC1908.....	118	EW1260.....	23	EW1550.....	8	EW3161.....	60
EC1089.....	102	EC1402.....	111	EC1910.....	117	EW1266.....	23	EW1552.....	6, 7	EW3174.....	57
EC1090.....	102	EC1405.....	111	EC1911.....	117	EW1267.....	23	EW1553.....	6, 7	EW3180.....	58
EC1091.....	102	EC1405.....	111	EC1912.....	117	EW1268.....	20	EW1555.....	26	EW3181.....	58
EC1092.....	102	EC1406.....	111	EC1913.....	118	EW1269.....	23	EW1557.....	20	EW3182.....	58
EC1093.....	102	EC1407.....	111	EC1914.....	118	EW1280.....	20	EW1558.....	21	EW3183.....	58
EC1094.....	102	EC1410.....	111	EC1915.....	118	EW1290.....	20	EW1559.....	21	EW3185.....	58
EC1095.....	102	EC1411.....	111	EC1916.....	118	EW1291.....	20	EW1561.....	21	EW3190.....	62
EC1096.....	102	EC1412.....	111	EC1917.....	118	EW1292.....	20	EW1562.....	21	EW3195.....	62

EW3204.....	54	EW3812.....	119	EW5613.....	83	EW9864.....	114	IM1138.....	95	IM1315.....	93
EW3206.....	54	EW3850.....	45	EW5614.....	83	EW9866.....	115	IM1139.....	95	IM1316.....	93
EW3207.....	53	EW3851.....	39	EW5615.....	83	EW9869.....	114	IM1140.....	95	IM1317.....	93
EW3208.....	53	EW3855.....	45	EW5616.....	83	EW9902.....	107	IM1141.....	95	IM1318.....	93
EW3218.....	54	EW3859.....	46	EW5617.....	83	EW9903.....	107	IM1142.....	95	IM1319.....	93
EW3223.....	54	EW3860.....	46	EW5618.....	84	EW9915.....	107	IM1143.....	95	IM1320.....	93
EW3229.....	53	EW3863.....	39	EW5619.....	84	EW9916.....	107	IM1145.....	95	IM1321.....	93
EW3241.....	54	EW3864.....	39	EW5621.....	84	EW9918.....	102	IM1146.....	95	IM1400.....	91
EW3242.....	54	EW3868.....	44	EW5625.....	84	IM1000.....	95	IM1147.....	95	IM1401.....	91
EW3243.....	54	EW3869.....	44	EW5626.....	84	IM1001.....	95	IM1149.....	95	IM1402.....	91
EW3245.....	53	EW3870.....	39	EW5627.....	84	IM1002.....	95	IM1150.....	95	IM1403.....	91
EW3251.....	62	EW3871.....	39	EW5630.....	82	IM1003.....	95	IM1151.....	95	IM1404.....	91
EW3255.....	59	EW3875.....	44	EW5631.....	82	IM1004.....	95	IM1152.....	95	IM1405.....	91
EW3256.....	59	EW3909.....	50	EW5635.....	82	IM1005.....	95	IM1153.....	95	IM1406.....	91
EW3257.....	59	EW3912.....	44	EW5636.....	82	IM1006.....	95	IM1154.....	95	IM1407.....	91
EW3258.....	59	EW3913.....	44	EW5668.....	81	IM1007.....	95	IM1155.....	95	IM1408.....	91
EW3259.....	60	EW3915.....	43	EW5671.....	82	IM1008.....	95	IM1157.....	95	IM1409.....	91
EW3262.....	60	EW3916.....	40	EW5675.....	83	IM1009.....	95	IM1159.....	95	IM1410.....	91
EW3263.....	60	EW3918.....	43	EW5676.....	83	IM1010.....	95	IM1162.....	95	IM1411.....	91
EW3265.....	62	EW3919.....	43	EW5677.....	84	IM1011.....	95	IM1163.....	95	IM1412.....	91
EW3268.....	62	EW3920-A.....	46	EW5678.....	82	IM1012.....	95	IM1164.....	95	IM1420.....	91
EW3269.....	62	EW3922.....	43	EW5680.....	82	IM1013.....	95	IM1167.....	95	IM1421.....	91
EW3270.....	62	EW3922-3M.....	43	EW5681.....	81	IM1014.....	95	IM1168.....	95	IM1422.....	91
EW3271.....	62	EW3922-5M.....	43	EW5682.....	81	IM1015.....	95	IM1169.....	95	IM1423.....	91
EW3272.....	60	EW3923.....	43	EW5682-F.....	81	IM1016.....	95	IM1170.....	95	IM1424.....	91
EW3275.....	60	EW3924.....	40	EW7001.....	75	IM1017.....	95	IM1172.....	95	IM1425.....	91
EW3277.....	60	EW3925.....	46	EW7002.....	75	IM1018.....	95	IM1173.....	95	IM1426.....	91
EW3278.....	60	EW3926.....	46	EW7003.....	75	IM1019.....	95	IM1175.....	95	IM1427.....	91
EW3280.....	59	EW3927.....	46	EW7005.....	75	IM1020.....	95	IM1176.....	95	IM1428.....	91
EW3281.....	59	EW3928.....	45	EW7006.....	75	IM1021.....	95	IM1177.....	95	IM1429.....	91
EW3282.....	59	EW3929.....	45	EW7007.....	75	IM1022.....	95	IM1178.....	95	IM1430.....	91
EW3286.....	63	EW3929-3M.....	45	EW7013.....	74	IM1023.....	95	IM1179.....	95	IM1431.....	91
EW3287.....	63	EW3929-5M.....	45	EW7014.....	74	IM1024.....	95	IM1180.....	95	IM1432.....	91
EW3288.....	59	EW3930.....	45	EW7017.....	74	IM1025.....	95	IM1181.....	95	PL3200.....	63
EW3289.....	59	EW3932.....	40	EW7018.....	75	IM1026.....	95	IM1185.....	92	PL3316.....	63
EW3290.....	59	EW3932-3M.....	40	EW7022.....	73	IM1027.....	95	IM1186.....	92	PL3319.....	63
EW3295.....	59	EW3932-5M.....	40	EW7023.....	73	IM1028.....	95	IM1187.....	92	PL3320.....	27
EW3296.....	59	EW3934.....	46	EW7025.....	73	IM1029.....	95	IM1188.....	92	PL3321.....	27
EW3297.....	59	EW3935.....	39	EW7032.....	74	IM1030.....	95	IM1189.....	92	PL3322.....	27
EW3298.....	59	EW3939.....	39	EW7044.....	74	IM1031.....	95	IM1190.....	92	PL3330.....	57
EW3300.....	56	EW3945.....	50	EW7049.....	74	IM1032.....	95	IM1191.....	92	PL3350.....	63
EW3400.....	79	EW3946.....	50	EW7056.....	74	IM1033.....	95	IM1192.....	92		
EW3410.....	79	EW3955.....	40	EW7060.....	72	IM1035.....	94	IM1193.....	92		
EW3430.....	79	EW3958.....	40	EW7061.....	72	IM1036.....	94	IM1194.....	92		
EW3431.....	79	EW3959.....	40	EW7062.....	72	IM1037.....	94	IM1195.....	92		
EW3440.....	79	EW3960.....	43	EW7064.....	73	IM1038.....	94	IM1205.....	97		
EW3450.....	79	EW3963.....	37	EW7065.....	72	IM1039.....	94	IM1206.....	97		
EW3513.....	29	EW3968.....	37	EW7066.....	72	IM1040.....	94	IM1214.....	96		
EW3527.....	29	EW3969.....	37	EW7068.....	73	IM1041.....	94	IM1216.....	96		
EW3528.....	29	EW3970-3M.....	45	EW7069.....	74	IM1044.....	94	IM1217.....	96		
EW3550.....	28	EW3970-5M.....	46	EW7070.....	73	IM1045.....	94	IM1220.....	96		
EW3552.....	28	EW3978.....	36	EW7073.....	73	IM1046.....	94	IM1221.....	96		
EW3562.....	27	EW3979.....	37	EW7075.....	73	IM1047.....	94	IM1222.....	96		
EW3563.....	27	EW3980.....	36	EW7078.....	72	IM1048.....	94	IM1223.....	96		
EW3564.....	27	EW3981.....	36	EW9005.....	97	IM1049.....	94	IM1224.....	96		
EW3565.....	27	EW3982.....	36	EW9006.....	97	IM1050.....	94	IM1225.....	96		
EW3567.....	28	EW3992.....	39	EW9630.....	104	IM1070.....	94	IM1226.....	96		
EW3568.....	27	EW3995.....	50	EW9643.....	104	IM1071.....	94	IM1227.....	96		
EW3715.....	26	EW3997.....	50	EW9650.....	104	IM1072.....	94	IM1228.....	96		
EW3720.....	26	EW4029.....	90	EW9700.....	68	IM1073.....	94	IM1300.....	93		
EW3730.....	26	EW5600.....	81	EW9818.....	90, 106	IM1074.....	94	IM1301.....	93		
EW3751.....	29	EW5601.....	81	EW9823.....	105	IM1075.....	94	IM1302.....	93		
EW3800.....	119	EW5606.....	81	EW9824.....	105	IM1076.....	94	IM1303.....	93		
EW3802.....	119	EW5607.....	81	EW9825.....	105	IM1131.....	95	IM1304.....	93		
EW3803.....	119	EW5611.....	83	EW9826.....	105	IM1132.....	95	IM1305.....	93		
EW3810.....	119	EW5612.....	82	EW9828.....	90, 106	IM1137.....	95	IM1306.....	93		

NOTE

Handwriting practice lines consisting of 20 horizontal dotted lines.

Ewent means excellent and that is what we want to be!

Technology sets pace for changing human's every day habits and customs. Many people cannot imagine to live without smartphones and tablets anymore. Through networks we are getting more and more connected.

More products means more complexity. Ewent strives to create solutions to make the use of technological products easy. We create solutions by looking not only at what a product can do, but above all how people make use of it.

Designed for daily use

ewent

Ewent offers a comprehensive range of technology accessories designed for ease of use and reliable performance.

Product groups include:

- **USB and storage accessories:** USB peripherals and HDD/SSD accessories
- **Hubs and card readers**
- **ICT accessories** for PC, laptop, and tablet
- **Ergonomic solutions:** monitor and TV mounts, carts, and workstations
- **Power accessories:** chargers for laptops, tablets, and phones, plus home power strips
- **Cleaning and maintenance products**

Networking solutions:

In addition to accessories, Ewent provides copper and fiber connectivity products. This specialized business line includes audio &

video cables, USB-C cables, docking stations and converters, installation LAN cables, and copper and fiber patch cords.

Value & design:

Ewent products are competitively priced and distinguished by stylish design and effortless installation. Our goal is to make technology simple. We prioritize understanding how and why consumers use our products -not just their technical specifications- to deliver truly user-friendly solutions with clear, concise instructions.

Customer support:

Users have access to helpful YouTube tutorials, active social media support, and an approachable helpdesk.

The Ewent product developers have a clear goal when a product is developed. Each product must be easy to use and easy to install. We take a close look at how our customers use the products in their daily environment. Since technology keeps evolving and consumer demands are subject to change, Ewent continuously offer product updates. As a result, our products meet the expectations from today and tomorrow. The Ewent manuals are available in many different languages and are showing how a product must be used. Instead of only speaking in technical terms, we are providing practical tips and recommendations, so that manuals are accessible for everyone.

Goal: Plastic-Free Packaging

Until recently, blister packs were the standard for retail display, and additional plastic was often used to "protect" products. While visually appealing, these materials were not environmentally friendly.

We are well on our way to eliminating plastic from our packaging. Blister packs have been replaced with cardboard, and we are progressively phasing out plastic inner pouches in favor of paper alternatives. We will continue refining our approach to reduce environmental impact across every component of our packaging.

From Plastic Clamshell Blister to Fully carton & Paper Packaging



A unique kind of service

In some cases a multilingual manual does not provide the answer to all questions. Therefore, Ewent is focusing on their sales and after sales support.



5 years warranty

We, at Ewent, do believe in our products. That is why we provide 5 years warranty along almost all of our products.



Service Center

Our Service Center is well-known for their quick and excellent support. May a product not work as expected? Our highest priority is to come up with an adequate solution.



Accessible Helpdesk

When consumers are needing extra support with their products our accessible helpdesk can be contacted by email, facebook messenger and website. Our multilingual support agents are pased to help.

e'went

 /ewenteminent  @EwentEminent  @ewent_eu  /Ewent

AUTHORIZED DISTRIBUTOR

 ewent-online.com

 info@ewent.biz

CATALOGUE REF.NO. EW-CATEW26/EN